




ARIENS®



ARIENS 2027
ARIENS.COM

A person wearing a dark jacket and sunglasses is operating a red Ariens snowblower in a snowy forest. The snowblower is clearing a path through deep snow, leaving behind a series of wavy tracks. The background is filled with tall, thin trees covered in snow.

ARIENS®

THE NAME YOU CAN COUNT ON.

We proudly stand behind every machine that bears our name, just as we have for over 90 years. Our bright orange isn't just a bold color choice. It's a symbol. A reminder to our customers that we promise to always deliver machines they can rely on. That's the Ariens family way. We stand for American craftsmanship, unparalleled performance, and the relentless pursuit of perfection in everything we design and build.





ARIENS A CUT ABOVE THE REST.

The standards were set by Henry Ariens back in 1933. As high as they were back then, they're even higher today. Our commitment to durability and reliability is instilled in every snowthrower that comes off the line. It's reassurance you'll have the highest level of performance every time you mow.

PATHPRO

CHANGE THE TUNE OF WINTER BLUES.

DESIGNATION	PATH-PRO SS21	PATH-PRO SSRC21	PATH-PRO SS21E	PATH-PRO SS21E	PATH-PRO SS21C
MODEL #	938033	938025	938036	938037	938035
ENGINE	ARIENS AX 212CC / 208CC				
DRIVE SYSTEM	AUGER PROPELLED				
SARTER SYSTEM	RECOIL	RECOIL	ELECTRIC	ELECTRIC	RECOIL
CHUTE ROTAION	REMOTE	REMOTE	MANUAL	REMOTE	REMOTE
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE				



THE PATH-PRO CAN THROW 57 TONS OF SNOW EVERY HOUR AND CLEAN IT RIGHT DOWN TO THE PAVEMENT.

Up to 9" of snow is no problem for the Path-Pro Series with its reinforced rubber paddles and adjustable scraper bar. This single-stage snow blower features a tireless Ariens® AX engine that efficiently plows through drifts. Have a limited amount of storage space? Its folding handlebar allows it to fit in compact spaces. The Path-Pro puts snow in its final resting place.

3 YEAR
RESIDENTIAL
WARRANTY



Steel-walled housing contains the snow while reinforced rubber paddles and an adjustable scraper bar finish the job.



Dense, molded rubber withstands punishment from the elements and offers excellent traction and agility.



Our folding handlebars minimize required storage space, making it perfect for even the smallest garages.



The Path-Pro's maintenance hatch makes an appearance, allows easy-access to the engine, and protects it from dust and debris.

CLASSIC

S E R I E S

A NO-NONSENSE WORKHORSE BUILT TO TAKE ON WINTER'S WORST

DESIGNATION	CLASSIC 24
MODEL #	920025
ENGINE	ARIENS AX 208CC (9.5 FT/LBS)
STARTING SYSTEM	120V ELECTRIC START / RECOIL
THROWING DISTANCE	3 - 40 FT (9 - 12.2 M)
CHUTE ROTATION	2.5X QUICK TURN
AUGER DIAMETER	11 IN (27.9 CM)
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE



ALL STEEL CONSTRUCTION • 230V ELECTRIC START • 2.5 QUICK-TURN CHUTE

All-steel construction yet lightweight and easy to control, this machine was made for serious snow removal. Its interlocking levers let you operate one-handed when throwing snow and driving, while its steel serrated auger makes a quick meal out of whatever mother nature dishes out. Heavy and wet? Light and fluffy? The CLASSIC throws it all.

COMPACT

S E R I E S

DURABILITY AND POWER MEET FUNCTION AND FLEXIBILITY.

DESIGNATION	COMPACT 24 AUTO	COMPACT 24
MODEL #	920029	920034
ENGINE	Ariens AX 223cc Electric starter	Ariens AX 223cc Electric starter
DRIVE TYPE	DISC-O-MATIC	
STEERING	AUTO-TURN	
SPEEDS	6 FORWARD/2 REVERSE	
AUGER DIAMETER	12 INCHES	
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE	



SURE, IT LOOKS SMALL, BUT OUR COMPACT POWERHOUSE PACKS A BIG-TIME PUNCH.

From a light dusting to residential sidewalk duty, the Compact Sno-Thro® combines effortless agility and legendary Ariens® ability. Light and easy to handle, this all-steel workhorse features a high, 50.8cm housing and 27.9cm auger to clear up to 59 tons of snow per hour while sending it flying up to 12.2 metres.



DELUXE

SERIES

THE PINNACLE OF PERFORMANCE.

DESIGNATION	DELUXE 24	DELUXE 28	DELUXE 28 SHO	DELUXE 30	DELUXE 30 EFI
MODEL #	921069	921070	921072	921071	921049
ENGINE	ARIENS AX 252CC	ARIENS AX 252CC	ARIENS AX 301CC	ARIENS AX 301CC	ARIENS AX 306CC
STARTING SYSTEM	120V ELECTRIC START				
THROWING DISTANCE	3 FT - 50 FT	3 FT - 50 FT	3 FT - 55 FT	3 FT - 50 FT	3 FT - 50 FT
CHUTE ROTATION	2.5X ICE DRILL / IN-DASH LEVER CONTROL				
AUGER DIAMETER	14 IN / 35.6CM				
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE				



A MEAN, SNOW-CLEARING MACHINE THAT ADAPTS TO ANYTHING WINTER THROWS ITS WAY

The Deluxe Series is consistently one of our best sellers because it has a history of knocking winter down a few notches. They're easy to maneuver and control with their standard Auto-Turn™ steering and huge 14" serrated all-steel auger. A high 21" housing height devours the snow before throwing it up to 50 feet at a rate of 62-72 tons per hour. Various engines and machine widths make it easy to find the right unit for your property. Behind a Deluxe, you're walking in the tire tracks of greatness.

PLATINUM

SERIES

PURE POWER AGAINST SNOW

DESIGNATION	PLATINUM 24 SHO	PLATINUM 24 SHO EFI	PLATINUM 30 SHO
MODEL #	921074	921066	921075
ENGINE	ARIENS AX 252CC	ARIENS AX 252CC	ARIENS AX 301CC
STARTING SYSTEM	120V ELECTRIC START		
THROWING DISTANCE	3 FT - 50 FT	3 FT - 50 FT	3 FT - 55 FT
CHUTE ROTATION	2.5X ICE DRILL / IN-DASH LEVER CONTROL		
AUGER DIAMETER	14 IN / 35.6CM		
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE		



MOVE THROUGH HEAVY, WET SNOW WITH EASE WITH OUR EXCLUSIVE SHO TECHNOLOGY.

When you get behind your PLATINUM, you'll want to keep going –driveway after driveway. These units were built for high-volume workloads, hence their standard hand-warmers and Super High Output (SHO) impellers. The PLATINUM Series is loaded with plenty of other features sure to fit your snow removal needs.

QUALITY AND COMFORT
BEYOND EXPECTATIONS.



PROFESSIONAL

S E R I E S

DESIGNATION	PROFESSIONAL 28	PROFESSIONAL 32 EFI	PROFESSIONAL 36
MODEL #	926093	926092	926081
ENGINE	ARIENS AX 420CC		
STARTING SYSTEM	120V ELECTRIC START		
THROWING DISTANCE	3 FT - 50 FT	3 FT - 50 FT	3 FT - 55 FT
CHUTE ROTATION	2.5X ICE DRILL / IN-DASH LEVER CONTROL		
AUGER DIAMETER	14 IN / 35.6CM		
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE		



BILLIONS OF SNOW FLAKES VS. ONE MACHINE. SEEMS ABOUT RIGHT.

They tame the wildest of snowstorms with ease. The deepest, heaviest snowfalls are given their last rites the moment you're up this 420cc engine. You don't need to be a professional to own one, just the desire to move as much snow in as little time as possible. Go ahead, upgrade your amateur status and throw like the pros.

RAPIDTRAK™

S E R I E S

STOPS A BLIZZARD IN ITS TRACKS!

DESIGNATION	COMPACT 24 RAPIDTRAK™	PLATINUM 28 RAPIDTRAK™	PROFESSIONAL 28 RAPIDTRAK™ ALPINE EDITION	PROFESSIONAL 32 EFI RAPIDTRAK™ MOUNTAINEERING EDITION	PROFESSIONAL 32 EFI RAPIDTRAK™ KRAKEN EDITION
MODEL #	921035	921073	926091	926521	926520
ENGINE	ARIENS AX 252CC	ARIENS AX 252CC	ARIENS AX 301CC	ARIENS AX 301CC	ARIENS AX 306CC
STARTING SYSTEM	120V ELECTRIC START				
THROWING DISTANCE	3 FT - 50 FT	3 FT - 50 FT	3 FT - 55 FT	3 FT - 50 FT	3 FT - 50 FT
CHUTE ROTATION	2.5X ICE DRILL / IN-DASH LEVER CONTROL				
AUGER DIAMETER	14 IN / 35.6CM				
WARRANTY	3 YEARS RESIDENTIAL USE. 90 DAYS COMMERCIAL USE				



TAKE THE STORM BY STORM

Wheels and tracks. They each have their place. We just happen to think some places need both. That's the versatility RapidTrak™ gives you. Thanks to its intuitive user-friendly design and three adjustable settings, you can switch to the traction you need in seconds. Its Wheeled Mode gives you effortless maneuverability on flat surfaces and its Track Mode is great for regular snow-clearing. But sometimes you need something extra. That's where the Dig-In Mode comes in. It delivers the traction you need in deep snow, on hills, or on slippery pavement. Every snowfall is different, and RapidTrak™ will keep you powering forward.



MAMMOTH 850

DESIGNATION	MAMMOTH M 850
MODEL	951301
ENGINE	KAWASAKI® 850V EFI
MAX. ENGINE POWER KW/HP	21,7/29,5 @ 3.600 RPM
STARTING SYSTEM	ELECTRIC
TRACTION DRIVE	HYDROSTATIC, 4WD
GEARS	VARIABLE
MAX. SPEED	12,9 KM/H FORW. / 6,4 KM/H BACKW.
ATTACHEMENT-SYSTEM	ARIENS "SNOWZILLA™" QUICK-ATTACHEMENT SYSTEM
ATTACHEMENT-LIFT	ELECTRIC
DRIVE SHAFT	PTO WITH ELECTRIC CLUTCH
ATTACHEMENT ADJUSTMENT	ELECTRIC JOYSTICK CONTROL
HEATED HAND GRIPS	YES
LIGHTS	2 LED FRONT, 1 LED BACK
DIMENSIONS L/W/H	174 CM WITH PLATFORM / 91 CM / 128 CM
WEIGHT, WITHOUT FUEL	495 KG



ATTACHMENTS	48" 122cm V-PLOW	48" 122cm SNOW BLADE	44" 112cm POWER BRUSH
MODEL	851307	851303	851304
JOYSTICK ADJUSTMENT	ELECTRIC LIFT V-STRAIGHT-Y PLOW ADJUSTMENT 28,5° - 0°-28,5°	ELECTRIC LIFT 30° - 0°-30° ADJUSTMENT	ELECTRIC LIFT 20°-0°-20° ADJUSTMENT
OTHER	STEEL SCRAPER BAR AS STANDARD	STEEL SCRAPER BAR AS STANDARD	63cm BRUSH DIAMETER



ATTACHMENTS	36" 91cm OR 48" 122cm SNOW BLOWER	SALT SPREADER 113cm	BRINE SPRAYER VARIABLE 69cm to 119cm
MODEL	851302 or 851301	851006	851005
JOYSTICK ADJUSTMENT	ELECTRIC LIFT CHUTE ROTATION	REAR ATTACHMENT, SEPARATE ELECTRICAL CONTROL ELEMENT	REAR ATTACHMENT WITH ON/OFF SWITCH
ATTACHMENT CONNECTOR	PTO SHAFT AND ELECTRICAL CONNECTION WITH QUICK CONNECTORS	ELECTRICAL CONNECTION	ELECTRICAL CONNECTION
OTHER	THROWING DISTANCE 18 m MAX	56 L CAPACITY	75 L RESERVOIR



WHEN YOU FOCUS ON QUALITY, PERFORMANCE COMES NATURALLY.

We don't just build our machines to throw snow. Anyone can do that. We also build them to be equal parts durable and reliable. Their durability is legendary and shows in their solid construction and design. Their reliability comes from their premium features. Not only will it get the job done, it gets it done with precision. Ariens is more than a brand. Our family's name on each machine is your assurance our products will perform their best.



ARIENS.COM



Registered trademark and ™ trademark of AriensCo., Briggs & Stratton® Kohler®, Kawasaki®, and HydroGear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

© 2026 ARIENSCO. ALL RIGHTS RESERVED. 126

AN **ARIENS|CO** BRAND

BATTLEFIELD



1-800-RENT-CAT | BattlefieldEquipment.ca