



JOBSITE

2021 CANADIAN RENTAL RATES

Effective July 1st, 2021

HOISTING & RIGGING			WEEKLY	4 WEEKS
Chainfall (CERTIFIED)			Rates listed are based on 20' lift	
* Lifts available up to 100 ft.				
1/2 ton			41	79
1 Ton			52	95
1-1/2 Ton			55	110
2 Ton			60	146
3 Ton			80	191
5 Ton			110	300
7-1/2 Ton			192	575
10 Ton			282	682
15 Ton			575	1,710
Puller (CERTIFIED)			Rates listed are based on 5' chain	
* Length available up to 20 ft.				
3/4 Ton			46	102
1-1/2 Ton			52	110
3 Ton			56	137
6 Ton			89	237
Air Hoist (CERTIFIED)			Lifts available up to 150 ft.	
1/2 Ton	50 ft.		265	733
1 Ton	40 ft.		279	769
1 Ton	60 ft.		340	924
2 Ton	40 ft.		396	1,038
2 Ton	60 ft.		469	1,289
3 Ton	40 ft.		500	1,405
3 Ton	100 ft.		559	1,670
6 Ton	40 ft.		704	2,109
6 Ton	80 ft.		1,592	3,979
Electric Hoist (CERTIFIED)			Lifts available up to 150 ft.	
1/2 Ton, 110 V	50 ft.		225	580
1 Ton, 110 V	40 ft.		225	580
2 Ton, 110V	40 ft.		270	698
2 Ton, 110/220 V	60 ft.		277	815
3 Ton, 575 V 3PH	60 ft.		387	1,038
5 Ton, 575 V 3PH	50 ft.		500	1,466
Trolley & Beam Clamp (CERTIFIED)				
1/2 Ton			34	75
1 Ton			34	75
2 Ton			34	83
3 Ton			49	123
5 Ton			74	184
10 Ton			98	245
Tugger / Winch (CERTIFIED)			Cable sold seperately	
Tugger, Air	1,100 lb.		242	718
Winch, Electric 110 V	3,000 lb.	**Cable Extra	384	800
Winch, Electric 115 V	4,000 lb.	**Cable Extra	526	903
Winch, Electric 220 V	6,000 lb.	**Cable Extra	567	1,540

Snatch Block	Up to 15 Ton	VARIES TO SIZE	
Yarding Block	Up to 4 Ton	VARIES TO SIZE	
Lifting Magnet	4400 lb.	332	994
Plate Clamp	Up to 3 Ton	VARIES TO SIZE	
Tirfor (CERTIFIED)		Cable sold seperately	
1650 lb. Capacity	Cable Extra	92	231
3300 lb. Capacity	Cable Extra	92	231
6600 lb. Capacity	Cable Extra	134	351

MATERIAL HANDLING / MACHINERY MOVING		WEEKLY	4 WEEKS
EME Aluminum Gantry Cranes (CERTIFIED)		Beam Lengths available up to 30 ft.	

* All cranes c/w trolley & beam up to 15 ft.			
2200LW	2,200 lb cap, 90-122" lift range	519	1,381
4400M	4,400 lb cap, 66-90" lift range	519	1,381
4400R/T	4,400 lb cap, 90-138" lift range	519	1,381
6600R	6,600 lb cap, 106-154" lift range	649	1,731
11000R	11,000 lb cap, 106-154" lift range	940	2,580
16500R	16,500 lb cap, 106-154" lift range	2,086	5,457
20000R	20,000 lb cap, 97-139" lift range	2,334	6,260
Cantilever	Weights and Beam (600lb. @ 5 ft.)	230	457
Extra Beam Trolley		89	179
Material Lifts (CERTIFIED)			
	4.5 ft. 400 lb.with tray	154	371
	7.5 ft. 1,000 lb with tray	205	547
	10 ft. 1,000 lb.	194	544
	12 ft. 400 lb.	161	391
	12 ft. 350 lb. Counterweight	161	391
	15 ft. 800 lb.	194	544
	15 ft. 1,100 lb.	206	564
	18 ft. 650 lb.	179	493
	20 ft. 800 lb.	206	564
	20 ft. 800 lb. Counterweight	465	841
	24 ft. 650 lb.	179	493
Fork Extensions		36	103
Pipe Cradle		26	55
Boom Attachment		92	153
Tray Attachment		50	98
Roust-A-Bouts (CERTIFIED)			
	15 ft. 1,500 lbs.	315	786
	25 ft. 1,500 lbs.	315	786
Extension Tee		42	87
Pallet Trucks			
	5,500 lb. Standard	68	204
	8,000 lb. Standard	88	262
	5,500 lb. Narrow Aisle (21")	96	239
	5,500 lb. 5 ft / 6 ft Forks	88	262
	4,000 lb. 8 ft Forks	211	575
Machinery Moving			
Stair Climber	1,500 lb.	627	1,365
Push Cart	2 Wheel, Pneumatic Tire	32	50
	4 Wheel, 30" x 60", 2,000 lb. cap, (Flat Free)	56	150
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"	137	410
Engine Hoist	2 Ton	144	387
Appliance Cart	1,200 lb.	89	231
Wagon Yard Cart	24" x 48" 800 lb.	55	148
Drum Cart	1,000 lb.	110	173
Forklift Boom Extension	5 Ton	235	549

Forklift Dumper Box	1 Cu.Yd	150	309
	2 Cu. Yd	277	498
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"	156	464
3 Wheel Dolly	1,800 lb.	32	81
Corner Dolly	2,400 lb.	56	119
Furniture Dolly	800 lb.	32	94
Rol-A-Lift Jack	6,000 lb. cap. (pair) c/w Straps	211	281
	10,000 lb. cap. (pair) c/w Straps	281	430
Roller Conveyor	10 ft. section c/w Legs	40	107
Swivel / Straight Skate	3.75 Ton cap.	56	146
	10/15 Ton cap.	64	156
	10 Ton SLP Nylon Rollers	94	279
Steerable Poly Skates	48 Ton cap. (Set)	187	556
Swivel / Straight Skate	30 Ton	81	240
Straight Skate	40 Ton	107	297
Pry Dolly	4,200 lb. cap.	55	92
Micrometer	Outside 0" - 6"	32	94
	Outside 6" - 18"	64	187
	Outside 18" - 30"	89	247
	Inside 2" - 32"	40	114
Dial Indicator		20	56
Magnetic Base for Dial Indicator		19	55
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle	287	570
	Digital, 50,000lb w/Shackle	387	939
	Digital, 100,000lb w/Shackle	455	1,359

JACKS		WEEKLY	4 WEEKS
Mechanical			
Ratchet Toe	5 Ton	56	166
	10 Ton	75	221
	15 Ton	88	258
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.	48	83
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.	65	140
	5 Ton, 20" - 60" Reel Dia.	56	140
	10 Ton, 20" - 96" Reel Dia.	64	171
	10 Ton T Base, 36" - 84" Reel Dia.	64	171
Hydraulic			
Toe	10 Ton 1-1/8" min / 9" stroke	70	206
	20 Ton 1" min / 6-5/16" stroke	396	986
* Single Acting	Closed Height / Stroke		
5 Ton	1-5/16" / 1/4" (pancake)	54	160
10 Ton	1-5/8" / 7/16" (pancake)	54	160
	3-1/2" / 1"	54	160
	3-1/2" / 1-1/2"	54	160
	4-3/4" / 2-1/8"	54	160
	6-3/4" / 4-1/8"	54	160
	9-3/4" / 6-1/8"	54	160
	13-3/4" / 10-1/8"	54	160
20 Ton	2" / 7/16" (pancake)	75	213
	3-7/8" / 1-3/4"	75	213
25 Ton	6-1/2" / 2"	75	220
	7-7/8" / 4"	81	224
	10-3/4" / 6-1/4"	105	309
	18-5/8" / 14"	105	309
30 Ton	2-5/16" / 1/2" (pancake)	75	213
	4-5/8" / 2-7/16"	75	213
	7" / 2-1/2" (hollow)	105	309

	15-1/4" / 8-1/4"	105	309
35 Ton (bottle)	11" / 6-1/4"	145	224
50 Ton	2-5/8" / 5/8" (pancake)	105	236
	4-13/16" / 2-3/8"	105	236
	11-1/8" / 6-1/4"	117	292
60 Ton	9-11/16" / 3" (hollow)	179	514
	12-3/4" / 6" (hollow)	179	514
75 Ton	3-1/8" / 5/8" (pancake)	122	303
100 Ton	3-3/8" / 5/8" (pancake)	153	335
	5-9/16" / 2-1/4"	153	330
	14-1/16" / 6-5/8"	197	591
150 Ton	8-1/8" / 2" (locknut)	197	591
150 Ton	16-3/8" - 10" (aluminum locknut)	792	2,218
200 Ton	13-1/2" / 5-7/8" (locknut)	553	1,650
300 Ton	15-1/2" / 5-7/8" (locknut)	820	2,456
Pumps c/w 6' Hose			
Hydraulic Hand	45 - 250 cu.in	13	23
	250 - 460 cu.in	18	34
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.	119	347
	110V 1-1/2 HP 1.5 Gal. High Speed	184	382
	110V 1-1/2 HP 5 Gal.	242	677
	110V 1-1/2 HP 10 Gal.	364	905
Manifold System		ASSEMBLED TO SUIT	
Hydraulic Hose	20 Ft. 10,000 PSI	26	55
	50 Ft. 10,000 PSI	47	98

WELDING / POWER DISTRIBUTION		WEEKLY	4 WEEKS
Fume Extraction			
* All Smoke/Fume Extractors c/w Washable Filters (Hepa Filters Available)			
Smoke Eater	Suitcase, 160 CFM	136	336
Precipitator	Swing Arm, 1,400 CFM	263	610
Engine Driven			
Gasoline	185-200 Amp Portable	250	629
Propane	305 Amp w/ Cart	250	629
Diesel	300 Amp w/ towable trailer	289	845
	400 Amp Dual Operator w/ towable trailer	372	1,036
	500 Amp w/ towable trailer	412	1,210
Exhaust Scrubber	Diesel / LPG	184	364
Electric			
MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose	122	357
	Power Mig 210MP 110-220 / 1	137	371
	Power Mig 250 amp 230-575 / 1	173	445
	Powerwave S350 208-575 / 1-3	470	988
	Powerwave STT Module 40V DC	217	658
	84 Dual Wire Feed	580	1,380
Stick Welding	Amp / Voltage / Phase		
	150 amp, 110-220 / 1, Maxstar	169	367
	275 amp, 208-575 / 1-3, Inverter	114	303
	350 amp, Multi-Weld	158	357
	Distribution Box, Multi-Weld	30	59
	350 amp, 460/575 / 3 ph Flextec	147	397
	350 amp, 208-575 / 1-3 ph Invertec	147	397
	450 amp, 380-575 / 3 ph	155	420
	500 amp, 230-575 / 3 ph	155	420
	650 amp, 380-575 / 3 ph	163	471
	1000 amp, 575 / 3 ph	547	1,100
	4-6 Pack Frame w/ distribution panel	134	134

Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH	169	367
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol	55	164
	200 amp c/w Flowmeter, Hose, Gas Valve	55	164
Cordless			
Stick Welding	140 amp, 52V Fronius	250	525
Accessories			
Welding Cable 1/O	50 ft.	33	58
	100 ft.	55	103
	Ground Clamp w/ Whip	13	24
	Stinger w/ Whip	13	24
Remote Control	100 ft.	52	103
	100 ft. extension cable	55	111
30/60 Amp Plug		39	68
60 amp extension cable	6/4, 50 ft c/w welding plugs	128	194
Rod Oven	10 lb.	39	75
	125 lb.	55	153
	350 lb.	75	184
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal	235	529
	110V, 3000 lb.	2,759	5,407
	600V, 6000 lb.	4,414	8,276
Power Distribution			
Splitter Panel 600V	60 amp	263	657
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH	303	906
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar	655	1,536
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI	116	229
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock	87	145
Cable Mat	5 Channel 30T Cap. 3ft	24	47
Cutting			
Plasma Cutter	110 - 220 / 1 3/8" Cap.	173	371
Plasma Cutter	208 - 575 / 1-3 1" Cap.	267	797
Plasma Cutter	575 / 3 1-1/2" Cap.	314	930
Arc Air Gouger	c/w Welding Whip, Air Whip	50	111
Oxy/Acet. Cutting Outfit	c/w torch, 50' hose, regulators	133	246
Bottle Cart	Single / Double	27	46
	2 Bottle Lift/Fire Rated	95	271
Vapour Propane Torch	c/w Regulator, 25 ft. hose, 250 KBTU	32	75
Radiograph Cutter	c/w Torch, 6 ft.Track	122	335
Track for Radiograph	6 ft.	30	59
PIPE BENDING		WEEKLY	4 WEEKS
Mechanical			
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT	VARIES TO SIZE	
Hand Tube Bender	3/8" - 3/4" O.D. Tubing	VARIES TO SIZE	
1800 / 750	1/2" - 1" Rigid	55	164
1801 / 751	1-1/4" - 1-1/2" Rigid	68	170
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT	194	580
Electric			
Tubing Bender	1/2" - 1-1/8" O.D. Tubing	170	505
555 / 77	1/2" - 2" Machine only, 110V	158	466
	1/2" - 2" Rigid Shoe Group	63	189
	1/2" - 2" EMT Shoe Group	117	242
	1/2" - 2" PVC / Rob Roy Shoe Group	117	242
PVC Heater / Bender	1/2" - 2", 110V	50	134
	1/2" - 4", 110V	92	226
	1/2" - 6", 230V	112	332
Hydraulic			

Bus Bar 4" Bender	3/4" x 4"	122	357
880	1/2" - 2" Rigid	122	357
882	1-1/4" - 2" EMT	153	357
881 / 254L	2-1/2" - 4" Rigid / EMT One Shot	370	1,103
1813 / MBT / 280 / 252	Bending Table for 881 - Pipe not included	182	365
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed	184	382

PIPE FABRICATION		WEEKLY	4 WEEKS
Pipe Beveling			
Beveling Bands	Up to 42"	VARIES TO SIZE	
Crawler	Manual, 9 ft. - 14' whip w/ Torch	122	364
	Motorized, 110V w/ Torch	287	513
George Fischer Machine	Cut & Bevel up to 4" (blade extra)	400	896
Ridgid B-500	Cold Bevel Pipe 4" and Larger	200	564
Manual Cutting			
2-A	1/2" - 2", 1 Wheel	26	40
42-A	3/4" - 2", 4 Wheel	28	51
4-S	2" - 4", 1 Wheel	33	92
44-S	2-1/2" - 4", 4 Wheel	40	112
6-S	4" - 6", 1 Wheel	46	124
466-S	4" - 6", 4 Wheel	48	134
468-S	6" - 8", 4 Wheel	53	150
472-S	8" - 12", 4 Wheel	89	210
246	Soil Pipe, 1-1/2" - 6"	26	123
RT3422	Hot Tap, 3/4" - 2" NPT	392	782
Hydraulic Cutting			
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers	194	441
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers	194	441
700	Power Drive for 258 / 258XL	95	213
3890	Soil Pipe, 2" - 12" w/ Ram, Pump	179	411
Electric Cutting			
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe	179	412
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp	153	455
Manual Flange Spreading			
ST-302	4"	26	73
ST-303	5"	34	96
ST-304	6-3/8"	45	110
Ratchet "Pop-It"	1/16" - 5-1/4"	137	400
	1/2" - 8-1/2"	400	740
Hydraulic Flange Spreading			
1/2 Ton Wedge	3/8" / 3-1/4"	64	156
1 Ton Wedge	3/8" / 3-11/16"	64	156
10 Ton Flange	2-3/4" - 8-1/2" Opening	265	469
Aligning			
461	Straight 1-1/2" - 8"	22	61
Ultra Clamp	2" - 6"	31	87
	5" - 12"	39	117
Flange Alignment	Hydraulic 10 Ton	309	927
Tipton Line Up Clamp	Up to 36"	VARIES TO SIZE	
K.C. Ratchet Line Up Clamp	Up to 42"	VARIES TO SIZE	
"C" Clamp	Up to 12"	VARIES TO SIZE	
"L" Clamp (Bessey)	Up to 24"	VARIES TO SIZE	
Grooving			
915	Manual, 2" - 12" Steel / 2" - 8" Copper	122	335
916	Power, 1-1/4" - 6" Steel	122	335
975	Manual / Power, 1-1/4" - 6" Steel	122	335

918	Power, 2" - 12" Steel	194	544
	2" - 6" Copper Roller Set for 918	116	229
920	2" - 24" Steel	440	1,166
725	Cut Groove Die Head for 1224, 2-1/2" - 4"	55	164
Manual Threading			
2-S	Spiral Reamer, 1/4" - 2"	17	32
12-R	Die Head 1/8" - 2" (each)	15	32
12-R	Ratchet	20	46
12-R	Set 1/2" - 2" c/w Ratchet	96	226
418	Oiler	24	43
Power Threading			
700	Power Drive	95	213
775	Support Arm	30	60
300	Power Drive	114	325
300	Threading Package c/w 1 die head	206	495
311	Carriage Assembly	24	43
811A	Die Head, 1/4" - 2"	26	51
141	Threader 2-1/2" - 4"	92	262
161	Threader 4" - 6"	148	357
840A	Universal Drive Shaft	26	45
460	Tristand, 1/4" - 6"	32	94
535	Threading Machine, 1/4" - 2"	213	529
1224	Threading Machine, 1/4" - 4"	336	980
714	Die head 2-1/2" - 4" for 1224 Machine	46	90
711	Die Head 1/4" - 2" for 1224 Machine	31	62
819	Nipple Chuck 1/2" - 2"	32	70
418	Oiler	24	43
Pipe Stands / Rollers			
V Top	2,000 lb. 1/8" - 24"	25	38
Steel Roller Top	2,000 lb. 1/8" - 24"	25	38
Pro Roll	2,000 lb. 1/2" - 36"	38	107
Big V	2,500 lb. 1/2" - 36"	38	61
Max-Jax	2,500 lb. 4" - 36"	90	179
Max-Jax 2	4,500 lb. 4" - 36"	90	179
Pipe Roller	Clamp on 4" - 20"	81	208
Power Roller	4,000 lb. 2" - 36"	438	1,005
Pipe / Conduit Carts			
Cricket	1,000 lb. 12" Cap.	55	164
Grasshopper	2,000 lb. 20" Cap.	80	236
Pipe Mac	2,000 lb. Cap.	55	148
Mac Rack	1,000 lb. Non-Lockable	80	151
Testing			
1450 Manual	725 PSI	61	179
	1,000 PSI, Viton Gasket	61	179
Electric Hydrostatic	1,100 - 1,500 PSI, 110V	122	357
Pneumatic Hydrostatic	300 - 10,000 PSI	239	672
Test Plug		VARIES TO SIZE	
Maintenance			
Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)	242	544
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU	314	740
Pipe Thawer	110V, 1/2" - 1-1/2"	151	298
Water Jetter	110V, 1-1/4" - 4"	627	1,877
Press Fit Tool	1/2" - 2" Copper & Stainless Steel	236	598
Press Ring Set	1/2" - 2" Sched 40 Black Pipe	277	553
Press Ring Set	2-1/2" - 4"	277	553
Hot Tap	3/4" - 2" NPT	392	782
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.	119	295

Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",	364	845
Pipe Inspection Camera	200' - 3" - 10" w/ LCD screen & USB 512HZ	683	2,047
Pipe Locator	Sonde, 512HZ	179	529
Thermal Imaging Camera	160x120 IR image, 320x240 Super Resolution	160	478

GENERATORS & PUMPS		WEEKLY	4 WEEKS
Generators			
Gas	2,500 Watt	232	586
	5,500 Watt	374	856
Propane	9,000 Watt, Ranger 305	250	629
Pumps			
Transfer	3/4", 110V, Viton	119	352
	3/4", 110V, Viton, Explosion Proof	287	513
Submersible	2", 110V, 65 GPM, Max 40' Head	92	272
Diaphragm	2" Pneumatic, 140 GPM, Nitrile	173	429
	2" x 50' Discharge Hose w/ Camlock	26	75
Pressure Washer	110V, 1,100 PSI	122	357
	Gas, 4,000 PSI	411	821

WIRE & CABLE HANDLING		WEEKLY	4 WEEKS
Bending			
Hydraulic	300 - 1,000 MCM	105	272
Cutting			
Manual	750 MCM CU / 1,000 MCM AL	24	71
Ratchet	750 MCM CU / 795 MCM AL	30	89
Hydraulic	1,000 MCM CU / AL	98	272
	Mobile Cutter 7.1" opening	2,122	6,366
Cordless	1,590 MCM CU / AL	283	728
Cable Stripper	Use w/ 300 Power Drive	235	704
	110 v - 14 awg - 3"	235	704
Compression Tools			
Mechanical	MY29 #8AWG - 250 MCM CU	41	86
Hydraulic	Y39 750 MCM, 12 Ton	124	309
	Y46 1,000 MCM, 15 Ton	148	351
	Die Adapter Y46	27	79
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	173	439
Cordless	#8AWG - 750 MCM CU/AL	236	598
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	236	598
	#8AWG - 500 MCM CU, 350 AL 6 Ton	201	510
Dies	#8AWG - 750 MCM CU/AL	21	39
	1,000 MCM CU/AL	50	98
Knockout Sets			
Mechanical	7238 / 157PM 1/2" - 2" Ratchet	33	96
Hydraulic	7806 / 170PM 1/2" - 2" Straight	92	229
	7906 / 179PM 1/2" - 2" 90 Deg.	92	229
	7306 / 152PM 1/2" - 2" w/ Pump, Ram	92	229
	7310 / 154PM 1/2" - 4" w/ Pump, Ram	133	348
	7506 / 161SS 1/2" - 2" Stainless w/ Pump, Ram	133	348
	7308 / 166SS 2-1/2" - 4" Stainless	92	229
Cable Pulling			
Two Way Radio		49	86
Hand Held Speaker Mic		7	17
Ultra Cable Feeder	6810 / 99 5 x 750 MCM cap.	539	1,106
Cable Puller	G3 / 33 2,000lb	173	400
	G6 6,000 lb.	346	738
	6001 / 88 Super Tugger 6,500 lb.	198	558

	6801 / 88 Super Tugger 8,000 lb.	252	668
	6901 / 110 Super Tugger 10,000 lb.	324	903
	Floor Mount Bracket	27	74
	Pipe Mount Bracket	84	151
	UT8 / 6805 Pulling Pkg. 8,000 lb.	569	1,165
	UT10 / 1450 Pulling Pkg. 10,000 lb.	639	1,393
Reel Jack	2,500 lb. #683 / #670 22 - 54"	48	83
	10,000 lb. Ratchet 20.75 - 30.75"	56	140
	20,000 lb. Ratchet 34.5 - 48.5"	64	171
	20,000 lb. Ratchet T Base 31 - 42.75"	64	171
Reel Bar	2" solid steel x 7' long	27	60
Wire Rack	24 spools #12AWG	50	98
Fish / Vac System	690 w/ accessories	124	309
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit	176	349
	7/16" x 1200., 1" - 8" conduit	349	697
Force Gauge	Deluxe / Bluetooth	598	1,791
Pulling Rope			
Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye	78	147
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye	113	247
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye	168	343
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye	106	217
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye	156	401
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye	247	739
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye	156	401
	1" x 600 ft. DB Polyester / w/ Kevlar Eye	247	739
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye	529	1,154
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap	36	93
Rope Swivel c/w connector	7,000 lb.	127	239
	10,000 lb.	156	301
Kellems Grip	1/2" - 4"	VARIES TO SIZE	
Sheaves			
Feeding	2" - 5"	26	70
Hook	650 / 406 - 6", 4,000 lb Cap.	26	62
	651 / 412 - 12", 4,000 lb Cap.	33	74
	652 / 418 - 18", 4,000 lb Cap.	42	89
	653 / 424 - 24", 4,000 lb Cap.	48	114
	639 / 4424 - 24", Twin Yoke, 4,000 lb Cap.	56	141
	8012 / 812 - 12", 8,000 lb Cap.	51	114
	8018 / 818 - 18", 8,000 lb Cap.	56	131
	8024 / 824 - 24", 8,000 lb Cap.	64	156
	836 - 36", 8,000 lb. Cap.	277	547
	4036 / 12036EZ - 36", 4,000 lb. Cap.	94	225
	4048 / 12048EZ - 48" Radius, 4,000 lb Cap.	187	346
	6036 / 333 - Triple 6,500 lb Cap.	76	150
	638 - 36" Radius, 4,000 lb Cap.	94	225
Tray Rollers			
Sheave	658 / 951TR 12" Long	26	51
	660QA / 953TR Adjustable	26	51
Straight	12" - 24" Pilgrim	26	51
	18" - 36" Pilgrim	26	51
Right Angle	90 Deg. Pilgrim	26	51
	20369R / 95036RA 36" Radius	64	187
Testing			
Megohmmeter	500 / 1000 / 2500 / 1000V	327	658

Drills			
	1/2" Hammer	45	117
	1/2" Right Angle	50	142
	3/4" HD "T" Handle	98	242
	1" SDS Plus Rotary Hammer	52	142
	1-5/8" SDS Max Rotary Hammer	110	236
Diamond	Handheld, 1/2" - 4" Cap.	238	470
	Core Rig, 1/2" - 10" Cap	325	646
	Core Rig, 1/2" - 14" Cap.	325	646
	Sub Scanner Detection Tool, 12 Volt	56	139
	Core Bit, Up to 14"	VARIES TO SIZE	
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck	160	411
	Up to 1-3/8" Broach, Low Profile 6-11/16"	160	411
	Up to 2" Broach / 1/2" Chuck	201	448
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck	265	676
Drill Press	5/8" Chuck	87	239
	3/4" Chuck	87	239
Breaker	60 lb, 110 V	213	544
Extension Cord	12/3, 50 ft.	19	39
	12/3, 100 ft.	26	55
Fans			
	8" Ventilator, 800 CFM 110V w/ 25' Duct	75	153
	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	394	905
	12" Ventilator, 1500 CFM, no ducting	71	147
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	224	451
	18" Box, 5,000 CFM, 110V	179	359
	20" Barrel, 5,000 CFM, 110 V	78	194
	24" Pedestal, 5,000 CFM 110 V	50	134
	42", 14,000 CFM, 110 V	165	364
	12" Explosion Proof Steam Heater, 110V	140	399
	24" Explosion Proof Steam Heater, 110V	212	618
Duct	8" x 25 ft.	36	70
	16" x 25 ft.	47	92
	18" x 20 ft.	59	116
Lights			
Tower Light	30' Diesel	1,011	1,235
Wobblelight	85 Watt Fluorescent	50	117
	175 Watt Metal Halide	75	153
High-Bay	120 Watt LED	84	217
Cart	100 Watt LED	205	529
	1,000 Watt Metal Halide	205	529
	200 Watt Single Explosion Proof	346	797
	100 Watt Dual Explosion Proof	505	1,056
Brick Light	Explosion Proof, 100 ft. cord		955
Brickette	Explosion Proof, 100 ft. cord		849
Trouble	50' Explosion Proof, 75 Watt	148	292
Work	3'3" LED Work Light	160	319
Grinders			
	5"	39	92
	5" with vac attach.	59	116
	7"	45	98
	Die 1/4" Collet	37	99
Saws			
	Jig	39	98
	14" Chop	50	117
	Portaband	63	173
	Reciprocating	39	111

	Fein Pipe/Hacksaw c/w Clamp	153	455
	7-1/4" Worm Drive Circular	52	134
	16-5/16" Circular	155	293
	Tile & Interlock, 3-3/4" x 24"	370	737
	Bandsaw Floor Model, 7" x 12"	124	370
	10" Table	122	364
	10" Mitre	115	295
Impact Wrenches			
	1/2", 265 ft. lbs	51	114
	3/4", 450 ft. lbs	64	150
	1", 740 ft. lbs	124	358
Miscellaneous			
Heat Gun	570 / 1,000 deg. F	28	63
Nibbler	16 GA.	30	87
Shear	18 GA.	63	148
Vacuum	Wet / Dry	87	231
	Hepa (Filters extra)	122	364
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V	142	394
Iron Worker	50 Ton, 575V	547	1,100
	70 Ton, 575V	768	1,380
Cordless Tools			
12 Volt	Sub Scanner Detection Tool	59	145
18 Volt	1/2" Hammer Drill	63	184
	1/2" Right Angle Drill	55	111
	1/4" Hex Impact	45	117
	1/2" Dr. Impact	92	153
	3/4" Dr. Impact	98	181
	1" Dr. Impact	129	387
	4-1/2" Grinder	148	292
	6-1/2" Circular Saw	70	205
	Floodlight	87	173
	2" Hand Held Threader	155	335
	Mag Drill	304	716
	Portaband Saw	110	273
	Reciprocating Saw	119	325
28 Volt	Portaband Saw	110	273
36 Volt	1" SDS Plus Rotary Hammer	119	325
	Reciprocating Saw	119	325
AIR TOOLS		WEEKLY	4 WEEKS
Compressor	Portable, 7.3 CFM, 110V, 20 Gal.	147	396
	Diesel, 185 CFM	472	1,111
Hose	3/8" x 50 ft.	32	68
	3/4" x 50 ft.	32	68
	2" x 50 ft.	63	179
* Chicago, QC, Thor, Dixon, Boss air fittings all available			
Chipper	Pistol Grip .401 Shank	30	87
	15 lb.	50	148
Drill	Right Angle, 3/8" Chuck	39	87
	Pistol Grip, 1/2" Chuck	30	87
Die Grinder	Right Angle, 1/4" Collet	45	117
	Straight, 1/4" Collet	45	117
Grinder	7"	63	148
Impact Wrench,	1/2"	50	116
	3/4"	68	160

	1"	110	331
	1-1/2"	242	713
Ratchet	3/8"	19	39
	1/2"	39	54
Nibbler	14 GA.	111	242
Needle Scaler		63	148
Reciprocating Saw		116	229
Fein Pipe/Hacksaw		156	464
Manifold (certified)	15 Gal. 8 port	121	346
Venturi Air Horn	6" - 8"	50	111
Water Separator (In-Line)		184	338
Dryer w/ Precooler	250 CFM	484	966
Vacuum	55 Gal, 2" Hose, 68 CFM	212	529

CONFINED SPACE		WEEKLY	4 WEEKS
Tripod Retrieval System	50 ft.	306	912
	100 ft.	339	953
Self Retracting Life Line	8 ft. - 11 ft.	92	184
	20 ft.	111	213
	30 ft. - 40 ft.	122	242
	50 ft. - 60 ft.	148	303
	60 ft. 3 way	242	726
	100 ft. 3 way	276	768
4 Gas Monitor	Single Gas Monitor	194	304
	Altair 4X (monitor only)	156	332
	Altair 4X c/w Bump Test Kit & Calibration Gas	235	529
	Altair 5X	442	883
	Calibration Station (Gasses extra)	295	587
2 Way Mobile Radio		49	86
Hand Held Speaker Mic		7	17
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct	75	153
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	224	451
	18" Box, 5,000 CFM, 110V	179	359
	20" Barrel, 5,000 CFM, 110 V	78	194
	24" Pedestal, 5,000 CFM 110 V	50	134
	42", 14,000 CFM, 110 V	165	364
Duct	8" x 25 ft.	36	70
	16" x 25 ft.	47	92
	18" x 20 ft.	59	116
Negative Air Machine	500 CFM, Filters and Ducting Extra	127	315
	1,850 CFM, Filters and Ducting Extra	295	529
	2,000 CFM, Filters and Ducting Extra	304	566
Portable HEPA Room	29" x 55", up to 10'6"	570	1,139

EXPLOSION PROOF / INTRINSICALLY SAFE		WEEKLY	4 WEEKS
2 Way Mobile Radio		64	127
Hand Held Speaker Mic		7	17
Fans	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	394	905
Pump	Diaphragm Air 2" w/ Ground	287	593
	Transfer, 110V, 1"	287	513
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct	394	905
	12" Explosion Proof Steam Heater, 110V	140	399
	24" Explosion Proof Steam Heater, 110V	212	618
Light	Trouble, 110V, 50 ft. cord	148	292
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM	212	529
Distribution Panel			VARIABLES TO SIZE

SCAFFOLD & LADDERS		WEEKLY	4 WEEKS
Scaffold Galvanized			
Frame	5 ft. x 5 ft. Full	12	22
	5 ft. x 3 ft. Half High	12	22
	30" x 5 ft. Narrow	12	22
	30" x 3 ft. Half High Narrow	12	22
Brace		7	11
Safety Clip		3	3
Deck, Aluminum	7 ft. x 19"	15	30
Guard Rail		7	11
Guard Rail Post		7	11
Caster	8" Swivel Locking	11	17
Screwjack		11	22
Base Plate		7	11
Outrigger		12	22
Gooser Bar		12	22
Baker Scaffold	Full Section	58	109
Ladders H.D.			
Fibreglass Step			
	4 ft.	36	67
	6 ft.	36	67
	8 ft.	47	87
	10 ft.	59	103
	12 ft.	64	116
	14 ft.	73	128
Fibreglass Platform			
	4 ft.	36	67
	6 ft.	70	103
	8 ft.	70	103
	10 ft.	87	126
	12 ft.	103	160
Fibreglass Extension			
	20 ft.	78	174
	24 ft.	78	174
	32 ft.	91	190
STORAGE BOXES, CAGES & RACKS		WEEKLY	4 WEEKS
Job Box w/ Casters	Depth x Height x Length		
	2 ft. x 18" x 3 ft.	32	64
	2 ft. x 2 ft. x 4 ft.	39	82
	2 ft. x 2 ft. x 6 ft.	46	113
	JB150 Rolling Cabinet	62	151
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.	88	141
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Millwright	88	141
	Portable Field Office	92	278
Cage	Depth x Height x Width		
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters	156	341
	38" x 80" x 49" High Pressure Gas	70	137
	Propane 33 lb. 8 Bottle	44	96
	Propane 33 lb. 12 Bottle	70	137
	Lifting (Certified), 35" x 24" x 40"	156	464
Pipe Rack	5 ft. Conduit, Open	80	151
Work Table	4 ft. x 4 ft.	64	100
	4 ft. x 8 ft.	75	122
Saw Horse H.D.		39	62

BOLTING AND FASTENING		WEEKLY	4 WEEKS
Pry Bar	Up To 60"		VARIABLES TO SIZE
Roof Deck Crimper	16 - 22 Gauge	295	500
Pipe Wrench	Steel / Aluminum Up To 48"		VARIABLES TO SIZE
Hammer Wrench	Up To 5"		VARIABLES TO SIZE
Hammer Wrench, Non Strik	Up to 2-1/2"		VARIABLES TO SIZE
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex	137	410
	25 Ton, 1-1/8" - 2-1/4" Hex	173	513
Punch Hydraulic	35 Ton 13/16" Dia. 1/2" Thick	179	529
Sockets			
Impact, 1/2" - 1-1/2" Dr.	Up to 5"		VARIABLES TO SIZE
Impact Set, 1/2" - 1" Dr.			VARIABLES TO SIZE
Chrome, 1/4" - 1" Dr.	Up To 3"		VARIABLES TO SIZE
Chrome Set, 1/4" - 1" Dr.			VARIABLES TO SIZE
Ratchet, Up to 1" Dr.			VARIABLES TO SIZE
Sledge Hammer	Up To 16 lb.		VARIABLES TO SIZE
Torque Wrenches			
Calibration Service Provided In-House			
Manual	200 in./lb. 3/8" Drive	39	111
	100 ft./lb. 3/8" Drive	39	111
	250 ft./lb. 1/2" Drive	39	110
	600 ft./lb. 3/4" Drive	92	220
	700 ft./lb. 1" Drive	122	303
Torque Multiplier 4:1	1/2" In, 3/4" Out	92	236
	3/4" In, 1" Out	89	236
Hydraulic	1400 ft./lb. 3/4" Drive	821	2,109
	3200 ft./lb. 1" Drive	879	2,460
	11,000 ft./lb. 1-1/2" Drive	1,289	3,514
Rad Guns			
Air	50-350 ft/lbs 3/4" dr. 350SL	372	1,056
	100-700 ft/lbs 3/4" dr. 7GX	425	1,274
	500-2500 ft/lbs 1" dr. 25GX	1,167	2,334
	900-3000 ft/lbs 1" dr. 30DX	1,215	2,428
	1000-3400 ft/lbs 1" dr. 34GX	1,167	2,334
	500-1800 ft/lbs 1" dr. 1800GNX-R Long Nose	1,327	2,653
Cordless	125-500 ft/lbs 3/4" dr. BRAD-500	425	1,274
	150-500 ft/lbs 3/4" dr. BRAD 500-2	531	1,380
	200-1000 ft/lbs 3/4" dr. BRAD 1000-2	585	1,486
	600-3000 ft/lbs 1" dr. BRAD 3000-2	1,167	2,334
	1000-5000 ft/lbs 1-1/2" dr. BRAD 5000	1,288	2,575
Electric	400-1000 ft/lbs 3/4" dr. 90 degree	1,167	2,334
	1000-2500 ft/lbs 1" dr. 90 degree	1,391	3,013



Burlington
3385 Mainway
905-634-3030

Toronto
151 Cherry St.
416-406-0606

Cambridge
260 Industrial Rd.
519-650-1844

Sudbury
3319 Kingsway Rd.
705-524-5444

Sarnia
505 Williams Dr.
519-332-4447

Trenton
1 Coad Rd.
613-921-4040

Saint John, NB
85 Expansion Ave..
506-343-4482

Ottawa
240 Entreprise St., Unit 6
343-572-5229