



JOBSITE

2021 CANADIAN RENTAL RATES

Effective January 1st, 2021

HOISTING & RIGGING			WEEKLY	4 WEEKS
Chainfall (CERTIFIED)			Rates listed are based on 20' lift	
* Lifts available up to 100 ft.				
1/2 ton			39	76
1 Ton			50	92
1-1/2 Ton			53	106
2 Ton			58	141
3 Ton			77	185
5 Ton			106	291
7-1/2 Ton			186	558
10 Ton			273	662
15 Ton			558	1,660
Puller (CERTIFIED)			Rates listed are based on 5' chain	
* Length available up to 20 ft.				
3/4 Ton			44	99
1-1/2 Ton			50	106
3 Ton			54	133
6 Ton			86	230
Air Hoist (CERTIFIED)			Lifts available up to 150 ft.	
1/2 Ton	50 ft.		257	711
1 Ton	40 ft.		270	746
1 Ton	60 ft.		330	897
2 Ton	40 ft.		384	1,007
2 Ton	60 ft.		455	1,251
3 Ton	40 ft.		485	1,364
3 Ton	100 ft.		542	1,621
6 Ton	40 ft.		683	2,047
6 Ton	80 ft.		1,545	3,863
Electric Hoist (CERTIFIED)			Lifts available up to 150 ft.	
1/2 Ton, 110 V	50 ft.		218	563
1 Ton, 110 V	40 ft.		218	563
2 Ton, 110V	40 ft.		262	677
2 Ton, 110/220 V	60 ft.		268	791
3 Ton, 575 V 3PH	60 ft.		375	1,007
5 Ton, 575 V 3PH	50 ft.		485	1,423
Trolley & Beam Clamp (CERTIFIED)				
1/2 Ton			33	72
1 Ton			33	72
2 Ton			33	80
3 Ton			47	119
5 Ton			71	178
10 Ton			95	237
Tugger / Winch (CERTIFIED)			Cable sold seperately	
Tugger, Air	1,100 lb.		234	697
Winch, Electric 110 V	3,000 lb.	**Cable Extra	372	776
Winch, Electric 115 V	4,000 lb.	**Cable Extra	510	876
Winch, Electric 220 V	6,000 lb.	**Cable Extra	550	1,495

Snatch Block	Up to 15 Ton	VARIES TO SIZE	
Yarding Block	Up to 4 Ton	VARIES TO SIZE	
Lifting Magnet	4400 lb.	322	965
Plate Clamp	Up to 3 Ton	VARIES TO SIZE	
Tirfor (CERTIFIED)		Cable sold seperately	
1650 lb. Capacity	Cable Extra	89	224
3300 lb. Capacity	Cable Extra	89	224
6600 lb. Capacity	Cable Extra	130	340

MATERIAL HANDLING / MACHINERY MOVING		WEEKLY	4 WEEKS
EME Aluminum Gantry Cranes (CERTIFIED)		Beam Lengths available up to 30 ft.	

* All cranes c/w trolley & beam up to 15 ft.			
2200LW	2,200 lb cap, 90-122" lift range	503	1,340
4400M	4,400 lb cap, 66-90" lift range	503	1,340
4400R/T	4,400 lb cap, 90-138" lift range	503	1,340
6600R	6,600 lb cap, 106-154" lift range	630	1,680
11000R	11,000 lb cap, 106-154" lift range	912	2,504
16500R	16,500 lb cap, 106-154" lift range	2,025	5,298
20000R	20,000 lb cap, 97-139" lift range	2,266	6,077
Cantiliever	Weights and Beam (600lb. @ 5 ft.)	223	443
Extra Beam Trolley		86	173
Material Lifts (CERTIFIED)			
	4.5 ft. 400 lb.with tray	149	360
	7.5 ft. 1,000 lb with tray	199	531
	10 ft. 1,000 lb.	188	528
	12 ft. 400 lb.	156	379
	12 ft. 350 lb. Counterweight	156	379
	15 ft. 800 lb.	188	528
	15 ft. 1,100 lb.	200	547
	18 ft. 650 lb.	173	478
	20 ft. 800 lb.	200	547
	20 ft. 800 lb. Counterweight	451	816
	24 ft. 650 lb.	173	478
Fork Extensions		34	100
Pipe Cradle		25	53
Boom Attachment		89	148
Tray Attachment		48	95
Roust-A-Bouts (CERTIFIED)			
	15 ft. 1,500 lbs.	305	763
	25 ft. 1,500 lbs.	305	763
Extension Tee		40	84
Pallet Trucks			
	5,500 lb. Standard	66	198
	8,000 lb. Standard	85	254
	5,500 lb. Narrow Aisle (21")	93	232
	5,500 lb. 5 ft / 6 ft Forks	85	254
	4,000 lb. 8 ft Forks	204	558
Machinery Moving			
Stair Climber	1,500 lb.	608	1,325
Push Cart	2 Wheel, Pneumatic Tire	31	48
	4 Wheel, 30" x 60", 2,000 lb. cap, (Flat Free)	54	145
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"	133	398
Engine Hoist	2 Ton	139	375
Appliance Cart	1,200 lb.	86	224
Wagon Yard Cart	24" x 48" 800 lb.	53	143
Drum Cart	1,000 lb.	106	167
Forklift Boom Extension	5 Ton	228	533

Forklift Dumper Box	1 Cu.Yd	145	300
	2 Cu. Yd	268	483
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"	151	450
3 Wheel Dolly	1,800 lb.	31	78
Corner Dolly	2,400 lb.	54	115
Furniture Dolly	800 lb.	31	91
Rol-A-Lift Jack	6,000 lb. cap. (pair) c/w Straps	204	272
	10,000 lb. cap. (pair) c/w Straps	272	430
Roller Conveyor	10 ft. section c/w Legs	38	103
Swivel / Straight Skate	3.75 Ton cap.	54	141
	10/15 Ton cap.	62	151
	10 Ton SLP Nylon Rollers	91	270
Steerable Poly Skates	48 Ton cap. (Set)	181	539
Swivel / Straight Skate	30 Ton	78	233
Straight Skate	40 Ton	103	288
Pry Dolly	4,200 lb. cap.	53	89
Micrometer	Outside 0" - 6"	31	91
	Outside 6" - 18"	62	181
	Outside 18" - 30"	86	239
	Inside 2" - 32"	38	110
Dial Indicator		19	54
Magnetic Base for Dial Indicator		18	53
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle	278	553
	Digital, 50,000lb w/Shackle	375	911
	Digital, 100,000lb w/Shackle	441	1,319

JACKS		WEEKLY	4 WEEKS
Mechanical			
Ratchet Toe	5 Ton	54	161
	10 Ton	72	214
	15 Ton	85	250
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.	46	80
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.	63	135
	5 Ton, 20" - 60" Reel Dia.	54	135
	10 Ton, 20" - 96" Reel Dia.	62	166
	10 Ton T Base, 36" - 84" Reel Dia.	62	166
Hydraulic			
Toe	10 Ton 1-1/8" min / 9" stroke	67	200
	20 Ton 1" min / 6-5/16" stroke	384	957
* Single Acting	Closed Height / Stroke		
5 Ton	1-5/16" / 1/4" (pancake)	52	155
10 Ton	1-5/8" / 7/16" (pancake)	52	155
	3-1/2" / 1"	52	155
	3-1/2" / 1-1/2"	52	155
	4-3/4" / 2-1/8"	52	155
	6-3/4" / 4-1/8"	52	155
	9-3/4" / 6-1/8"	52	155
	13-3/4" / 10-1/8"	52	155
20 Ton	2" / 7/16" (pancake)	72	206
	3-7/8" / 1-3/4"	72	206
25 Ton	6-1/2" / 2"	72	213
	7-7/8" / 4"	78	217
	10-3/4" / 6-1/4"	101	300
	18-5/8" / 14"	101	300
30 Ton	2-5/16" / 1/2" (pancake)	72	206
	4-5/8" / 2-7/16"	72	206
	7" / 2-1/2" (hollow)	101	300

	15-1/4" / 8-1/4"	101	300
35 Ton (bottle)	11" / 6-1/4"	140	217
50 Ton	2-5/8" / 5/8" (pancake)	101	229
	4-13/16" / 2-3/8"	101	229
	11-1/8" / 6-1/4"	113	283
60 Ton	9-11/16" / 3" (hollow)	173	499
	12-3/4" / 6" (hollow)	173	499
75 Ton	3-1/8" / 5/8" (pancake)	118	294
100 Ton	3-3/8" / 5/8" (pancake)	148	325
	5-9/16" / 2-1/4"	148	320
	14-1/16" / 6-5/8"	191	573
150 Ton	8-1/8" / 2" (locknut)	191	573
150 Ton	16-3/8" - 10" (aluminum locknut)	768	2,153
200 Ton	13-1/2" / 5-7/8" (locknut)	536	1,601
300 Ton	15-1/2" / 5-7/8" (locknut)	796	2,384
Pumps c/w 6' Hose			
Hydraulic Hand	45 - 250 cu.in	12	22
	250 - 460 cu.in	17	33
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.	115	336
	110V 1-1/2 HP 1.5 Gal. High Speed	178	370
	110V 1-1/2 HP 5 Gal.	234	657
	110V 1-1/2 HP 10 Gal.	353	878
Manifold System		ASSEMBLED TO SUIT	
Hydraulic Hose	20 Ft. 10,000 PSI	25	53
	50 Ft. 10,000 PSI	45	95

WELDING / POWER DISTRIBUTION		WEEKLY	4 WEEKS
Fume Extraction			
* All Smoke/Fume Extractors c/w Washable Filters (Hepa Filters Available)			
Smoke Eater	Suitcase, 160 CFM	132	326
Precipitator	Swing Arm, 1,400 CFM	255	592
Engine Driven			
Gasoline	185-200 Amp Portable	242	610
Propane	305 Amp w/ Cart	242	610
Diesel	300 Amp w/ towable trailer	280	820
	400 Amp Dual Operator w/ towable trailer	361	1,005
	500 Amp w/ towable trailer	400	1,174
Exhaust Scrubber	Diesel / LPG	178	353
Electric			
MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose	118	346
	Power Mig 210MP 110-220 / 1	133	360
	Power Mig 250 amp 230-575 / 1	167	432
	Powerwave S350 208-575 / 1-3	456	959
	Powerwave STT Module 40V DC	210	638
	84 Dual Wire Feed	563	1,339
Stick Welding	Amp / Voltage / Phase		
	150 amp, 110-220 / 1, Maxstar	164	356
	275 amp, 208-575 / 1-3, Inverter	110	294
	350 amp, Multi-Weld	153	346
	Distribution Box, Multi-Weld	29	57
	350 amp, 460/575 / 3 ph Flextec	142	385
	350 amp, 208-575 / 1-3 ph Invertec	142	385
	450 amp, 380-575 / 3 ph	150	407
	500 amp, 230-575 / 3 ph	150	407
	650 amp, 380-575 / 3 ph	158	457
	1000 amp, 575 / 3 ph	531	1,067
	4-6 Pack Frame w/ distribution panel	130	130

Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH	164	356
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol	53	159
	200 amp c/w Flowmeter, Hose, Gas Valve	53	159
Cordless			
Stick Welding	140 amp, 52V Fronius	242	509
Accessories			
Welding Cable 1/O	50 ft.	32	56
	100 ft.	53	100
	Ground Clamp w/ Whip	12	23
	Stinger w/ Whip	12	23
Remote Control	100 ft.	50	100
	100 ft. extension cable	53	107
30/60 Amp Plug		37	66
60 amp extension cable	6/4, 50 ft c/w welding plugs	124	188
Rod Oven	10 lb.	37	72
	125 lb.	53	148
	350 lb.	72	178
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal	228	513
	110V, 3000 lb.	2,678	5,249
	600V, 6000 lb.	4,285	8,034
Power Distribution			
Splitter Panel 600V	60 amp	255	637
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH	294	879
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar	635	1,491
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI	112	222
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock	84	140
Cable Mat	5 Channel 30T Cap. 3ft	23	45
Cutting			
Plasma Cutter	110 - 220 / 1 3/8" Cap.	167	360
Plasma Cutter	208 - 575 / 1-3 1" Cap.	259	773
Plasma Cutter	575 / 3 1-1/2" Cap.	304	902
Arc Air Gouger	c/w Welding Whip, Air Whip	48	107
Oxy/Acet. Cutting Outfit	c/w torch, 50' hose, regulators	133	246
Bottle Cart	Single / Double	26	44
	2 Bottle Lift/Fire Rated	92	263
Vapour Propane Torch	c/w Regulator, 25 ft. hose, 250 KBTU	31	72
Radiograph Cutter	c/w Torch, 6 ft.Track	118	325
Track for Radiograph	6 ft.	29	57

PIPE BENDING		WEEKLY	4 WEEKS
Mechanical			
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT	VARIES TO SIZE	
Hand Tube Bender	3/8" - 3/4" O.D. Tubing	VARIES TO SIZE	
1800	1/2" - 1" Rigid	53	159
1801	1-1/4" - 1-1/2" Rigid	66	165
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT	188	563
Electric			
Tubing Bender	1/2" - 1-1/8" O.D. Tubing	165	490
555	1/2" - 2" Machine only, 110V	153	452
	1/2" - 2" Rigid Shoe Group	61	183
	1/2" - 2" EMT Shoe Group	113	234
	1/2" - 2" PVC / Rob Roy Shoe Group	113	234
PVC Heater / Bender	1/2" - 2", 110V	48	130
	1/2" - 4", 110V	89	219
	1/2" - 6", 230V	108	322
Hydraulic			

Bus Bar 4" Bender	3/4" x 4"	118	346
880	1/2" - 2" Rigid	118	346
882	1-1/4" - 2" EMT	148	346
881	2-1/2" - 4" Rigid / EMT One Shot	359	1,070
1813 / MBT	Bending Table for 881 - Pipe not included	176	354
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed	178	370

PIPE FABRICATION		WEEKLY	4 WEEKS
Pipe Bevelling			
Bevelling Bands	Up to 42"	VARIES TO SIZE	
Crawler	Manual, 9 ft. - 14' whip w/ Torch	118	353
	Motorized, 110V w/ Torch	278	498
George Fischer Machine	Cut & Bevel up to 4" (blade extra)	388	869
Ridgid B-500	Cold Bevel Pipe 4" and Larger	194	547
Manual Cutting			
2-A	1/2" - 2", 1 Wheel	25	38
42-A	3/4" - 2", 4 Wheel	27	49
4-S	2" - 4", 1 Wheel	32	89
44-S	2-1/2" - 4", 4 Wheel	38	108
6-S	4" - 6", 1 Wheel	44	120
466-S	4" - 6", 4 Wheel	46	130
468-S	6" - 8", 4 Wheel	51	145
472-S	8" - 12", 4 Wheel	86	203
246	Soil Pipe, 1-1/2" - 6"	25	119
RT3422	Hot Tap, 3/4" - 2" NPT	380	759
Hydraulic Cutting			
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers	188	428
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers	188	428
700	Power Drive for 258 / 258XL	92	206
3890	Soil Pipe, 2" - 12" w/ Ram, Pump	173	399
Electric Cutting			
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe	173	400
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp	148	441
Manual Flange Spreading			
ST-302	4"	25	70
ST-303	5"	33	93
ST-304	6-3/8"	43	106
Ratchet "Pop-It"	1/16" - 5-1/4"	133	388
	1/2" - 8-1/2"	388	718
Hydraulic Flange Spreading			
1/2 Ton Wedge	3/8" / 3-1/4"	62	151
1 Ton Wedge	3/8" / 3-11/16"	62	151
10 Ton Flange	2-3/4" - 8-1/2" Opening	257	455
Aligning			
461	Straight 1-1/2" - 8"	21	59
Ultra Clamp	2" - 6"	30	84
	5" - 12"	37	113
Tipton Line Up Clamp	Up to 36"	VARIES TO SIZE	
K.C. Ratchet Line Up Clamp	Up to 42"	VARIES TO SIZE	
"C" Clamp	Up to 12"	VARIES TO SIZE	
"L" Clamp (Bessey)	Up to 24"	VARIES TO SIZE	
Grooving			
915	Manual, 2" - 12" Steel / 2" - 8" Copper	118	325
916	Power, 1-1/4" - 6" Steel	118	325
975	Manual / Power, 1-1/4" - 6" Steel	118	325
918	Power, 2" - 12" Steel	188	528

	2" - 6" Copper Roller Set for 918	112	222
920	2" - 24" Steel	427	1,132
725	Cut Groove Die Head for 1224, 2-1/2" - 4"	53	159
Manual Threading			
2-S	Spiral Reamer, 1/4" - 2"	16	31
12-R	Die Head 1/8" - 2" (each)	14	31
12-R	Ratchet	19	44
12-R	Set 1/2" - 2" c/w Ratchet	93	219
418	Oiler	23	41
Power Threading			
700	Power Drive	92	206
775	Support Arm	29	58
300	Power Drive	110	315
300	Threading Package c/w 1 die head	206	495
311	Carriage Assembly	23	41
811A	Die Head, 1/4" - 2"	25	49
141	Threader 2-1/2" - 4"	89	254
161	Threader 4" - 6"	143	346
840A	Universal Drive Shaft	25	43
460	Tristand, 1/4" - 6"	31	91
535	Threading Machine, 1/4" - 2"	206	513
1224	Threading Machine, 1/4" - 4"	326	951
714	Die head 2-1/2" - 4" for 1224 Machine	44	87
711	Die Head 1/4" - 2" for 1224 Machine	30	60
819	Nipple Chuck 1/2" - 2"	31	67
418	Oiler	23	41
Pipe Stands / Rollers			
V Top	2,000 lb. 1/8" - 24"	24	36
Steel Roller Top	2,000 lb. 1/8" - 24"	24	36
Pro Roll	2,000 lb. 1/2" - 36"	36	103
Big V	2,500 lb. 1/2" - 36"	36	59
Max-Jax	2,500 lb. 4" - 36"	87	173
Max-Jax 2	4,500 lb. 4" - 36"	87	173
Pipe Roller	Clamp on 4" - 20"	78	201
Pipe / Conduit Carts			
Cricket	1,000 lb. 12" Cap.	53	159
Grasshopper	2,000 lb. 20" Cap.	77	229
Pipe Mac	2,000 lb. Cap.	53	143
Mac Rack	1,000 lb. Non-Lockable	77	146
Testing			
1450 Manual	725 PSI	59	173
	1,000 PSI, Viton Gasket	59	173
Electric Hydrostatic	1,100 - 1,500 PSI, 110V	118	346
Pneumatic Hydrostatic	300 - 10,000 PSI	232	652
Test Plug		VARIES TO SIZE	
Maintenance			
Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)	234	528
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU	304	718
Pipe Thawer	110V, 1/2" - 1-1/2"	146	289
Water Jetter	110V, 1-1/4" - 4"	608	1,822
Press Fit Tool	1/2" - 2" Copper & Stainless Steel	229	580
Press Ring Set	1/2" - 2" Sched 40 Black Pipe	268	536
Press Ring Set	2-1/2" - 4"	268	536
Hot Tap	3/4" - 2" NPT	380	759
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.	115	286
Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",	353	820
Pipe Inspection Camera	200' - 3" - 10" w/ LCD screen & USB 512HZ	663	1,987

Pipe Locator	Sonde, 512HZ	173	513
Thermal Imaging Camera	160x120 IR image, 320x240 Super Resolution	155	464

GENERATORS & PUMPS		WEEKLY	4 WEEKS
Generators			
Gas	2,500 Watt	225	568
	5,500 Watt	363	831
Propane	9,000 Watt, Ranger 305	242	610
Pumps			
Transfer	3/4", 110V, Viton	115	341
	3/4", 110V, Viton, Explosion Proof	278	498
Submersible	2", 110V, 65 GPM, Max 40' Head	89	264
Diaphragm	2" Pneumatic, 140 GPM, Nitrile	167	416
	2" x 50' Discharge Hose w/ Camlock	25	72
Pressure Washer	110V, 1,100 PSI	118	346
	Gas, 4,000 PSI	399	797

WIRE & CABLE HANDLING		WEEKLY	4 WEEKS
Bending			
Hydraulic	300 - 1,000 MCM	101	264
Cutting			
Manual	750 MCM CU / 1,000 MCM AL	23	68
Ratchet	750 MCM CU / 795 MCM AL	29	86
Hydraulic	1,000 MCM CU / AL	95	264
Cordless	1,590 MCM CU / AL	274	706
Cable Stripper	Use w/ 300 Power Drive	228	683
	110 v - 14 awg - 3"	228	683
Compression Tools			
Mechanical	MY29 #8AWG - 250 MCM CU	39	83
Hydraulic	Y39 750 MCM, 12 Ton	120	300
	Y46 1,000 MCM, 15 Ton	143	340
	Die Adapter Y46	26	76
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	167	426
Cordless	#8AWG - 750 MCM CU/AL	229	580
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	229	580
	#8AWG - 500 MCM CU, 350 AL 6 Ton	195	495
Dies	#8AWG - 750 MCM CU/AL	20	39
	1,000 MCM CU/AL	48	95
Knockout Sets			
Mechanical	7238 1/2" - 2" Ratchet	32	93
Hydraulic	7806 1/2" - 2" Straight	89	222
	7906 1/2" - 2" 90 Deg.	89	222
	7306 1/2" - 2" w/ Pump, Ram	89	222
	7310 1/2" - 4" w/ Pump, Ram	129	337
	7506 1/2" - 2" Stainless w/ Pump, Ram	129	337
	7308 2-1/2" - 4" Stainless	89	222
Cable Pulling			
Two Way Radio		47	83
Hand Held Speaker Mic		6	16
Ultra Cable Feeder	6810 5 x 750 MCM cap.	523	1,073
Cable Puller	G3 2,000lb	167	388
	G6 6,000 lb.	335	716
	6001 Super Tugger 6,500 lb.	192	541
	6801 Super Tugger 8,000 lb.	244	648
	6901 Super Tugger 10,000 lb.	314	876
	Floor Mount Bracket		26

	Pipe Mount Bracket	81	146
	UT8 / 6805 Pulling Pkg. 8,000 lb.	569	1,165
	UT10 Pulling Pkg. 10,000 lb.	639	1,393
Reel Jack	2,500 lb. #683 22 - 54"	46	80
	10,000 lb. Ratchet 20.75 - 30.75"	54	135
	20,000 lb. Ratchet 34.5 - 48.5"	62	166
	20,000 lb. Ratchet T Base 31 - 42.75"	62	166
Reel Bar	2" solid steel x 7' long	26	58
Wire Rack	24 spools #12AWG	48	95
Fish / Vac System	690 w/ accessories	120	300
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit	170	338
	7/16" x 1200., 1" - 8" conduit	338	676
Force Gauge	Deluxe / Bluetooth	580	1,738
Pulling Rope			
Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye	75	142
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye	109	239
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye	163	333
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye	102	210
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye	151	389
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye	239	717
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye	151	389
	1" x 600 ft. DB Polyester / w/ Kevlar Eye	239	717
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye	513	1,120
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap	34	90
Rope Swivel c/w connector	7,000 lb.	123	239
	10,000 lb.	156	301
Kellems Grip	1/2" - 4"	VARIES TO SIZE	
Sheaves			
Feeding	2" - 5"	25	67
Hook	650 - 6", 4,000 lb Cap.	25	60
	651 - 12", 4,000 lb Cap.	32	71
	652 - 18", 4,000 lb Cap.	40	86
	653 - 24", 4,000 lb Cap.	46	110
	639 - 24", Twin Yoke, 4,000 lb Cap.	54	136
	8012 - 12", 8,000 lb Cap.	49	110
	8018 - 18", 8,000 lb Cap.	54	127
	8024 - 24", 8,000 lb Cap.	62	151
	836 - 36", 8,000 lb. Cap.	268	531
	4036 - 36", 4,000 lb. Cap.	91	218
	4048 - 48" Radius, 4,000 lb Cap.	181	335
	6036 - Triple 6,500 lb Cap.	73	145
	638 - 36" Radius, 4,000 lb Cap.	91	218
Tray Rollers			
Sheave	658 12" Long	25	49
	658/659 Adjustable	25	49
Straight	12" - 24" Pilgrim	25	49
	18" - 36" Pilgrim	25	49
Right Angle	90 Deg. Pilgrim	25	49
	20369R 36" Radius	62	181
Testing			
Megohmmeter	500 / 1000 / 2500 / 1000V	317	638

ELECTRIC TOOLS		WEEKLY	4 WEEKS
Drills			
	1/2" Hammer	43	113
	1/2" Right Angle	48	137
	3/4" HD "T" Handle	95	234

	1" SDS Plus Rotary Hammer	50	137
	1-5/8" SDS Max Rotary Hammer	106	229
Diamond	Handheld, 1/2" - 4" Cap.	231	456
	Core Rig, 1/2" - 10" Cap	315	627
	Core Rig, 1/2" - 14" Cap.	315	627
	Sub Scanner Detection Tool, 12 Volt	54	134
	Core Bit, Up to 14"	VARIES TO SIZE	
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck	155	399
	Up to 1-3/8" Broach, Low Profile 6-11/16"	155	399
	Up to 2" Broach / 1/2" Chuck	195	434
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck	257	656
Drill Press	5/8" Chuck	84	232
	3/4" Chuck	84	232
Breaker	60 lb, 110 V	206	528
Extension Cord	12/3, 50 ft.	18	37
	12/3, 100 ft.	25	53
Fans			
	8" Ventilator, 800 CFM 110V w/ 25' Duct	72	148
	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	382	878
	12" Ventilator, 1500 CFM, no ducting	71	147
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	217	437
	18" Box, 5,000 CFM, 110V	173	348
	20" Barrel, 5,000 CFM, 110 V	75	188
	24" Pedestal, 5,000 CFM 110 V	48	130
	42", 14,000 CFM, 110 V	160	353
	12" Explosion Proof Steam Heater, 110V	135	387
	24" Explosion Proof Steam Heater, 110V	205	600
Duct	8" x 25 ft.	34	67
	16" x 25 ft.	45	89
	18" x 20 ft.	57	112
Lights			
Tower Light	30' Diesel	1,011	1,235
Wobblelight	85 Watt Fluorescent	48	113
	175 Watt Metal Halide	72	148
High-Bay	120 Watt LED	81	210
Cart	100 Watt LED	199	513
	1,000 Watt Metal Halide	199	513
	200 Watt Single Explosion Proof	335	773
	100 Watt Dual Explosion Proof	490	1,025
Brick Light	Explosion Proof, 100 ft. cord		927
Brickette	Explosion Proof, 100 ft. cord		824
Trouble	50' Explosion Proof, 75 Watt	143	283
Work	3'3" LED Work Light	155	309
Grinders			
	5"	37	89
	5" with vac attach.	57	112
	7"	43	95
	Die 1/4" Collet	37	99
Saws			
	Jig	37	95
	14" Chop	48	113
	Portaband	61	167
	Reciprocating	37	107
	Fein Pipe/Hacksaw c/w Clamp	148	441
	7-1/4" Worm Drive Circular	50	130
	16-5/16" Circular	150	284
	Tile & Interlock, 3-3/4" x 24"	359	715

	Bandsaw Floor Model, 7" x 12"	120	359
	10" Table	118	353
	10" Mitre	111	286
Impact Wrenches			
	1/2", 265 ft. lbs	49	110
	3/4", 450 ft. lbs	62	145
	1", 740 ft. lbs	120	347
Miscellaneous			
Heat Gun	570 / 1,000 deg. F	27	61
Nibbler	16 GA.	29	84
Shear	18 GA.	61	143
Vacuum	Wet / Dry	84	224
	Hepa (Filters extra)	118	353
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V	137	382
Iron Worker	50 Ton, 575V	531	1,067
	70 Ton, 575V	745	1,339
Cordless Tools			
12 Volt	Sub Scanner Detection Tool	57	140
18 Volt	1/2" Hammer Drill	61	178
	1/2" Right Angle Drill	53	107
	1/4" Hex Screwgun	43	113
	1/2" Dr. Impact	89	148
	4-1/2" Grinder	143	283
	6-1/2" Circular Saw	67	199
	Floodlight	84	167
28 Volt	Portaband Saw	106	265
36 Volt	1" SDS Plus Rotary Hammer	115	315
	Reciprocating Saw	115	315

AIR TOOLS		WEEKLY	4 WEEKS
Compressor	Portable, 7.3 CFM, 110V, 20 Gal.	142	384
	Diesel, 185 CFM	458	1,078
Hose	3/8" x 50 ft.	31	66
	3/4" x 50 ft.	31	66
	2" x 50 ft.	61	173
* Chicago, QC, Thor, Dixon, Boss air fittings all available			
Chipper	Pistol Grip .401 Shank	29	84
	15 lb.	48	143
Drill	Right Angle, 3/8" Chuck	37	84
	Pistol Grip, 1/2" Chuck	29	84
Die Grinder	Right Angle, 1/4" Collet	43	113
	Straight, 1/4" Collet	43	113
Grinder	7"	61	143
Impact Wrench,	1/2"	48	112
	3/4"	66	155
	1"	106	321
	1-1/2"	234	692
Ratchet	3/8"	18	37
	1/2"	37	52
Nibbler	14 GA.	107	234
Needle Scaler		61	143
Reciprocating Saw		112	222
Fein Pipe/Hacksaw		151	450
Manifold (certified)	15 Gal. 8 port	117	335
Venturi Air Horn	6" - 8"	48	107
Water Separator (In-Line)		178	328
Dryer w/ Precooler	250 CFM	469	937

Vacuum	55 Gal, 2" Hose, 68 CFM	205	513
--------	-------------------------	-----	-----

CONFINED SPACE		WEEKLY	4 WEEKS
-----------------------	--	---------------	----------------

Tripod Retrieval System	50 ft.	306	912
	100 ft.	339	953
Self Retracting Life Line	8 ft. - 11 ft.	89	178
	20 ft.	107	206
	30 ft. - 40 ft.	118	234
	50 ft. - 60 ft.	143	294
	60 ft. 3 way	234	704
	100 ft. 3 way	267	745
4 Gas Monitor	Single Gas Monitor	188	295
	Altair 4X (monitor only)	151	322
	Altair 4X c/w Bump Test Kit & Calibration Gas	228	513
	Altair 5X	429	857
	Calibration Station (Gasses extra)	286	569
2 Way Mobile Radio		47	83
Hand Held Speaker Mic		6	16
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct	72	148
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	217	437
	18" Box, 5,000 CFM, 110V	173	348
	20" Barrel, 5,000 CFM, 110 V	75	188
	24" Pedestal, 5,000 CFM 110 V	48	130
	42", 14,000 CFM, 110 V	160	353
Duct	8" x 25 ft.	34	67
	16" x 25 ft.	45	89
	18" x 20 ft.	57	112
Negative Air Machine	500 CFM, Filters and Ducting Extra	123	305
	1,850 CFM, Filters and Ducting Extra	286	513
	2,000 CFM, Filters and Ducting Extra	295	549
Portable HEPA Room	29" x 55", up to 10'6"	553	1,105

EXPLOSION PROOF / INTRINSICALLY SAFE		WEEKLY	4 WEEKS
---	--	---------------	----------------

2 Way Mobile Radio		62	123
Hand Held Speaker Mic		6	16
Fans	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	382	878
Pump	Diaphragm Air 2" w/ Ground	278	575
	Transfer, 110V, 1"	278	498
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct	382	878
	12" Explosion Proof Steam Heater, 110V	135	387
	24" Explosion Proof Steam Heater, 110V	205	600
Light	Trouble, 110V, 50 ft. cord	143	283
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM	205	513
Distribution Panel		VARIES TO SIZE	

SCAFFOLD & LADDERS		WEEKLY	4 WEEKS
-------------------------------	--	---------------	----------------

Scaffold Galvanized			
Frame	5 ft. x 5 ft. Full	11	21
	5 ft. x 3 ft. Half High	11	21
	30" x 5 ft. Narrow	11	21
	30" x 3 ft. Half High Narrow	11	21
Brace		6	10
Safety Clip		3	3
Deck, Aluminum	7 ft. x 19"	14	29
Guard Rail		6	10
Guard Rail Post		6	10

Caster	8" Swivel Locking	10	16
Screwjack		10	21
Base Plate		6	10
Outrigger		11	21
Gooser Bar		11	21
Baker Scaffold	Full Section	58	109
Ladders H.D.			
Fibreglass Step			
	4 ft.	34	65
	6 ft.	34	65
	8 ft.	45	84
	10 ft.	57	100
	12 ft.	62	112
	14 ft.	70	124
Fibreglass Platform			
	4 ft.	34	65
	6 ft.	67	100
	8 ft.	67	100
	10 ft.	84	122
	12 ft.	100	155
Fibreglass Extension			
	20 ft.	75	168
	24 ft.	75	168
	32 ft.	88	184

STORAGE BOXES, CAGES & RACKS		WEEKLY	4 WEEKS
Job Box w/ Casters	Depth x Height x Length		
	2 ft. x 18" x 3 ft.	31	62
	2 ft. x 2 ft. x 4 ft.	37	79
	2 ft. x 2 ft. x 6 ft.	44	109
	JB150 Rolling Cabinet	60	146
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.	85	136
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Millwright	85	136
	Portable Field Office	89	269
Cage	Depth x Height x Width		
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters	151	331
	38" x 80" x 49" High Pressure Gas	67	133
	Propane 33 lb. 8 Bottle	42	93
	Propane 33 lb. 12 Bottle	67	133
	Lifting (Certified), 35" x 24" x 40"	151	450
Pipe Rack	5 ft. Conduit, Open	77	146
Work Table	4 ft. x 4 ft.	62	97
	4 ft. x 8 ft.	72	118
Saw Horse H.D.		37	60

BOLTING AND FASTENING		WEEKLY	4 WEEKS
Pry Bar	Up To 60"		VARIABLES TO SIZE
Roof Deck Crimper	16 - 22 Gauge	286	485
Pipe Wrench	Steel / Aluminum Up To 48"		VARIABLES TO SIZE
Hammer Wrench	Up To 5"		VARIABLES TO SIZE
Hammer Wrench, Non Strik	Up to 2-1/2"		VARIABLES TO SIZE
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex	133	398
	25 Ton, 1-1/8" - 2-1/4" Hex	167	498
Punch Hydraulic	35 Ton 13/16" Dia. 1/2" Thick	173	513
Sockets			
Impact, 1/2" - 1-1/2" Dr.	Up to 5"		VARIABLES TO SIZE

Impact Set, 1/2" - 1" Dr.			VARIES TO SIZE
Chrome, 1/4" - 1" Dr.	Up To 3"		VARIES TO SIZE
Chrome Set, 1/4" - 1" Dr.			VARIES TO SIZE
Ratchet, Up to 1" Dr.			VARIES TO SIZE
Sledge Hammer	Up To 16 lb.		VARIES TO SIZE
Torque Wrenches			
Calibration Service Provided In-House			
Manual	200 in./lb. 3/8" Drive	37	107
	100 ft./lb. 3/8" Drive	37	107
	250 ft./lb. 1/2" Drive	37	106
	600 ft./lb. 3/4" Drive	89	213
	700 ft./lb. 1" Drive	118	294
Torque Multiplier 4:1	1/2" In, 3/4" Out	89	229
	3/4" In, 1" Out	89	229
Hydraulic	1400 ft./lb. 3/4" Drive	797	2,047
	3200 ft./lb. 1" Drive	853	2,388
	11,000 ft./lb. 1-1/2" Drive	1,251	3,411
Rad Guns			
Air	50-350 ft/lbs 3/4" dr. 350SL	361	1,025
	100-700 ft/lbs 3/4" dr. 7GX	412	1,236
	500-2500 ft/lbs 1" dr. 25GX	1,133	2,266
	1000-3400 ft/lbs 1" dr. 34GX	1,133	2,266
	500-1800 ft/lbs 1" dr. 1800GNX-R Long Nose	1,288	2,575
Cordless	125-500 ft/lbs 3/4" dr. BRAD-500	412	1,236
	150-500 ft/lbs 3/4" dr. BRAD 500-2	515	1,339
	200-1000 ft/lbs 3/4" dr. BRAD 1000-2	567	1,442
	600-3000 ft/lbs 1" dr. BRAD 3000-2	1,133	2,266
	1000-5000 ft/lbs 1-1/2" dr. BRAD 5000	1,288	2,575



Burlington
3385 Mainway
905-634-3030

Toronto
151 Cherry St.
416-406-0606

Cambridge
260 Industrial Rd.
519-650-1844

Sudbury
3319 Kingsway Rd.
705-524-5444

Sarnia
824 Confederation St.
519-332-4447

Trenton
1 Coad Rd.
613-921-4040

Saint John, NB
85 Expansion Ave..
506-343-4482

Ottawa
240 Entreprise St., Unit 6
343-572-5229