



# 2022 CANADIAN RENTAL RATES

HOISTING & RIGGING		WEEKLY	4 WEEKS
<b>Chainfall (CERTIFIED)</b>		<i>Rates listed are based on 20 ft. lift. Available up to 100 ft.</i>	
1/2 ton		45	86
1 Ton		57	103
1-1/2 Ton		60	119
2 Ton		65	158
3 Ton		87	207
5 Ton		119	324
7-1/2 Ton		208	621
10 Ton		305	737
15 Ton		621	1,847
<b>Puller (CERTIFIED)</b>		<i>Rates listed based on 5 ft. chain, Available up to 20 ft.</i>	
3/4 Ton		50	111
1-1/2 Ton		57	119
3 Ton		61	148
6 Ton		97	256
<b>Air Hoist (CERTIFIED)</b>		<i>Lifts available up to 150 ft.</i>	
1/2 Ton	50 ft.	287	792
1 Ton	40 ft.	302	831
1 Ton	60 ft.	368	998
2 Ton	40 ft.	428	1,122
2 Ton	60 ft.	507	1,393
3 Ton	40 ft.	540	1,518
3 Ton	100 ft.	604	1,804
6 Ton	40 ft.	761	2,278
6 Ton	80 ft.	1,720	4,298
<b>Electric Hoist (CERTIFIED)</b>		<i>Lifts available up to 150 ft.</i>	
1/2 Ton, 110 V	50 ft.	243	627
1 Ton, 110 V	40 ft.	243	627
2 Ton, 110V	40 ft.	292	754
2 Ton, 110/220 V	60 ft.	300	881
3 Ton, 575 V 3PH	60 ft.	418	1,122
5 Ton, 575 V 3PH	50 ft.	540	1,584
<b>Trolley &amp; Beam Clamp (CERTIFIED)</b>			
1/2 Ton		37	81
1 Ton		37	81
2 Ton		37	90
3 Ton		53	133
5 Ton		80	199
10 Ton		106	265

<b>HOISTING &amp; RIGGING (continued)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Tugger / Winch (CERTIFIED)</b>			<i>Cable sold seperately</i>
Tugger, Air	1,100 lb.	262	776
Winch, Electric 110 V	3,000 lb. <i>*cable extra</i>	415	864
Winch, Electric 115 V	4,000 lb. <i>*cable extra</i>	569	976
Winch, Electric 220 V	6,000 lb. <i>*cable extra</i>	613	1,664
Snatch Block	Up to 15 Ton		VARIABLES TO SIZE
Yarding Block	Up to 4 Ton		VARIABLES TO SIZE
Lifting Magnet	4400 lb.	359	1,074
Plate Clamp	Up to 3 Ton		VARIABLES TO SIZE
<b>Tirfor (CERTIFIED)</b>			<i>Cable sold seperately</i>
1650 lb. Capacity	<i>*cable extra</i>	100	250
3300 lb. Capacity	<i>*cable extra</i>	100	250
6600 lb. Capacity	<i>*cable extra</i>	145	380
<b>MATERIAL HANDLING / MACHINERY MOVING</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>EME Aluminum Gantry Cranes (CERTIFIED)</b>			<i>Includes trolley &amp; beam up to 15 ft. Beam lengths available up to 30 ft.</i>
2200LW	2,200 lb. cap, 90-122" lift range	561	1,492
4400M	4,400 lb. cap, 66-90" lift range	561	1,492
4400R/T	4,400 lb. cap, 90-138" lift range	561	1,492
6600R	6,600 lb. cap, 106-154" lift range	701	1,870
11000R	11,000 lb. cap, 106-154" lift range	1,016	2,787
16500R	16,500 lb. cap, 106-154" lift range	2,253	5,894
20000R	20,000 lb. cap, 97-139" lift range	2,521	6,761
Cantilever	Weights and Beam (600 lb. @ 5 ft.)	249	494
Extra Beam Trolley		97	194
<b>Material Lifts (CERTIFIED)</b>			
4.5 ft. 400 lb. with tray		167	401
7.5 ft. 1,000 lb with tray		222	591
10 ft. 1,000 lb.		210	588
12 ft. 400 lb.		174	423
12 ft. 350 lb. Counterweight		174	423
15 ft. 800 lb.		210	588
15 ft. 1,100 lb.		223	610
18 ft. 650 lb.		194	533
20 ft. 800 lb.		223	610
20 ft. 800 lb. Counterweight		503	909
24 ft. 650 lb.		194	533
Fork Extensions		39	112
Pipe Cradle		29	60
Boom Attachment		100	166
Tray Attachment		54	106
<b>Roust-A-Bouts (CERTIFIED)</b>			
	15 ft. 1,500 lbs.	341	849
	25 ft. 1,500 lbs.	341	849
Extension Tee		46	94

MATERIAL HANDLING / MACHINERY MOVING (continued)		WEEKLY	4 WEEKS
<b>Pallet Trucks</b>			<i>Cable sold seperately</i>
	5,500 lb. Standard	74	221
	8,000 lb. Standard	96	283
	5,500 lb. Narrow Aisle (21")	104	259
	5,500 lb. 5 ft / 6 ft Forks	96	283
	4,000 lb. 8 ft Forks	228	621
<b>Machinery Moving</b>			
Stair Climber	1,500 lb.	678	1,475
Push Cart	2 Wheel, Pneumatic Tire	35	54
	4 Wheel, 30" x 60", 2,000 lb. cap (Flat Free)	61	162
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"	148	443
Engine Hoist	2 Ton	156	418
Appliance Cart	1,200 lb.	97	250
Wagon Yard Cart	24" x 48" 800 lb.	60	160
Drum Cart	1,000 lb.	119	187
Forklift Boom Extension	5 Ton	254	593
Forklift Dumper Box	1 Cu.Yd	162	334
	2 Cu. Yd	300	538
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"	169	502
3 Wheel Dolly	1,800 lb.	35	88
Corner Dolly	2,400 lb.	61	129
Furniture Dolly	800 lb.	35	102
Rol-A-Lift Jack	6,000 lb. cap. (pair) c/w Straps	228	304
	10,000 lb. cap. (pair) c/w Straps	304	465
Roller Conveyor	10 ft. section c/w Legs	44	116
Swivel / Straight Skate	3.75 Ton cap.	61	158
	10/15 Ton cap.	70	169
	12 ft. 350 lb. Counterweight	70	169
10 Ton SLP Nylon Rollers	15 ft. 800 lb.	102	302
Steerable Poly Skates	48 Ton cap. (Set)	202	601
Swivel / Straight Skate	30 Ton	88	260
Straight Skate	40 Ton	116	321
Pry Dolly	4,200 lb. cap.	60	100
Micrometer	Outside 0" - 6"	35	102
	Outside 6" - 18"	70	202
	Outside 18" - 30"	97	267
	Inside 2" - 32"	44	124
Dial Indicator		22	61
Magnetic Base for Dial Indicator		21	60
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle	310	616
	Digital, 50,000lb w/Shackle	418	1,015
	Digital, 100,000lb w/Shackle	492	1,468

JACKS		WEEKLY	4 WEEKS
<b>Mechanical</b>			
Ratchet Toe	5 Ton	61	180
	10 Ton	81	239
	15 Ton	96	279
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.	52	90
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.	71	152
	5 Ton, 20" - 60" Reel Dia.	61	152
	10 Ton, 20" - 96" Reel Dia.	70	185
	10 Ton T Base, 36" - 84" Reel Dia.	70	185
<b>Hydraulic</b>			<i>Cable sold seperately</i>
Toe	10 Ton 1-1/8" min / 9" stroke	76	223
	20 Ton 1" min / 6-5/16" stroke	428	1,065
* Single Acting	Closed Height / Stroke		
5 Ton	1-5/16" / 1/4" (pancake)	59	173
10 Ton	1-5/8" / 7/16" (pancake)	59	173
	3-1/2" / 1"	59	173
	3-1/2" / 1-1/2"	59	173
	4-3/4" / 2-1/8"	59	173
	6-3/4" / 4-1/8"	59	173
	9-3/4" / 6-1/8"	59	173
	13-3/4" / 10-1/8"	59	173
20 Ton	2" / 7/16" (pancake)	81	231
	3-7/8" / 1-3/4"	81	231
25 Ton	6-1/2" / 2"	81	238
	7-7/8" / 4"	88	242
	10-3/4" / 6-1/4"	114	334
	18-5/8" / 14"	114	334
30 Ton	2-5/16" / 1/2" (pancake)	81	231
	4-5/8" / 2-7/16"	81	231
	7" / 2-1/2" (hollow)	114	334
	15-1/4" / 8-1/4"	114	334
35 Ton (bottle)	11" / 6-1/4"	157	242
50 Ton	2-5/8" / 5/8" (pancake)	114	255
	4-13/16" / 2-3/8"	114	255
	11-1/8" / 6-1/4"	127	316
60 Ton	9-11/16" / 3" (hollow)	194	556
	12-3/4" / 6" (hollow)	194	556
75 Ton	3-1/8" / 5/8" (pancake)	132	328
100 Ton	3-3/8" / 5/8" (pancake)	166	362
	5-9/16" / 2-1/4"	166	357
	14-1/16" / 6-5/8"	213	639
150 Ton	8-1/8" / 2" (locknut)	213	639
150 Ton	16-3/8" - 10" (aluminum locknut)	856	2,396
200 Ton	13-1/2" / 5-7/8" (locknut)	598	1,782
300 Ton	15-1/2" / 5-7/8" (locknut)	886	2,653

<b>JACKS (continued...)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Pumps</b>			<i>Comes with 6 ft. hose</i>
Hydraulic Hand	45 - 250 cu.in	15	25
	250 - 460 cu.in	20	37
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.	129	375
	110V 1-1/2 HP 1.5 Gal. High Speed	199	413
	110V 1-1/2 HP 5 Gal.	262	732
	110V 1-1/2 HP 10 Gal.	394	978
Manifold System			ASSEMBLED TO SUIT
Hydraulic Hose	20 Ft. 10,000 PSI	29	60
	50 Ft. 10,000 PSI	51	106
<b>WELDING / POWER DISTRIBUTION</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Fume Extraction</b>		<i>* All Smoke/Fume Extractors include Washable Filters (Hepa Filters Available)</i>	
Smoke Eater	Suitcase, 160 CFM	147	363
Precipitator	Swing Arm, 1,400 CFM	285	659
<b>Engine Driven</b>			
Gasoline	185-200 Amp Portable	270	680
Propane	305 Amp w/ Cart	270	680
Diesel	300 Amp w/ towable trailer	313	913
	400 Amp Dual Operator w/ towable trailer	402	1,119
	500 Amp w/ towable trailer	445	1,307
<b>Electric</b>			
MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose	132	386
	Power Mig 210MP 110-220 / 1	148	401
	Power Mig 250 amp 230-575 / 1	187	481
	Powerwave S350 208-575 / 1-3	508	1,068
	Powerwave STT Module 40V DC	235	711
	84 Dual Wire Feed	627	1,491
Stick Welding	Amp / Voltage / Phase		
	150 amp, 110-220 / 1, Maxstar	183	397
	275 amp, 208-575 / 1-3, Inverter	124	328
	350 amp, Multi-Weld	171	386
	Distribution Box, Multi-Weld	33	64
	350 amp, 460/575 / 3 ph Flextec	159	429
	350 amp, 208-575 / 1-3 ph Invertec	159	429
	450 amp, 380-575 / 3 ph	168	454
	500 amp, 230-575 / 3 ph	168	454
	650 amp, 380-575 / 3 ph	177	509
	1000 amp, 575 / 3 ph	591	1,188
4-6 Pack Frame w/ distribution panel	145	145	
Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH	183	397
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol	60	178
	200 amp c/w Flowmeter, Hose, Gas Valve	60	178
<b>Cordless</b>			
Stick/Tig Welding	140 amp, 52V Fronius VRD	270	567

<b>WELDING / POWER DISTRIBUTION (continued...)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Accessories</b>			
Welding Cable 1/0	50 ft.	36	63
	100 ft.	60	112
	Ground Clamp w/ Whip	15	26
	Stinger w/ Whip	15	26
Remote Control	100 ft.	57	112
	100 ft. extension cable	60	120
30/60 Amp Plug		43	74
60 amp extension cable	6/4, 50 ft c/w welding plugs	139	210
Rod Oven	10 lb.	43	81
	125 lb.	60	166
	350 lb.	81	199
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal	254	572
	110V, 3000 lb.	2,980	5,840
	600V, 6000 lb.	4,768	8,939
<b>Power Distribution</b>			
Splitter Panel 600V	60 amp	285	710
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH	328	979
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar	708	1,659
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI	126	248
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock	94	157
Cable Mat	5 Channel 30T Cap. 3ft	26	51
<b>Cutting</b>			
Plasma Cutter	110 - 220 / 1 3/8" Cap.	187	401
Plasma Cutter	208 - 575 / 1-3 1" Cap.	289	861
Plasma Cutter	575 / 3 1-1/2" Cap.	340	1,005
Arc Air Gouger	Includes Welding Whip, Air Whip	54	120
Oxy/Acet. Cutting Outfit	Includes torch, 50' hose, regulators	144	266
Bottle Cart	Single / Double	30	50
	2 Bottle Lift / Fire Rated	103	293
Vapour Propane Torch	Includes Regulator, 25 ft. hose, 250 KBTU	35	81
Radiograph Cutter	Includes Torch, 6 ft.Track	132	362
Track for Radiograph	6 ft.	33	64
<b>PIPE BENDING</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Mechanical</b>			
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT	VARIES TO SIZE	
Hand Tube Bender	3/8" - 3/4" O.D. Tubing	VARIES TO SIZE	
1800 / 750	1/2" - 1" Rigid	60	178
1801 / 751	1-1/4" - 1-1/2" Rigid	74	184
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT	210	627
<b>Electric</b>			
Tubing Bender	1/2" - 1-1/8" O.D. Tubing	184	546
555 / 77	1/2" - 2" Machine only, 110V	171	504
	1/2" - 2" Rigid Shoe Group	69	205
	1/2" - 2" EMT Shoe Group	127	262
	1/2" - 2" PVC / Rob Roy Shoe Group	127	262

PIPE BENDING (continued...)		WEEKLY	4 WEEKS
<b>Electric (continued)</b>			
PVC Heater / Bender	1/2" - 2", 110V	54	145
	1/2" - 4", 110V	100	245
	1/2" - 6", 230V	121	359
<b>Hydraulic</b>			
Bus Bar 4" Bender	3/4" x 4"	132	386
880	1/2" - 2" Rigid	132	386
882	1-1/4" - 2" EMT	166	386
881 / 254L	2-1/2" - 4" Rigid / EMT One Shot	400	1,192
1813 / MBT / 280 / 252	Bending Table for 881 - Pipe not included	197	395
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed	199	413
<b>PIPE FABRICATION</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Pipe Beveling</b>			
Beveling Bands	Up to 42"		VARIABLES TO SIZE
Crawler	Manual, 9 ft. - 14' whip w/ Torch	132	394
	Motorized, 110V w/ Torch	310	555
George Fischer Machine	Cut & Bevel up to 4" (blade extra)	432	968
Ridgid B-500	Cold Bevel Pipe 4" and Larger	216	610
<b>Manual Cutting</b>			
2-A	1/2" - 2", 1 Wheel	29	44
42-A	3/4" - 2", 4 Wheel	31	56
4-S	2" - 4", 1 Wheel	36	100
44-S	2-1/2" - 4", 4 Wheel	44	121
6-S	4" - 6", 1 Wheel	50	134
466-S	4" - 6", 4 Wheel	52	145
468-S	6" - 8", 4 Wheel	58	162
472-S	8" - 12", 4 Wheel	97	227
246	Soil Pipe, 1-1/2" - 6"	29	133
RT3422	Hot Tap, 3/4" - 2" NPT	424	845
<b>Hydraulic Cutting</b>			
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers	210	477
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers	210	477
700	Power Drive for 258 / 258XL	103	231
3890	Soil Pipe, 2" - 12" w/ Ram, Pump	194	444
<b>Electric Cutting</b>			
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe	194	445
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp	166	492
<b>Manual Flange Spreading</b>			
ST-302	4"	29	79
ST-303	5"	37	104
ST-304	6-3/8"	49	119
Ratchet "Pop-It"	1/16" - 5-1/4"	148	432
	1/2" - 8-1/2"	432	800
<b>Hydraulic Flange Spreading</b>			
1/2 Ton Wedge	3/8" / 3-1/4"	70	169
1 Ton Wedge	3/8" / 3-11/16"	70	169
10 Ton Flange	2-3/4" - 8-1/2" Opening	287	507

PIPE FABRICATION (continued...)		WEEKLY	4 WEEKS
<b>Aligning</b>			
461	Straight 1-1/2" - 8"	24	66
Ultra Clamp	2" - 6"	34	94
	5" - 12"	43	127
Flange Alignment	Hydraulic 10 Ton	334	1,002
Tipton Line Up Clamp	Up to 36"		VARIABLES TO SIZE
K.C. Ratchet Line Up Clamp	Up to 42"		VARIABLES TO SIZE
"C" Clamp	Up to 12"		VARIABLES TO SIZE
"L" Clamp (Bessey)	Up to 24"		VARIABLES TO SIZE
<b>Grooving</b>			
915	Manual, 2" - 12" Steel / 2" - 8" Copper	132	362
916	Power, 1-1/4" - 6" Steel	132	362
975	Manual / Power, 1-1/4" - 6" Steel	132	362
918	Power, 2" - 12" Steel	210	588
	2" - 6" Copper Roller Set for 918	126	248
920	2" - 24" Steel	476	1,260
725	Cut Groove Die Head for 1224, 2-1/2" - 4"	60	178
<b>Manual Threading</b>			
2-S	Spiral Reamer, 1/4" - 2"	19	35
12-R	Die Head 1/8" - 2" (each)	17	35
12-R	Ratchet	22	50
12-R	Set 1/2" - 2" c/w Ratchet	104	245
418	Oiler	26	47
<b>Power Threading</b>			
700	Power Drive	103	231
775	Support Arm	33	65
300	Power Drive	124	351
300	Threading Package c/w 1 die head	223	535
311	Carriage Assembly	26	47
811A	Die Head, 1/4" - 2"	29	56
141	Threader 2-1/2" - 4"	100	283
161	Threader 4" - 6"	160	386
840A	Universal Drive Shaft	29	49
460	Tristand, 1/4" - 6"	35	102
535	Threading Machine, 1/4" - 2"	231	572
1224	Threading Machine, 1/4" - 4"	363	1,059
714	Die head 2-1/2" - 4" for 1224 Machine	50	98
711	Die Head 1/4" - 2" for 1224 Machine	34	67
819	Nipple Chuck 1/2" - 2"	35	76
418	Oiler	26	47
<b>Pipe Stands / Rollers</b>			
V Top	2,000 lb. 1/8" - 24"	27	42
Steel Roller Top	2,000 lb. 1/8" - 24"	27	42
Pro Roll	2,000 lb. 1/2" - 36"	42	116
Big V	2,500 lb. 1/2" - 36"	42	66
Max-Jax	2,500 lb. 4" - 36"	98	194



PIPE FABRICATION (continued...)		WEEKLY	4 WEEKS
<b>Pipe Stands / Rollers (continued...)</b>			
Max-Jax 2	4,500 lb. 4" - 36"	98	194
Pipe Roller	Clamp on 4" - 20"	88	225
Cable Reel Roller	4,000 lb. 2" - 36"	474	1,086
<b>Pipe / Conduit Carts</b>			
Cricket	1,000 lb. 12" Cap.	60	178
Grasshopper	2,000 lb. 20" Cap.	87	255
Pipe Mac	2,000 lb. Cap.	60	160
Mac Rack	1,000 lb. Non-Lockable	87	164
<b>Testing</b>			
1450 Manual	725 PSI	66	194
	1,000 PSI, Viton Gasket	66	194
Electric Hydrostatic	1,100 - 1,500 PSI, 110V	132	386
Pneumatic Hydrostatic	300 - 10,000 PSI	259	726
Test Plug			VARIES TO SIZE
<b>Maintenance</b>			
Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)	262	588
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU	340	800
Pipe Thawer	110V, 1/2" - 1-1/2"	164	322
Water Jetter	110V, 1-1/4" - 4"	678	2,028
Press Fit Tool	c/w 1/2" - 2" Copper & Stainless Steel Tubing	255	646
Press Ring Set (only)	1/2" - 2" Sched 40 Black Pipe	300	598
Press Ring Set (only)	2-1/2" - 4" Copper & Stainless Steel Tubing	300	598
Hot Tap	3/4" - 2" NPT	424	845
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.	129	319
Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",	394	913
Pipe Inspection Camera	100'-200', 3"-10" w/ LCD screen & USB 512HZ	738	2,211
Pipe Locator	Sonde, 512HZ	194	572
Thermal Imaging Camera	160x120 IR image, 320x240 Super Resolution	173	517
<b>GENERATORS &amp; PUMPS</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Generators</b>			
Gas	2,500 Watt	251	633
	5,500 Watt	404	925
Propane	9,000 Watt, Ranger 305	270	680
<b>Pumps</b>			
Transfer	3/4", 110V, Viton	129	381
	3/4", 110V, Viton, Explosion Proof	310	555
Submersible	2", 110V, 65 GPM, Max 40' Head	100	294
Diaphragm	2" Pneumatic, 140 GPM, Nitrile	187	464
	2" x 50' Discharge Hose w/ Camlock	29	81
Pressure Washer	110V, 1,100 PSI	132	386
	Gas, 4,000 PSI	444	887
<b>WIRE &amp; CABLE HANDLING</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Bending</b>			
Hydraulic	300 - 1,000 MCM	114	294

WIRE & CABLE HANDLING (continued...)		WEEKLY	4 WEEKS
<b>Cutting</b>			
Manual	750 MCM CU / 1,000 MCM AL	26	77
Ratchet	750 MCM CU / 795 MCM AL	33	97
Hydraulic	1,000 MCM CU / AL	106	294
	Mobile Cutter 7.1" opening	2,292	6,876
Cordless	1,590 MCM CU / AL	306	787
Cable Stripper	Use w/ 300 Power Drive	254	761
	110 v - 14 awg - 3"	254	761
<b>Compression Tools</b>			
Mechanical	MY29 #8AWG - 250 MCM CU	45	93
Hydraulic	Y39 750 MCM, 12 Ton	134	334
	Y46 1,000 MCM, 15 Ton	160	380
	Die Adapter Y46	30	86
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	187	475
Cordless	#8AWG - 750 MCM CU/AL	255	646
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	255	646
	#8AWG - 500 MCM CU, 350 AL 6 Ton	218	551
Dies	#8AWG - 750 MCM CU/AL	23	43
	1,000 MCM CU/AL	54	106
<b>Knockout Sets</b>			
Mechanical	7238 / 157PM 1/2" - 2" Ratchet	36	104
Hydraulic	7806 / 170PM 1/2" - 2" Straight	100	248
	7906 / 179PM 1/2" - 2" 90 Deg.	100	248
	7306 / 152PM 1/2" - 2" w/ Pump, Ram	100	248
	7310 / 154PM 1/2" - 4" w/ Pump, Ram	144	376
	7506 / 161SS 1/2" - 2" Stainless w/ Pump, Ram	144	376
	7308 / 166SS 2-1/2" - 4" Stainless	100	248
Cordless	LS100X11SB4 1/2"-4" w/ Charger, Batteries	168	489
<b>Cable Pulling</b>			
Two Way Radio		53	93
Hand Held Speaker Mic		8	19
Ultra Cable Feeder	6810 / 99 5 x 750 MCM cap.	583	1,195
Cable Puller	G3 / 33 2,000lb	187	432
	G6 6,000 lb.	374	798
	6001 / 88 Super Tugger 6,500 lb.	214	603
	6801 / 88 Super Tugger 8,000 lb.	273	722
	6901 / 110 Super Tugger 10,000 lb.	350	976
	Floor Mount Bracket	30	80
	Pipe Mount Bracket	91	164
	UT8 / 6805 Pulling Pkg. 8,000 lb.	615	1,259
	UT10 / 1450 Pulling Pkg. 10,000 lb.	691	1,505
Reel Jack	2,500 lb. #683 / #670 22 - 54"	52	90
	10,000 lb. Ratchet 20.75 - 30.75"	61	152
	20,000 lb. Ratchet 34.5 - 48.5"	70	185
	20,000 lb. Ratchet T Base 31 - 42.75"	70	185
Reel Bar	2" solid steel x 7' long	30	65

<b>WIRE &amp; CABLE HANDLING (continued...)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Cable Pulling (continued...)</b>			
Wire Rack	24 spools #12AWG	54	106
Fish / Vac System	690 w/ accessories	134	334
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit	191	377
	7/16" x 1200., 1" - 8" conduit	377	753
Force Gauge	Deluxe / Bluetooth	646	1,935
<b>Pulling Rope</b>			
Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye	85	159
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye	123	267
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye	182	371
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye	115	235
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye	169	434
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye	267	799
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye	169	434
	1" x 600 ft. DB Polyester / w/ Kevlar Eye	267	799
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye	572	1,247
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap	39	101
Rope Swivel c/w connector	7,000 lb.	138	259
	10,000 lb.	169	326
Kellems Grip	1/2" - 4"		VARIES TO SIZE
<b>Sheaves</b>			
Feeding	2" - 5"	29	76
Hook	650 / 406 - 6", 4,000 lb Cap.	29	67
	651 / 412 - 12", 4,000 lb Cap.	36	80
	652 / 418 - 18", 4,000 lb Cap.	46	97
	653 / 424 - 24", 4,000 lb Cap.	52	124
	639 / 4424 - 24", Twin Yoke, 4,000 lb Cap.	61	153
	8012 / 812 - 12", 8,000 lb Cap.	56	124
	8018 / 818 - 18", 8,000 lb Cap.	61	142
	8024 / 824 - 24", 8,000 lb Cap.	70	169
	836 - 36", 8,000 lb. Cap.	300	591
	4036 / 12036EZ - 36", 4,000 lb. Cap.	102	243
	4048 / 12048EZ - 48" Radius, 4,000 lb Cap.	202	374
	6036 / 333 - Triple 6,500 lb Cap.	83	162
	638 - 36" Radius, 4,000 lb Cap.	102	243
	<b>Tray Rollers</b>		
Sheave	658 / 951TR 12" Long	29	56
	660QA / 953TR Adjustable	29	56
Straight	12" - 24" Pilgrim	29	56
	18" - 36" Pilgrim	29	56
Right Angle	90 Deg. Pilgrim	29	56
	20369R / 95036RA 36" Radius	70	202
<b>Testing</b>			
Megohmmeter	500 / 1000 / 2500 / 1000V	354	711

ELECTRIC TOOLS		WEEKLY	4 WEEKS
<b>Drills</b>			
	1/2" Hammer	49	127
	1/2" Right Angle	54	154
	3/4" HD "T" Handle	106	262
	1" SDS Plus Rotary Hammer	57	154
	1-5/8" SDS Max Rotary Hammer	119	255
Diamond	Handheld, 1/2" - 4" Cap.	258	508
	Core Rig, 1/2" - 10" Cap	351	698
	Core Rig, 1/2" - 14" Cap.	351	698
	Sub Scanner Detection Tool, 12 Volt	61	151
	Core Bit, Up to 14"		VARIES TO SIZE
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck	173	444
	Up to 1-3/8" Broach, Low Profile 6-11/16"	173	444
	Up to 2" Broach / 1/2" Chuck	218	484
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck	287	731
Drill Press	5/8" Chuck	94	259
	3/4" Chuck	94	259
Breaker	60 lb, 110 V	231	588
Extension Cord	12/3, 50 ft.	21	43
	12/3, 100 ft.	29	60
<b>Fans</b>			
	8" Ventilator, 800 CFM 110V with 25' Duct	81	166
	12" Ventilator, 1500 CFM, explosion-proof with 25' Duct	426	978
	12" Ventilator, 1500 CFM, no ducting	77	159
	16" Ventilator, 3,200 CFM 110V with 25' Duct	242	488
	18" Box, 5,000 CFM, 110V	194	388
	20" Barrel, 5,000 CFM, 110 V	85	210
	24" Pedestal, 5,000 CFM 110 V	54	145
	42", 14,000 CFM, 110 V	179	394
	12" Explosion Proof Steam Heater, 110V	152	431
	24" Explosion Proof Steam Heater, 110V	229	668
Duct	8" x 25 ft.	39	76
	16" x 25 ft.	51	100
	18" x 20 ft.	64	126
<b>Lights</b>			
Tower Light	30' Diesel	1,092	1,334
	20' Electric LED	458	1,266
Wobblelight	85 Watt Fluorescent	54	127
	175 Watt Metal Halide	81	166
High-Bay	120 Watt LED	91	235
Cart	100 Watt LED	222	572
	200 Watt Single Explosion Proof	374	861
	100 Watt Dual Explosion Proof	546	1,141
Brick Light	Explosion Proof, 100 ft. cord		1,032
Brickette	Explosion Proof, 100 ft. cord		917
Trouble	50' Explosion Proof, 75 Watt	160	316
Work	3'3" LED Work Light	173	345

ELECTRIC TOOLS		WEEKLY	4 WEEKS
<b>Grinders</b>			
5"		43	100
5" with vac attach.		64	126
7"		49	106
Die 1/4" Collet		40	107
<b>Saws</b>			
Jig		43	106
14" Chop		54	127
Portaband		69	187
Reciprocating		43	120
Fein Pipe/Hacksaw c/w Clamp		166	492
7-1/4" Worm Drive Circular		57	145
16-5/16" Circular		168	317
Tile & Interlock, 3-3/4" x 24"		400	796
Bandsaw Floor Model, 7" x 12"		134	400
10" Table		132	394
10" Mitre		125	319
<b>Impact Wrenches</b>			
8" Ventilator, 800 CFM 110V with 25' Duct		81	166
12" Ventilator, 1500 CFM, explosion-proof with 25' Duct		426	978
12" Ventilator, 1500 CFM, no ducting		77	159
<b>Miscellaneous</b>			
Heat Gun	570 / 1,000 deg. F	31	69
Nibbler	16 GA.	33	94
Shear	18 GA.	69	160
Vacuum	Wet / Dry	94	250
	Hepa (Filters extra)	132	394
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V	154	426
Iron Worker	50 Ton, 575V	591	1,188
	70 Ton, 575V	830	1,491
<b>Cordless Tools</b>			
12 Volt	Sub Scanner Detection Tool	64	157
18 Volt	1/2" Hammer Drill	69	199
	1/2" Right Angle Drill	60	120
	1/4" Hex Impact	49	127
	1/2" Dr. Impact	100	166
	3/4" Dr. Impact	106	196
	1" Dr. Impact	140	418
	5" Grinder	160	316
	6-1/2" Circular Saw	76	222
	Floodlight 4'-7', 6,000 Lumens	94	187
	2" Hand Held Threader	168	362
	Mag Drill 1-1/2" Annular, 1/2" Twist	329	774
	Portaband Saw 3-1/4" Capacity	119	295
	Portaband Saw 5" Capacity	119	295

ELECTRIC TOOLS (continued...)		WEEKLY	4 WEEKS
<b>Cordless Tools (continued...)</b>			
		129	351
36 Volt	1" SDS Plus Rotary Hammer	129	351
	Reciprocating Saw	129	351
<b>AIR TOOLS</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
Compressor	Portable, 7.3 CFM, 110V, 20 Gal.	159	428
	Diesel, 185 CFM	510	1,200
Hose	3/8" x 50 ft.	35	74
	3/4" x 50 ft.	35	74
	2" x 15 ft.	25	91
	2" x 25 ft.	61	151
	2" x 50 ft.	69	194
	3" x 50 ft.	137	387
*Chicago, QC, Thor, Dixon, Boss air fittings all available			
Chipper	Pistol Grip .401 Shank	33	94
	15 lb.	54	160
Drill	Right Angle, 3/8" Chuck	43	94
	Pistol Grip, 1/2" Chuck	33	94
Die Grinder	Right Angle, 1/4" Collet	49	127
	Straight, 1/4" Collet	49	127
Grinder	7"	69	160
Impact Wrench,	1/2"	54	126
	3/4"	74	173
	1"	119	358
	1-1/2"	262	771
Ratchet	3/8"	21	43
	1/2"	43	59
Nibbler	14 GA.	120	262
Needle Scaler		69	160
Reciprocating Saw		126	248
Fein Pipe/Hacksaw		169	502
Manifold (certified)	15 Gal. 8 port	131	374
Venturi Air Horn	6" - 8"	54	120
Water Separator (In-Line)		199	366
Dryer w/ Precooler	250 CFM	523	1,044
Vacuum	55 Gal, 2" Hose, 68 CFM	229	572
<b>CONFINED SPACE</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
Tripod Retrieval System	50 ft.	331	985
	100 ft.	367	1,030
Self Retracting Life Line	8 ft. - 11 ft.	100	199
	20 ft.	120	231
	30 ft. - 40 ft.	132	262
	50 ft. - 60 ft.	160	328
	60 ft. 3 way	262	785
	100 ft. 3 way	299	830

<b>CONFINED SPACE (continued...)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
Gas Monitor	Single Gas Monitor	210	329
	Altair 4X (monitor only) 4 Gas	169	359
	Altair 4X c/w Bump Test Kit & Calibration Gas	254	572
	Altair 5X 4 Gas w/pump	478	954
	Calibration Station (Gasses extra)	319	634
2 Way Mobile Radio		53	93
Hand Held Speaker Mic		8	19
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct	81	166
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	242	488
	18" Box, 5,000 CFM, 110V	194	388
	20" Barrel, 5,000 CFM, 110 V	85	210
	24" Pedestal, 5,000 CFM 110 V	54	145
	42", 14,000 CFM, 110 V	179	394
Duct	8" x 25 ft.	39	76
	16" x 25 ft.	51	100
	18" x 20 ft.	64	126
Negative Air Machine	500 CFM, Filters and Ducting Extra	138	341
	1,850 CFM, Filters and Ducting Extra	319	572
	2,000 CFM, Filters and Ducting Extra	329	612
Portable HEPA Room	29" x 55", up to 10'6"	616	1,231
<b>EXPLOSION PROOF / INTRINSICALLY SAFE</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
2 Way Mobile Radio		70	138
Hand Held Speaker Mic		8	19
Fans	12" Ventilator, 1500 CFM, XProof with 25' Duct	426	978
Pump	Diaphragm Air 2" w/ Ground	310	641
	Transfer, 110V, 1"	310	555
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct	426	978
	12" Explosion Proof Steam Heater, 110V	152	431
	24" Explosion Proof Steam Heater, 110V	229	668
Light	Trouble, 110V, 50 ft. cord	160	316
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM	229	572
Distribution Panel			VARIES TO SIZE
<b>SCAFFOLD &amp; LADDERS</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Scaffold (Galvanized)</b>			
Frame	5 ft. x 5 ft. Full	13	24
	5 ft. x 3 ft. Half High	13	24
	30" x 5 ft. Narrow	13	24
	30" x 3 ft. Half High Narrow	13	24
Brace		8	12
Safety Clip		4	4
Deck, Aluminum	7 ft. x 19"	17	33
Guard Rail		8	12
Guard Rail Post		8	12
Caster	8" Swivel Locking	12	19
Screwjack		12	24
Base Plate		8	12

SCAFFOLD & LADDERS (continued...)		WEEKLY	4 WEEKS
<b>Scaffold (Galvanized) (continued...)</b>			
Outrigger		13	24
Gooser Bar		13	24
Baker Scaffold	Full Section	63	118
<b>Ladders (H.D.)</b>			
Fibreglass Step	4 ft.	39	73
	6 ft.	39	73
	8 ft.	51	94
	10 ft.	64	112
	12 ft.	70	126
	14 ft.	79	139
Fibreglass Platform	4 ft.	39	73
	6 ft.	76	112
	8 ft.	76	112
	10 ft.	94	137
	12 ft.	112	173
Fibreglass Extension	20 ft.	85	188
	24 ft.	85	188
	32 ft.	99	206
<b>STORAGE BOXES, CAGES &amp; RACKS</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
Job Box w/ Casters	Depth x Height x Length		
	2 ft. x 18" x 3 ft.	35	70
	2 ft. x 2 ft. x 4 ft.	43	89
	2 ft. x 2 ft. x 6 ft.	50	123
	JB150 Rolling Cabinet	67	164
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.	96	153
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Millwright	96	153
	Portable Field Office	100	301
Cage	Depth x Height x Width		
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters	169	369
	38" x 80" x 49" High Pressure Gas	76	148
	Propane 33 lb. 8 Bottle	48	104
	Propane 33 lb. 12 Bottle	76	148
	Lifting (Certified), 35" x 24" x 40"	169	502
Pipe Rack	5 ft. Conduit, Open	87	164
Work Table	4 ft. x 4 ft. c/w Vise	70	108
	4 ft. x 8 ft. c/w Vise	81	132
Saw Horse H.D.		43	67
<b>BOLTING &amp; FASTENING</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
Pry Bar	Up To 60"		VARIES TO SIZE
Roof Deck Crimper	16 - 22 Gauge	319	540
Pipe Wrench	Steel / Aluminum Up To 48"		VARIES TO SIZE
Hammer Wrench	Up To 5"		VARIES TO SIZE
Hammer Wrench, Non Strike	Up to 2-1/2"		VARIES TO SIZE
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex	148	443
	25 Ton, 1-1/8" - 2-1/4" Hex	187	555
Punch Hydraulic	35 Ton 13/16" Dia. 1/2" Thick	194	572



<b>BOLTING &amp; FASTENING (continued...)</b>		<b>WEEKLY</b>	<b>4 WEEKS</b>
<b>Sockets</b>			
Impact, 1/2" - 1-1/2" Dr.	Up to 5"		VARIES TO SIZE
Impact Set, 1/2" - 1" Dr.			VARIES TO SIZE
Chrome, 1/4" - 1" Dr.	Up To 3"		VARIES TO SIZE
Chrome Set, 1/4" - 1" Dr.			VARIES TO SIZE
Ratchet, Up to 1" Dr.			VARIES TO SIZE
Sledge Hammer	Up To 16 lb.		VARIES TO SIZE
<b>Torque Wrenches</b>		<i>Calibration Service Provided In-House</i>	
Manual	200 in./lb. 3/8" Drive	43	120
	100 ft./lb. 3/8" Drive	43	120
	250 ft./lb. 1/2" Drive	43	119
	600 ft./lb. 3/4" Drive	100	238
	700 ft./lb. 1" Drive	132	328
Torque Multiplier 4:1	1/2" In, 3/4" Out	100	255
	3/4" In, 1" Out	97	255
Hydraulic	1400 ft./lb. 3/4" Drive	887	2,278
	3200 ft./lb. 1" Drive	950	2,657
	11,000 ft./lb. 1-1/2" Drive	1,393	3,796
<b>RAD Guns</b>			
Air	50-350 ft/lbs 3/4" dr. 350SL	402	1,141
	100-700 ft/lbs 3/4" dr. 7GX	459	1,376
	500-2500 ft/lbs 1" dr. 25GX	1,261	2,521
	900-3000 ft/lbs 1" dr. 30DX	1,313	2,623
	1000-3400 ft/lbs 1" dr. 34GX	1,261	2,521
Cordless	500-1800 ft/lbs 1" dr. 1800GNX-R Long Nose	1,434	2,866
	125-500 ft/lbs 3/4" dr. BRAD-500	459	1,376
	150-500 ft/lbs 3/4" dr. BRAD 500-2	574	1,491
	200-1000 ft/lbs 3/4" dr. BRAD 1000-2	632	1,605
	600-3000 ft/lbs 1" dr. BRAD 3000-2	1,261	2,521
Electric	1000-5000 ft/lbs 1-1/2" dr. BRAD 5000	1,392	2,781
	400-1000 ft/lbs 3/4" dr. 90 degree	1,261	2,521
	1000-2500 ft/lbs 1" dr. 90 degree	1,503	3,255



**BURLINGTON**  
3385 Mainway  
905-634-3030

**TORONTO**  
151 Cherry St.  
416-406-0606

**CAMBRIDGE**  
260 Industrial Rd.  
519-650-1844

**SUDBURY**  
3319 Kingsway Rd.  
705-524-5444

**HALIFAX, NS**  
3523 Commission St.  
902-468-4221

**SARNIA**  
505 Williams Dr.  
519-332-4447

**TRENTON**  
1 Coad Rd.  
613-921-4040

**SAINT JOHN, NB**  
85 Expansion Ave.  
506-343-4482

**OTTAWA**  
240 Entreprise St., Unit 6  
343-572-5229