

2024 CANADIAN LINE CARD

HOISTING & RIGGING

Chainfall (CERTIFIED)

Rates listed are based on 20 ft. lift. Available up to 100 ft.

1/2 ton
1 Ton
1-1/2 Ton
2 Ton
3 Ton
5 Ton
7-1/2 Ton
10 Ton
15 Ton

Puller (CERTIFIED)

Rates listed based on 5 ft. chain, Available up to 20 ft.

3/4 Ton
1-1/2 Ton
3 Ton
6 Ton

Air Hoist (CERTIFIED) Lifts available up to 150 ft.

1/2 Ton	50 ft.
1 Ton	40 ft.
1 Ton	60 ft.
2 Ton	40 ft.
2 Ton	60 ft.
3 Ton	40 ft.
3 Ton	100 ft.
6 Ton	40 ft.
6 Ton	80 ft.

Electric Hoist (CERTIFIED)

Lifts available up to 150 ft.

1/2 Ton, 110 V	50 ft.
1 Ton, 110 V	40 ft.
2 Ton, 110V	40 ft.
2 Ton, 110/220 V	60 ft.
3 Ton, 575 V 3PH	60 ft.
5 Ton, 575 V 3PH	50 ft.

Trolley & Beam Clamp (CERTIFIED)

1/2 Ton	3 Ton
1 Ton	5 Ton
2 Ton	10 Ton

HOISTING & RIGGING (continued)

Tugger / Winch (CERTIFIED) Cable sold separately

Tugger, Air	1,100 lb.
Winch, Electric 110 V	3,000 lb. *cable extra
Winch, Electric 115 V	4,000 lb. *cable extra
Winch, Electric 220 V	6,000 lb. *cable extra
Snatch Block	Up to 15 Ton
Yarding Block	Up to 4 Ton
Lifting Magnet	4400 lb.
Plate Clamp	Up to 3 Ton

Trifor (CERTIFIED) Cable sold separately

1650 lb. Capacity	*cable extra
3300 lb. Capacity	*cable extra
6600 lb. Capacity	*cable extra

MATERIAL HANDLING / MACHINERY MOVING

EME Aluminum Gantry Cranes (CERTIFIED) Includes trolley & beam up to 15 ft. Beam lengths available up to 30 ft.

2200LW	2,200 lb. cap, 90-122" lift range
4400M	4,400 lb. cap, 66-90" lift range
4400R/T	4,400 lb. cap, 90-138" lift range
6600R	6,600 lb. cap, 106-154" lift range
11000R	11,000 lb. cap, 106-154" lift range
16500R	16,500 lb. cap, 106-154" lift range
20000R	20,000 lb. cap, 97-139" lift range
Cantilever	Weights & Beam (600 lb. @ 5 ft.)
Extra Beam Trolley	

Material Lifts (CERTIFIED)

4.5 ft. 400 lb. with tray	18 ft. 650 lb.
7.5 ft. 1,000 lb with tray	20 ft. 800 lb.
10 ft. 1,000 lb.	20 ft. 800 lb. Counterweight
12 ft. 400 lb.	24 ft. 650 lb.
12 ft. 350 lb. Counterweight	Fork Extensions
15 ft. 800 lb.	Pipe Cradle
15 ft. 1,100 lb.	Boom Attachment
16 ft. 450 lb.	Tray Attachment

Roust-A-Bouts (CERTIFIED)

	15 ft. 1,500 lbs.
	25 ft. 1,500 lbs.
Extension Tee	

MATERIAL HANDLING / MACHINERY MOVING (continued)**Pallet Trucks *Cable sold seperately***

5,500 lb. Standard
8,000 lb. Standard
5,500 lb. Narrow Aisle (21")
5,500 lb. 5 ft / 6 ft Forks
4,000 lb. 8 ft Forks

Machinery Moving

Stair Climber	1,500 lb.
Push Cart	2 Wheel, Pneumatic Tire
	4 Wheel, 30" x 60", 2,000 lb. cap (Flat Free)
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"
Engine Hoist	2 Ton
Appliance Cart	1,200 lb.
Wagon Yard Cart	24" x 48" 800 lb.
Drum Cart	1,000 lb.
Forklift Boom Extension	5 Ton
Forklift Dumper Box	1 Cu.Yd
	2 Cu. Yd
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"
3 Wheel Dolly	1,800 lb.
Corner Dolly	2,400 lb.
Furniture Dolly	800 lb.
Rol-A-Lift Jack	6,000 lb. cap. (pair) c/w Straps
	10,000 lb. cap. (pair) c/w Straps
Roller Conveyor	10 ft. section c/w Legs
Swivel / Straight Skate	3.75 Ton cap.
10/15 Ton cap.	12 ft. 350 lb. Counterweight
10 Ton SLP Nylon Rollers	15 ft. 800 lb.
Steerable Poly Skates	48 Ton cap. (Set)
Swivel / Straight Skate	30 Ton
Straight Skate	40 Ton
Pry Dolly	4,200 lb. cap.
Micrometer	Outside 0" - 6"
	Outside 6" - 18"
	Outside 18" - 30"
	Inside 2" - 32"
Dial Indicator	Magnetic Base for Dial Indicator
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle
	Digital, 50,000lb w/Shackle
	Digital, 100,000lb w/Shackle

JACKS**Mechanical**

Ratchet Toe	5 Ton
	10 Ton
	15 Ton
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.
	5 Ton, 20" - 60" Reel Dia.
	10 Ton, 20" - 96" Reel Dia.
	10 Ton T Base, 36" - 84" Reel Dia.

Hydraulic *Cable sold seperately*

Toe	10 Ton 1-1/8" min / 9" stroke
	20 Ton 1" min / 6-5/16" stroke
* Single Acting	Closed Height / Stroke
5 Ton	1-5/16" / 1/4" (pancake)
10 Ton	1-5/8" / 7/16" (pancake)
	3-1/2" / 1"
	3-1/2" / 1-1/2"
	4-3/4" / 2-1/8"
	6-3/4" / 4-1/8"
	9-3/4" / 6-1/8"
	13-3/4" / 10-1/8"
20 Ton	2" / 7/16" (pancake)
	3-7/8" / 1-3/4"
25 Ton	6-1/2" / 2"
	7-7/8" / 4"
	10-3/4" / 6-1/4"
	18-5/8" / 14"
30 Ton	2-5/16" / 1/2" (pancake)
	4-5/8" / 2-7/16"
	7" / 2-1/2" (hollow)
	15-1/4" / 8-1/4"
35 Ton (bottle)	11" / 6-1/4"
50 Ton	2-5/8" / 5/8" (pancake)
	4-13/16" / 2-3/8"
	11-1/8" / 6-1/4"
60 Ton	9-11/16" / 3" (hollow)
	12-3/4" / 6" (hollow)
75 Ton	3-1/8" / 5/8" (pancake)
100 Ton	3-3/8" / 5/8" (pancake)
	5-9/16" / 2-1/4"
	14-1/16" / 6-5/8"
150 Ton	8-1/8" / 2" (locknut)
150 Ton	16-3/8" - 10" (aluminum locknut)
200 Ton	13-1/2" / 5-7/8" (locknut)
300 Ton	15-1/2" / 5-7/8" (locknut)

JACKS (continued...)**Pumps Comes with 6 ft. hose**

Hydraulic Hand	45 - 250 cu.in
	250 - 460 cu.in
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.
	110V 1-1/2 HP 1.5 Gal. High Speed
	110V 1-1/2 HP 5 Gal.
	110V 1-1/2 HP 10 Gal.

Manifold System

Hydraulic Hose	20 Ft. 10,000 PSI
	50 Ft. 10,000 PSI

WELDING / POWER DISTRIBUTION**Fume Extraction * All Smoke/Fume Extractors include Washable Filters (Hepa Filters Available)**

Smoke Eater	Suitcase, 160 CFM
Precipitator	Swing Arm, 1,400 CFM

Engine Driven

Gasoline	185-200 Amp Portable
Propane	305 Amp w/ Cart
Diesel	300 Amp w/ towable trailer
	400 Amp Dual Operator w/ towable trailer
	500 Amp w/ towable trailer

Electric

MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose
	Power Mig 210MP 110-220 / 1
	Power Mig 250 amp 230-575 / 1
	Powerwave S350 208-575 / 1-3
	Powerwave STT Module 40V DC
	84 Dual Wire Feed
Stick Welding	Amp / Voltage / Phase
	150 amp, 110-220 / 1, Maxstar
	275 amp, 208-575 / 1-3, Inverter
	350 amp, Multi-Weld
	Distribution Box, Multi-Weld
	350 amp, 460/575 / 3 ph Flextec
	350 amp, 208-575 / 1-3 ph Invertec
	450 amp, 380-575 / 3 ph
	500 amp, 230-575 / 3 ph
	650 amp, 380-575 / 3 ph
	1000 amp, 575 / 3 ph
	4-6 Pack Frame w/ distribution panel
Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol
	200 amp c/w Flowmeter, Hose, Gas Valve

Cordless

Stick/Tig Welding	140 amp, 52V Fronius VRD
-------------------	--------------------------

WELDING / POWER DISTRIBUTION (continued...)**Accessories**

Welding Cable 1/0	50 ft.
	100 ft.
	Ground Clamp w/ Whip
	Stinger w/ Whip
Remote Control	100 ft.
	100 ft. extension cable
30/60 Amp Plug	
60 amp extension cable	6/4, 50 ft c/w welding plugs
Rod Oven	10 lb.
	125 lb.
	350 lb.
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal
	110V, 3000 lb.
	600V, 6000 lb.

Power Distribution

Splitter Panel 600V	60 amp
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock
Cable Mat	5 Channel 30T Cap. 3ft

Cutting

Plasma Cutter	110 - 220 / 1 3/8" Cap.
Plasma Cutter	208 - 575 / 1-3 1" Cap.
Plasma Cutter	575 / 3 1-1/2" Cap.
Arc Air Gouger	Includes Welding Whip, Air Whip
Oxy/Acet. Cutting Outfit	Includes torch, 50' hose, regulators
Bottle Cart	Single / Double
	2 Bottle Lift / Fire Rated
Vapour Propane Torch	Includes Regulator, 25 ft. hose, 250 KBTU
Radiograph Cutter	Includes Torch, 6 ft.Track
Track for Radiograph	6 ft.

PIPE BENDING**Mechanical**

Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT
Hand Tube Bender	3/8" - 3/4" O.D. Tubing
1800 / 750	1/2" - 1" Rigid
1801 / 751	1-1/4" - 1-1/2" Rigid
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT

Electric

Tubing Bender	1/2" - 1-1/8" O.D. Tubing
555 / 77	1/2" - 2" Machine only, 110V
	1/2" - 2" Rigid Shoe Group
	1/2" - 2" EMT Shoe Group
	1/2" - 2" PVC / Rob Roy Shoe Group

PIPE BENDING (continued...)**Electric (continued)**

PVC Heater / Bender	1/2" - 2", 110V
	1/2" - 4", 110V
	1/2" - 6", 230V

Hydraulic

Bus Bar 4" Bender	3/4" x 4"
880	1/2" - 2" Rigid
882	1-1/4" - 2" EMT
881 / 254L	2-1/2" - 4" Rigid / EMT One Shot
1813 / MBT / 280 / 252	Bending Table for 881 - Pipe not included
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed

PIPE FABRICATION**Pipe Bevelling**

Bevelling Bands	Up to 42"
Crawler	Manual, 9 ft. - 14' whip w/ Torch
	Motorized, 110V w/ Torch
George Fischer Machine	Cut & Bevel up to 4" (blade extra)
Ridgid B-500	Cold Bevel Pipe 4" and Larger

Manual Cutting

2-A	1/2" - 2", 1 Wheel
42-A	3/4" - 2", 4 Wheel
4-S	2" - 4", 1 Wheel
44-S	2-1/2" - 4", 4 Wheel
6-S	4" - 6", 1 Wheel
466-S	4" - 6", 4 Wheel
468-S	6" - 8", 4 Wheel
472-S	8" - 12", 4 Wheel
246	Soil Pipe, 1-1/2" - 6"
RT3422	Hot Tap, 3/4" - 2" NPT

Hydraulic Cutting

258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers
700	Power Drive for 258 / 258XL
3890	Soil Pipe, 2" - 12" w/ Ram, Pump

Electric Cutting

HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp

Manual Flange Spreading

ST-302	4"
ST-303	5"
ST-304	6-3/8"
Ratchet "Pop-It"	1/16" - 5-1/4"
	1/2" - 8-1/2"

Hydraulic Flange Spreading

1/2 Ton Wedge	3/8" / 3-1/4"
1 Ton Wedge	3/8" / 3-11/16"
10 Ton Flange	2-3/4" - 8-1/2" Opening

PIPE FABRICATION (continued...)**Aligning**

461	Straight 1-1/2" - 8"
Ultra Clamp	2" - 6"
	5" - 12"
Flange Alignment	Hydraulic 10 Ton
Tipton Line Up Clamp	Up to 36"
K.C. Ratchet Line Up Clamp	Up to 42"
"C" Clamp	Up to 12"
"L" Clamp (Bessey)	Up to 24"

Grooving

915	Manual, 2" - 12" Steel / 2" - 8" Copper
916	Power, 1-1/4" - 6" Steel
975	Manual / Power, 1-1/4" - 6" Steel
918	Power, 2" - 12" Steel
	2" - 6" Copper Roller Set for 918
920	2" - 24" Steel
725	Cut Groove Die Head for 1224, 2-1/2" - 4"

Manual Threading

2-S	Spiral Reamer, 1/4" - 2"
12-R	Die Head 1/8" - 2" (each)
12-R	Ratchet
12-R	Set 1/2" - 2" c/w Ratchet
418	Oiler

Power Threading

700	Power Drive
775	Support Arm
300	Power Drive
300	Threading Package c/w 1 die head
311	Carriage Assembly
811A	Die Head, 1/4" - 2"
141	Threader 2-1/2" - 4"
161	Threader 4" - 6"
840A	Universal Drive Shaft
460	Tristand, 1/4" - 6"
535	Threading Machine, 1/4" - 2"
1224	Threading Machine, 1/4" - 4"
714	Die head 2-1/2" - 4" for 1224 Machine
711	Die Head 1/4" - 2" for 1224 Machine
819	Nipple Chuck 1/2" - 2"
418	Oiler

Pipe Stands / Rollers

V Top	2,000 lb. 1/8" - 24"
Steel Roller Top	2,000 lb. 1/8" - 24"
Pro Roll	2,000 lb. 1/2" - 36"
Big V	2,500 lb. 1/2" - 36"
Max-Jax	2,500 lb. 4" - 36"

PIPE FABRICATION (continued...)**Pipe Stands / Rollers (continued...)**

Max-Jax 2	4,500 lb. 4" - 36"
Pipe Roller	Clamp on 4" - 20"
Cable Reel Roller	4,000 lb. 2" - 36"

Pipe / Conduit Carts

Cricket	1,000 lb. 12" Cap.
Grasshopper	2,000 lb. 20" Cap.
Pipe Mac	2,000 lb. Cap.
Mac Rack	1,000 lb. Non-Lockable

Testing

1450 Manual	725 PSI
	1,000 PSI, Viton Gasket
Electric Hydrostatic	1,100 - 1,500 PSI, 110V
Pneumatic Hydrostatic	300 - 10,000 PSI
Test Plug	

Maintenance

Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU
Pipe Thawer	110V, 1/2" - 1-1/2"
Water Jetter	110V, 1-1/4" - 4"
Press Fit Tool	c/w 1/2" - 2" Copper & Stainless Steel Tubing
Press Ring Set (only)	1/2" - 2" Sched 40 Black Pipe
Press Ring Set (only)	2-1/2" - 4" Copper & Stainless Steel Tubing
Press Booster MegaPress	2-1/2" - 4" Steel Pipe
Hot Tap	3/4" - 2" NPT
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.
Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",
Pipe Inspection Camera	100'-200', 3"-10" w/ LCD screen & USB 512HZ
Pipe Locator	Sonde, 512HZ
Thermal Imaging Camera	160x120 IR image, 320x240 Super Resolution

GENERATORS & PUMPS**Generators**

Gas	2,500 Watt
	5,500 Watt
Propane	9,000 Watt, Ranger 305

Pumps

Transfer	3/4", 110V, Viton
	3/4", 110V, Viton, Explosion Proof
Submersible	2", 110V, 65 GPM, Max 40' Head
Diaphragm	2" Pneumatic, 140 GPM, Nitrile
	2" x 50' Discharge Hose w/ Camlock
Pressure Washer	110V, 1,100 PSI
	Gas, 4,000 PSI

WIRE & CABLE HANDLING**Bending**

Hydraulic	300 - 1,000 MCM
-----------	-----------------

WIRE & CABLE HANDLING (continued...)**Cutting**

Manual	750 MCM CU / 1,000 MCM AL
Ratchet	750 MCM CU / 795 MCM AL
Hydraulic	1,000 MCM CU / AL
	Mobile Cutter 7.1" opening
Cordless	1,590 MCM CU / AL
Cable Stripper	Use w/ 300 Power Drive
	110 v - 14 awg - 3"

Compression Tools

Mechanical	MY29 #8AWG - 250 MCM CU
Hydraulic	Y39 750 MCM, 12 Ton
	Y46 1,000 MCM, 15 Ton
	Die Adapter Y46
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton
Cordless	#8AWG - 750 MCM CU/AL
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton
	#8AWG - 500 MCM CU, 350 AL 6 Ton
Dies	#8AWG - 750 MCM CU/AL
	1,000 MCM CU/AL

Knockout Sets

Mechanical	7238 / 157PM 1/2" - 2" Ratchet
Hydraulic	7806 / 170PM 1/2" - 2" Straight
	7906 / 179PM 1/2" - 2" 90 Deg.
	7306 / 152PM 1/2" - 2" w/ Pump, Ram
	7310 / 154PM 1/2" - 4" w/ Pump, Ram
	7506 / 161SS 1/2" - 2" Stainless w/ Pump, Ram
	7308 / 166SS 2-1/2" - 4" Stainless
Cordless	LS100X11SB4 1/2"-4" w/ Charger, Batteries

Cable Pulling

Two Way Radio	
Hand Held Speaker Mic	
Ultra Cable Feeder	6810 / 99 5 x 750 MCM cap.
Cable Puller	G3 / 33 2,000lb
	G6 6,000 lb.
	6001 / 88 Super Tugger 6,500 lb.
	6801 / 88 Super Tugger 8,000 lb.
	6901 / 110 Super Tugger 10,000 lb.
	Floor Mount Bracket
	Pipe Mount Bracket
	UT8 / 6805 Pulling Pkg. 8,000 lb.
	UT10 / 1450 Pulling Pkg. 10,000 lb.
Reel Jack	2,500 lb. #683 / #670 22 - 54"
	10,000 lb. Ratchet 20.75 - 30.75"
	20,000 lb. Ratchet 34.5 - 48.5"
	20,000 lb. Ratchet T Base 31 - 42.75"
Reel Bar	2" solid steel x 7' long

WIRE & CABLE HANDLING (continued...)**Cable Pulling (continued...)**

Wire Rack	24 spools #12AWG
Fish / Vac System	690 w/ accessories
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit
	7/16" x 1200., 1" - 8" conduit
Force Gauge	Deluxe / Bluetooth

Pulling Rope

Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye
	1" x 600 ft. DB Polyester / w/ Kevlar Eye
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap
Rope Swivel c/w connector	7,000 lb.
	10,000 lb.
Kellems Grip	1/2" - 4"

Sheaves

Feeding	2" - 5"
Hook	650 / 406 - 6", 4,000 lb Cap.
	651 / 412 - 12", 4,000 lb Cap.
	652 / 418 - 18", 4,000 lb Cap.
	653 / 424 - 24", 4,000 lb Cap.
	639 / 4424 - 24", Twin Yoke, 4,000 lb Cap.
	8012 / 812 - 12", 8,000 lb Cap.
	8018 / 818 - 18", 8,000 lb Cap.
	8024 / 824 - 24", 8,000 lb Cap.
	836 - 36", 8,000 lb. Cap.
	4036 / 12036EZ - 36", 4,000 lb. Cap.
	4048 / 12048EZ - 48" Radius, 4,000 lb Cap.
	6036 / 333 - Triple 6,500 lb Cap.
	638 - 36" Radius, 4,000 lb Cap.

Tray Rollers

Sheave	658 / 951TR 12" Long
	660QA / 953TR Adjustable
Straight	12" - 24" Pilgrim
	18" - 36" Pilgrim
Right Angle	90 Deg. Pilgrim
	20369R / 95036RA 36" Radius

Testing

Megohmmeter	500 / 1000 / 2500 / 1000V
-------------	---------------------------

ELECTRIC TOOLS**Drills**

	1/2" Hammer
	1/2" Right Angle
	3/4" HD "T" Handle
	1" SDS Plus Rotary Hammer
	1-5/8" SDS Max Rotary Hammer
Diamond	Handheld, 1/2" - 4" Cap.
	Core Rig, 1/2" - 10" Cap
	Core Rig, 1/2" - 14" Cap.
	Sub Scanner Detection Tool, 12 Volt
	Core Bit, Up to 14"
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck
	Up to 1-3/8" Broach, Low Profile 6-11/16"
	Up to 2" Broach / 1/2" Chuck
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck
Drill Press	5/8" Chuck
	3/4" Chuck
Breaker	60 lb, 110 V
Extension Cord	12/3, 50 ft.
	12/3, 100 ft.

Fans

	8" Ventilator, 800 CFM 110V with 25' Duct
	12" Ventilator, 1500 CFM, explosion-proof with 25' Duct
	12" Ventilator, 1500 CFM, no ducting
	16" Ventilator, 3,200 CFM 110V with 25' Duct
	18" Box, 5,000 CFM, 110V
	20" Barrel, 5,000 CFM, 110 V
	24" Pedestal, 5,000 CFM 110 V
	42", 14,000 CFM, 110 V
	12" Explosion Proof Steam Heater, 110V
	24" Explosion Proof Steam Heater, 110V
Duct	8" x 25 ft.
	16" x 25 ft.
	18" x 20 ft.

Lights

Tower Light	30' Diesel
	20' Electric LED
Wobblelight	85 Watt Fluorescent
	175 Watt Metal Halide
High-Bay	120 Watt LED
Cart	100 Watt LED
	200 Watt Single Explosion Proof
	100 Watt Dual Explosion Proof
Brick Light	Explosion Proof, 100 ft. cord
Brickette	Explosion Proof, 100 ft. cord
Trouble	50' Explosion Proof, 75 Watt
Work	3'3" LED Work Light

ELECTRIC TOOLS**Grinders**

5"
 5" with vac attach.
 7"
 Die 1/4" Collet

Saws

Jig
 14" Chop
 Portaband
 Reciprocating
 Fein Pipe/Hacksaw c/w Clamp
 7-1/4" Worm Drive Circular
 16-5/16" Circular
 Tile & Interlock, 3-3/4" x 24"
 Bandsaw Floor Model, 7" x 12"
 10" Table
 10" Mitre

Impact Wrenches

1/2" - 265 ft. lbs
 3/4" - 450 ft. lbs
 1" - 740 ft. lbs

Miscellaneous

Heat Gun	570 / 1,000 deg. F
Nibbler	16 GA.
Shear	18 GA.
Vacuum	Wet / Dry
	Hepa (Filters extra)
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V
Iron Worker	50 Ton, 575V
	70 Ton, 575V

Cordless Tools

12 Volt	Sub Scanner Detection Tool
18 Volt	1/2" Hammer Drill
	1/2" Right Angle Drill
	1/4" Hex Impact
	1/2" Dr. Impact
	3/4" Dr. Impact
	1" Dr. Impact
	5" Grinder
	6-1/2" Circular Saw
	Floodlight 4'-7', 6,000 Lumens
	2" Hand Held Threader
	Mag Drill 1-1/2" Annular, 1/2" Twist
	Portaband Saw 3-1/4" Capacity
	Portaband Saw 5" Capacity

ELECTRIC TOOLS (continued...)**Cordless Tools (continued...)**

Reciprocating Saw
 1-1/8" SDS Plus Rotary Hammer
 1-9/16" SDS Max Rotary Hammer

AIR TOOLS

Compressor	Portable, 7.3 CFM, 110V, 20 Gal.
	Diesel, 185 CFM
Hose	3/8" x 50 ft.
	3/4" x 50 ft.
	2" x 15 ft.
	2" x 25 ft.
	2" x 50 ft.
	3" x 50 ft.

*Chicago, QC, Thor, Dixon, Boss air fittings all available

Chipper	Pistol Grip .401 Shank
	15 lb.
Drill	Right Angle, 3/8" Chuck
	Pistol Grip, 1/2" Chuck
Die Grinder	Right Angle, 1/4" Collet
	Straight, 1/4" Collet

Grinder	7"
Impact Wrench,	1/2"
	3/4"
	1"
	1-1/2"

Ratchet	3/8"
	1/2"
Nibbler	14 GA.

Needle Scaler	
Reciprocating Saw	
Fein Pipe/Hacksaw	
Manifold (certified)	15 Gal. 8 port
Venturi Air Horn	6" - 8"
Water Separator (In-Line)	
Dryer w/ Precooler	250 CFM
Vacuum	55 Gal, 2" Hose, 68 CFM

CONFINED SPACE

Davit System	Base, Arm, 60 ft. SRL, 65 ft. Man Winch
Tripod Retrieval System	50 ft.
	100 ft.
Self Retracting Life Line	8 ft. - 11 ft.
	20 ft.
	30 ft. - 40 ft.
	50 ft. - 60 ft.
	60 ft. 3 way

CONFINED SPACE (continued...)

Self Retracting Life Line	100 ft. 3 way
Gas Monitor	Single Gas Monitor
	Altair 4X (monitor only) 4 Gas
	Altair 4X c/w Bump Test Kit & Calibration Gas
	Altair 5X 4 Gas w/pump
	Calibration Station (Gasses extra)
2 Way Mobile Radio	
Hand Held Speaker Mic	
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct
	18" Box, 5,000 CFM, 110V
	20" Barrel, 5,000 CFM, 110 V
	24" Pedestal, 5,000 CFM 110 V
	42", 14,000 CFM, 110 V
Duct	8" x 25 ft.
	16" x 25 ft.
	18" x 20 ft.
Negative Air Machine	500 CFM, Filters and Ducting Extra
	1,850 CFM, Filters and Ducting Extra
	2,000 CFM, Filters and Ducting Extra
Portable HEPA Room	29" x 55", up to 10'6"

EXPLOSION PROOF / INTRINSICALLY SAFE

2 Way Mobile Radio	
Hand Held Speaker Mic	
Fans	12" Ventilator, 1500 CFM, XProof with 25' Duct
Pump	Diaphragm Air 2" w/ Ground
	Transfer, 110V, 1"
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct
	12" Explosion Proof Steam Heater, 110V
	24" Explosion Proof Steam Heater, 110V
Light	Trouble, 110V, 50 ft. cord
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM
Distribution Panel	

SCAFFOLD & LADDERS**Scaffold (Galvanized)**

Frame	5 ft. x 5 ft. Full
	5 ft. x 3 ft. Half High
	30" x 5 ft. Narrow
	30" x 3 ft. Half High Narrow
Brace	
Safety Clip	
Deck, Aluminum	7 ft. x 19"
Guard Rail	
Guard Rail Post	
Caster	8" Swivel Locking
Screwjack	

SCAFFOLD & LADDERS (continued...)**Scaffold (Galvanized) (continued...)**

Base Plate	
Outrigger	
Gooser Bar	
Baker Scaffold	Full Section

Ladders (H.D.)

Fibreglass Step	4 ft.
	6 ft.
	8 ft.
	10 ft.
	12 ft.
	14 ft.
Fibreglass Platform	4 ft.
	6 ft.
	8 ft.
	10 ft.
	12 ft.
Fibreglass Extension	20 ft.
	24 ft.
	32 ft.

STORAGE BOXES, CAGES & RACKS

Job Box w/ Casters	Depth x Height x Length
	2 ft. x 18" x 3 ft.
	2 ft. x 2 ft. x 4 ft.
	2 ft. x 2 ft. x 6 ft.
	JB150 Rolling Cabinet
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Mill-wright
	Portable Field Office
Cage	Depth x Height x Width
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters
	38" x 80" x 49" High Pressure Gas
	Propane 33 lb. 8 Bottle
	Propane 33 lb. 12 Bottle
	Lifting (Certified), 35" x 24" x 40"
Pipe Rack	5 ft. Conduit, Open
Work Table	4 ft. x 4 ft. c/w Vise
	4 ft. x 8 ft. c/w Vise

Saw Horse H.D.**BOLTING & FASTENING**

Pry Bar	Up To 60"
Roof Deck Crimper	16 - 22 Gauge
Pipe Wrench	Steel / Aluminum Up To 48"
Hammer Wrench	Up To 5"
Hammer Wrench, Non Strike	Up to 2-1/2"
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex

BOLTING & FASTENING (continued...)

25 Ton, 1-1/8" - 2-1/4" Hex

Punch Hydraulic 35 Ton 13/16" Dia. 1/2" Thick

Sockets

Impact, 1/2" - 1-1/2" Dr. Up to 5"

Impact Set, 1/2" - 1" Dr.

Chrome, 1/4" - 1" Dr. Up To 3"

Chrome Set, 1/4" - 1" Dr.

Ratchet, Up to 1" Dr.

Sledge Hammer Up To 16 lb.

Torque Wrenches *Calibration Service Provided In-House*

Manual 200 in./lb. 3/8" Drive

100 ft./lb. 3/8" Drive

250 ft./lb. 1/2" Drive

600 ft./lb. 3/4" Drive

700 ft./lb. 1" Drive

Torque Multiplier 4:1 1/2" In, 3/4" Out

3/4" In, 1" Out

Hydraulic 1400 ft./lb. 3/4" Drive

3200 ft./lb. 1" Drive

11,000 ft./lb. 1-1/2" Drive

Hydraulic Low Profile 2000 ft/lb W 2000

1-1/16" to 2" Cassettes (each)

4000 ft/lb W 4000

2-1/4" to 3-1/8" Cassettes (each)

Hyd Torque Wrench Pump ZU Series Enerpac

Twin Line Hose 20'

RAD Guns

Air 50-350 ft/lbs 3/4" dr. 350SL

100-700 ft/lbs 3/4" dr. 7GX

500-2500 ft/lbs 1" dr. 25GX

900-3000 ft/lbs 1" dr. 30DX

1000-3400 ft/lbs 1" dr. 34GX

500-1800 ft/lbs 1" dr. 1800GNX-R Long Nose

Cordless 125-500 ft/lbs 3/4" dr. BRAD-500

150-500 ft/lbs 3/4" dr. BRAD 500-2

200-1000 ft/lbs 3/4" dr. BRAD 1000-2

600-3000 ft/lbs 1" dr. BRAD 3000-2

1000-5000 ft/lbs 1-1/2" dr. BRAD 5000

Electric 400-1000 ft/lbs 3/4" dr. 90 degree

1000-2500 ft/lbs 1" dr. 90 degree

**JOBSITE INDUSTRIAL RENTAL SERVICES
LOCATIONS****BURLINGTON**3385 Mainway
905-634-3030**BURNABY, BC**#702-5830 Byrne Rd.
778-284-2360**TORONTO**151 Cherry St.
416-406-0606**FORT MCMURRAY**#17 - 230 MacKay Cres.
780-747-7733**CAMBRIDGE**260 Industrial Rd.
519-650-1844**EDMONTON**2131-121 Avenue NE
780-670-1122**SUDBURY**3319 Kingsway Rd.
705-524-5444**WINNIPEG, MAN**10 Irene St.
1-888-634-3030**OTTAWA**#6-240 Entreprise St.
343-572-5229**HALIFAX, NS**3523 Commission St.
902-468-4221**TRENTON**1 Coad Rd.
613-921-4040**SAINT JOHN, NB**855 Bayside Dr.
506-343-4482**SARNIA**505 Williams Dr.
519-332-4447**MONTREAL**7077 Henri-Bourassa E.
514-426-6730