



# 2025 CANADIAN LINE CARD

## HOISTING & RIGGING

### Chainfall (CERTIFIED)

Rates listed are based on 20 ft. lift, available up to 100 ft.

1/2 ton  
1 ton  
1-1/2 ton  
2 ton  
3 ton  
5 ton  
7-1/2 ton  
10 ton  
15 ton

### Puller (CERTIFIED)

Rates listed based on 5 ft. chain, available up to 20 ft.

3/4 ton  
1-1/2 ton  
3 ton  
6 ton

### Air Hoist (CERTIFIED)

Lifts available up to 150 ft.

1/2 ton	50 ft.
1 ton	40 ft.
1 ton	60 ft.
2 ton	40 ft.
2 ton	60 ft.
3 ton	40 ft.
3 ton	100 ft.
6 ton	40 ft.
6 ton	80 ft.

### Electric Hoist (CERTIFIED)

Lifts available up to 150 ft.

1/2 ton, 110V	50 ft.
1 ton, 110V	40 ft.
2 ton, 110V	40 ft.
2 ton, 110/220V	60 ft.
3 ton, 575V 3pH	60 ft.
5 ton, 575V 3pH	50 ft.

### Trolley & Beam Clamp (CERTIFIED)

1/2 ton  
1 ton  
2 ton  
3 ton  
5 ton  
10 ton

## JOBSITE INDUSTRIAL RENTAL SERVICES LOCATIONS

### BURLINGTON

3385 Mainway  
905-634-3030

### BURNABY, BC

#702-5830 Byrne Rd.  
778-284-2360

### TORONTO

151 Cherry St.  
416-406-0606

### FORT MCMURRAY

#17 - 230 MacKay Cres.  
780-747-7733

### CAMBRIDGE

260 Industrial Rd.  
519-650-1844

### EDMONTON

2131-121 Avenue NE  
780-670-1122

### SUDBURY

3319 Kingsway Rd.  
705-524-5444

### WINNIPEG, MANUAL

10 Irene St.  
1-888-634-3030

### OTTAWA

#6-240 Entreprise St.  
343-572-5229

### HALIFAX, NS

3523 Commission St.  
902-468-4221

### TRENTON

1 Coad Rd.  
613-921-4040

### SAINT JOHN, NB

855 Bayside Dr.  
506-343-4482

### SARNIA

505 Williams Dr.  
519-332-4447

### MONTREAL

7077 Henri-Bourassa E.  
514-426-6730

<b>Tugger / Winch (CERTIFIED)</b> <i>Cable sold seperately</i>	
Tugger, Air	1,100 lb.
Winch, ELEC 110V	3,000 lb. <i>*Cable Extra</i>
Winch, ELEC 115V	4,000 lb. <i>*Cable Extra</i>
Winch, ELEC 220V	6,000 lb. <i>*Cable Extra</i>
Snatch Block	Up to 15 ton
Yarding Block	Up to 4 ton
Lifting Magnet	4,400 lb.
Plate clamp	Up to 3 ton

<b>Tirfor (CERTIFIED)</b> <i>Cable sold seperately</i>	
1650 lb. Capacity	<i>*Cable Extra</i>
3300 lb. Capacity	<i>*Cable Extra</i>
6600 lb. Capacity	<i>*Cable Extra</i>

**MATERIAL HANDLING / MACHINERY MOVING**

**EME Aluminum Gantry Cranes (CERTIFIED)**  
*Includes trolley & beam up to 15 ft. Beam lengths available up to 30 ft.*

2200LW	2,200 lb. cap, 90-122" lift range
4400M	4,400 lb. cap, 66-90" lift range
4400R/T	4,400 lb. cap, 90-138" lift range
4400XT	4,400 lb. cap, 140-180" lift range
6600R	6,600 lb. cap, 106-154" lift range
11000R	11,000 lb. cap, 106-154" lift range
16500R	16,500 lb. cap, 106-154" lift range
20000R	20,000 lb. cap, 97-139" lift range
Caster Set, PNEU	For use w/ 4400 series Gantry Cranes
Cantilever	Weights and Beam (600 lb. @ 5 ft.)

*Extra Beam Trolley*

**Material Lifts (CERTIFIED)**  
*Lifts available up to 150 ft.*

4.5 ft. 400 lb. w/ tray
7.5 ft. 1,000 lb. w/ tray
10 ft. 1,000 lb.
12 ft. 400 lb.
12 ft. 350 lb. Counterweight
15 ft. 800 lb.
15 ft. 1,100 lb.
16 ft. 450 lb.
18 ft. 650 lb.
20 ft. 800 lb.
20 ft. 800 lb. Counterweight
24 ft. 650 lb.
Fork Extensions
Pipe Cradle
Boom Attachment
Tray Attachment

<b>Roust-A-Bouts (CERTIFIED)</b>	
Roust-A-Bouts	15 ft. 1,500 lb.
	25 ft. 1,500 lb.

Extension Tee

**Pallet Trucks**  
*Cable sold seperately*

Pallet Trucks	3,300 lb. Electric
	5,500 lb. Standard
	8,000 lb. Standard
	5,500 lb. Narrow Aisle (21")
	5,500 lb. Forks 5 ft. / 6 ft.
	4,000 lb. Forks 8 ft.

**Machinery Moving**

Stair Climber	1,500 lb.
Push Cart	2 Wheel, PNEU tire
	4 Wheel, 30" x 60", 2,000 lb. cap, (flat free)
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", max height 35-3/4"
Engine Hoist	2 ton
Appliance Cart	1,200 lb.
Wagon Yard Cart	24" x 48" 800 lb.
Drum Cart	1,000 lb.
Forklift - Boom Extension	5 ton
Forklift - Dumper Box	1 cu. yd.
	2 cu. yd.
Lifting Cage (Engineered)	3,000 lb. cap. 35 x 40 x 24"
3 Wheel Dolly	1,800 lb.
Corner Dolly	2,400 lb.
Furniture Dolly	800 lb.
Rol-A-Lift Jack	6,000 lb. cap. (pair) c/w straps
	10,000 lb. cap. (pair) c/w straps
Roller Conveyor	10 ft. section c/w legs
Swivel / Straight Skate	3.75 ton cap.
	10/15 ton cap.
	10 ton SLP nylon rollers
Steerable Poly Skates	48,000 lb. cap. (set)
Swivel / Straight Skate	30 ton
Straight Skate	40 ton
Pry Dolly	4,200 lb. cap.
Micrometer	Outside 0" - 6"
	Outside 6" - 18"
	Outside 18" - 30"
	Inside 2" - 32"
Dial Indicator	
Magnetic Base for Dial Indicator	
Dynamometer (calibrated)	Digital, 25,000 lb. w/ Shackle
	Digital, 50,000 lb. w/ Shackle
	Digital, 100,000 lb. w/ Shackle

<b>JACKS</b>	
<b>Mechanical</b>	
Ratchet Toe	5 ton 10 ton 15 ton
Reel, Screw	2500 lb. 46" - 96" reel Ø
Reel, Ratchet	3750 lb. 56" - 90" reel Ø
	5 ton, 20" - 60" reel Ø
	10 ton, 20" - 96" reel Ø
	10 ton T Base, 36" - 84" reel Ø
<b>Hydraulic</b> <i>Cable sold seperately</i>	
	10 ton 1-1/8" min / 9" stroke
	20 ton 1" min / 6-5/16" stroke
*Single Acting	<i>Closed Height / Stroke</i>
5 ton	1-5/16" / 1/4" (pancake)
10 ton	1-5/8" / 7/16" (pancake)
	3-1/2" / 1"
	3-1/2" / 1-1/2"
	4-3/4" / 2-1/8"
	6-3/4" / 4-1/8"
	9-3/4" / 6-1/8"
	13-3/4" / 10-1/8"
20 ton	2" / 7/16" (pancake)
	3-7/8" / 1-3/4"
25 ton	6-1/2" / 2"
	7-7/8" / 4"
	10-3/4" / 6-1/4"
	18-5/8" / 14"
30 ton	2-5/16" / 1/2" (pancake)
	4-5/8" / 2-7/16"
	7" / 2-1/2" (hollow)
	15-1/4" / 8-1/4"
35 ton	11" / 6-1/4" (bottle)
50 ton	2-5/8" / 5/8" (pancake)
	4-13/16" / 2-3/8"
	11-1/8" / 6-1/4"
60 ton	9-11/16" / 3" (hollow)
	12-3/4" / 6" (hollow)
75 ton	3-1/8" / 5/8" (pancake)
100 ton	3-3/8" / 5/8" (pancake)
	5-9/16" / 2-1/4"
	14-1/16" / 6-5/8"
150 ton	8-1/8" / 2" (locknut)
150 ton	16-3/8" - 10" (aluminum locknut)
200 ton	13-1/2" / 5-7/8" (locknut)
300 ton	15-1/2" / 5-7/8" (locknut)
<b>Pumps</b>	
Hydraulic Hand	45 - 250 cu. in. 250 - 460 cu. in.

ELEC Hydraulic	110V 1/2 hp 1.3 - 2 gal 110V 1-1/2 hp 1.5 gal (High Speed) 110V 1-1/2 hp 5 gal 110V 1-1/2 hp 10 gal
Manifold System	
Hydraulic Hose	20 ft. 10,000 PSI 50 ft. 10,000 PSI
<b>WELDING / POWER DISTRIBUTION</b>	
<b>Fume Extraction</b> <i>* All Smoke / Fume Extractors include washable filters (HEPA filters available)</i>	
Smoke Eater	Suitcase, 160 CFM
Precipitator	Swing Arm, 1,400 CFM
<b>Engine Driven</b>	
Gasoline	185-200 Amp, portable
Propane	305 Amp w/ cart
Diesel	300 Amp w/ towable trailer 400 Amp Dual Operator w/ towable trailer 500 Amp w/ towable trailer
<b>Automated</b>	
MIG Welding	Lincoln Cobot
<b>Electric</b>	
MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose Power Mig 210 Amp 110-220 / 1 Power Mig 250 Amp 230-575 / 1 Powerwave S350 208-575 / 1-3 Powerwave STT Module 40V DC 84 Dual Wire Feed
*Stick Welding	<i>Amp / Voltage / Phase</i> 150 Amp, 110-220V / 1, Maxstar 275 Amp, 208-575V / 1-3, Inverter 350 Amp, Multi-Weld Distribution Box, Multi-Weld 350 Amp, 460/575V / 3 pH Flextec 350 Amp, 208-575V / 1-3 pH Invertec 450 Amp, 380-575V / 3 pH 500 Amp, 230-575V / 3 pH 650 Amp, 380-575V / 3 pH 1000 Amp, 575V / 3 pH 4-6 Pack Frame w/ Distribution panel
Tig Welding	150 Amp, 110-220 / 1, Maxstar STL/STH
Tig Torch	150 Amp c/w Flowmeter, Hose, Thumbtrol 200 Amp c/w Flowmeter, Hose, Gas Valve
<b>Cordless</b>	
Stick / Tig Welding	140 Amp, 52V Fronius VRD
<b>Accessories</b>	
Welding Cable 1/0	50 ft. 100 ft. Ground clamp w/ Whip Stinger w/ Whip

Remote Control	100 ft. 100 ft. extension cable
30/60 Amp Plug	
60 Amp extension cable	6/4, 50 ft., c/w welding plugs
Rod Oven	10 lb. 125 lb. 350 lb.
Pipe Positioner	110V 150 lb. Vertical / 300 lb. Horizontal 110V 3000 lb. 600V 6000 lb.
<b>Power Distribution</b>	
Splitter Panel 600V	60 Amp
Distribution Panel	15 kVA, 600V 3 pH - 120/240 1 pH 45 kVA, 600V 3 pH - 120/240 1 pH w/ Oscar
Power Box (Oscar)	50 Amp, 120 / 240V 1 pH w/ GFCI
50 Amp extension cable	8/4, 50 ft. 120 / 240 1 pH w/ 50 Amp twist lock
Cable Mat	5 Channel 30 ton cap. 3 ft.
<b>Cutting</b>	
*Plasma Cutter	110 - 220 / 1 3/8" cap. 208 - 575 / 1-3 1" cap. 575 / 3 1-1/2" cap.
Arc Air Gouger	c/w Welding Whip, Air Whip
Oxy/Acet. Cutting Outfit	c/w torch, 50' hose, regulators
Bottle Cart	Single / Double 2 Bottle Lift / Fire Rated
Vapour Propane Torch	c/w regulator, 25 ft. hose, 250 kBTU
Radiograph Cutter	c/w torch, 6 ft. track
Track for Radiograph	6 ft.
<b>PIPE BENDING</b>	
<b>Mechanical</b>	
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT
Hand Tube Bender	3/8" - 3/4" O.D. Tubing
1800 / 750	1/2" - 1" Rigid
1801 / 751	1-1/4" - 1-1/2" Rigid
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT
<b>Electrical</b>	
Tubing Bender	1/2" - 1-1/8" O.D. Tubing
555 / 77	1/2" - 2" Machine only, 110V 1/2" - 2" Rigid shoe group 1/2" - 2" EMT shoe group 1/2" - 2" PVC / Rob Roy shoe group
PVC Heater / Bender	1/2" - 2", 110V 1/2" - 4", 110V 1/2" - 6", 230V
<b>Hydraulic</b>	
Bus Bar 4" Bender	3/4" x 4"
880	1/2" - 2" Rigid
882	1-1/4" - 2" EMT
881 / 254L	2-1/2" - 4" Rigid / EMT One Shot
1813 / MBT / 280 / 252	Bending Table (for 881) *pipe not included
ELEC Hydraulic Pump	110V, 1-1/2 hp 1.5 gal. - High Speed

<b>PIPE FABRICATION</b>	
<b>Pipe Beveling</b>	
Beveling Bands	Up to 42"
Crawler	Manual, 9 ft. - 14' whip w/ torch Motorized, 110V w/ torch
George Fischer Machine	Cut & Bevel up to 4" (blade extra)
Ridgid B-500	Cold Bevel Pipe 4" and larger
<b>Manual Cutting</b>	
2-A	1/2" - 2", 1 wheel
42-A	3/4" - 2", 4 wheel
4-S	2" - 4", 1 wheel
44-S	2-1/2" - 4", 4 wheel
6-S	4" - 6", 1 wheel
466-S	4" - 6", 4 wheel
468-S	6" - 8", 4 wheel
472-S	8" - 12", 4 wheel
246	Soil Pipe, 1-1/2" - 6"
RT3422	Hot Tap, 3/4" - 2" NPT
<b>Hydraulic Cutting</b>	
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers
700	Power drive for 258 / 258XL
3890	Soil Pipe, 2" - 12" w/ Ram, Pump
<b>Electrical Cutting</b>	
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe
Fein Pipe / Hacksaw	Up to 24" pipe, variable speed, c/w clamp
<b>Manual Flange Spreading</b>	
ST-302	4"
ST-303	5"
ST-304	6-3/8"
Ratchet "Pop-It"	1/16" - 5-1/4" 1/2" - 8-1/2"
<b>Hydraulic Flange Spreading</b>	
1/2 ton Wedge	3/8" / 3-1/4"
1 ton Wedge	3/8" / 3-11/16"
10 ton Flange	2-3/4" - 8-1/2" opening
26.9 ton Flange	0.24" - 4.1" opening
<b>Aligning</b>	
461	Straight 1-1/2" - 8"
Ultra Clamp	2" - 6" 5" - 12"
Flange Aligning Tool Set	3/4" - 1-3/8"
Flange Alignment	MECH, 4 ton Hydraulic, 10 ton
Tipton Line Up clamp	Up to 36"
K.C. Ratchet Line Up clamp	Up to 42"
"C" clamp	Up to 12"
"L" clamp (Bessey)	Up to 24"
<b>Grooving</b>	
915	Manual, 2" - 12" Steel / 2" - 8" CU
916	Power, 1-1/4" - 6" Steel
975	Manual / Power, 1-1/4" - 6" Steel

918	Power, 2" - 12" Steel 2" - 6" CU Roller Set (for 918)
920	2" - 24" Steel
725	Cut Groove Die Head (for 1224), 2-1/2" - 4"
<b>Manual Threading</b>	
2-S	Spiral Reamer, 1/4" - 2"
12-R	Die Head, 1/8" - 2" (each)
12-R	Ratchet
12-R	Set - 1/2" - 2", c/w ratchet
418	Oiler
<b>Power Threading</b>	
700	Power Drive
2784	Power Drive, cordless
775	Support Arm
300	Power Drive
300	Threading Package c/w 1 die head
311	Carriage Assembly
811A	Die Head, 1/4" - 2"
141	Threader 4" - 6"
161	Threader 4" - 6"
840A	Universal Drive Shaft
460	Tristand, 1/4" - 6"
535	Threader 1/4" - 2"
MXF512-2XC	Threader, 1/8" - 2", cordless
1224	Threader 1/4" - 4"
714	Die Head, 2-1/2" - 4" (for 1224 Machine)
711	Die Head, 1/4" - 2" (for 1224 Machine)
819	Nipple Chuck, 1/2" - 2"
418	Oiler
<b>Pipe Stands / Rollers</b>	
V Top	2 000 lb. 1/8" - 24"
Steel Roller Top	2 000 lb. 1/8" - 24"
Pro Roll	2 000 lb. 1/2" - 36"
Big V	2 500 lb. 1/2" - 36"
Max-Jax	2 500 lb. 4" - 36"
Max-Jax 2	4 500 lb. 4" - 36"
Pipe Roller	Clamp on 4" - 20"
Cable Reel Roller	4 000 lb. 2" - 36"
<b>Pipe / Conduit Carts</b>	
Cricket	1 000 lb. 12" cap.
Grasshopper	2 000 lb. 20" cap.
Pipe Mac	2 000 lb. cap.
Mac Rack	1 000 lb. (non-lockable)
<b>Testing</b>	
1450 Manual	725 PSI 1,000 PSI, Viton Gasket
Electric Hydrostatic	1,100 - 1,500 PSI, 110V
Pneumatic Hydrostatic	300 - 10 000 PSI
Test Plug	
<b>Maintenance</b>	
Pipe Freezing Bladder	CO <sub>2</sub> 3/8" - 3" (CO <sub>2</sub> not included)
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU

Pipe Thawer	110V 1/2" - 1-1/2"
Water Jetter	110V 1-1/4" - 4"
Press Fit Tool	c/w 1/2" - 2" Cu & SS Tubing
Press Ring Set (only)	1/2" - 2" Sched. 40, Black Pipe 2-1/2" - 4" CU & SS Tubing
Press Booster MegaPress	2-1/2" - 4" Steel Pipe
Hot Tap	3/4" - 2" NPT
Drain Snake	110V 3/4" - 2-1/2" 25 ft.
Sewer Snake	5/8" x 100 ft. 110V 3" - 6"
Pipe Inspection Camera	100'-200', 3"-10" w/ LCD screen & USB 512 Hz
Pipe Locator	Sonde, 512Hz
Thermal Imaging Camera	160 x 120 IR image, 320 x 240 Super Resolution
<b>GENERATORS &amp; PUMPS</b>	
<b>Generators</b>	
Gasoline	2 500 W 5 500 W
Propane	9 000 W Ranger 305
<b>Pumps</b>	
Transfer	3/4", 110V, Viton 3/4", 110V, Viton, Ex Proof
Submersible	2", 110V, 65 GPM, Max 40' head
Diaphragm	2" Pneumatic, 140 GPM, nitrile 2" x 50' Discharge Hose w/ Camlock
Pressure Washer	110V, 1,100 PSI Gas, 4 000 PSI
<b>WIRE &amp; CABLE HANDLING</b>	
<b>Bending</b>	
Hydraulic	300 - 1 000 MCM
<b>Cutting</b>	
Manual	750 MCM CU / 1 000 MCM AL
Ratchet	750 MCM CU / 795 MCM AL
Hydraulic	1 000 MCM CU / AL Mobile Cutter - 7.1" opening
Cordless	1 590 MCM CU / AL
Cable Stripper	Use w/ 300 power drive 110 v - 14 AWG - 3"
<b>Compression Tools</b>	
Mechanical	MY29 #8 AWG - 250 MCM CU
Hydraulic	Y39 750 MCM 12 ton Y46 1 000 MCM 15 ton Die Adapter Y46
Hydraulic / Dieless	#4 AWG - 1 000 MCM, CU / AL, 12 ton
Cordless	#8 AWG - 750 MCM, CU / AL
Cordless / Dieless	#4 AWG - 1 000 MCM, CU / AL, 12 ton #8 AWG - 500 MCM, CU 350 AL, 6 ton
Dies	#8 AWG - 750 MCM, CU / AL 1 000 MCM, CU / AL
<b>Knockout Sets</b>	
Mechanical	7238 / 157PM 1/2" - 2" Ratchet
Hydraulic	7806 / 170PM 1/2" - 2" Straight 7906 / 179PM 1/2" - 2" 90°

	7306 / 152PM 1/2" - 2" w/ pump, ram
	7310 / 154PM 1/2" - 4" w/ pump, ram
	7506 / 161 SS 1/2" - 2" SS w/ pump, ram
	7308 / 166 SS 2-1/2" - 4" SS
Cordless	LS100X11SB4, 1/2"-4" w/ charger, batteries
<b>Cable Pulling</b>	
Two Way Radio	
Hand Held Speaker Mic	
Ultra Cable Feeder	6810 / 99 - 5 x 750 MCM cap.
Cable Puller	G3 / 33 - 2,000 lb.
	G6 6,000 lb.
	6001 / 88 Super Tugger 6,500 lb.
	6801 / 88 Super Tugger 8,000 lb.
	6901 / 110 Super Tugger 10,000 lb.
	Floor Mount bracket
	Pipe Mount bracket
	UT8 / 6805 Pulling pkg. 8,000 lb.
	UT10 / 1450 Pulling pkg. 10,000 lb.
Reel Jack	2,500 lb. #683 / #670, 22 - 54"
	10,000 lb. Ratchet, 20.75 - 30.75"
	20,000 lb. Ratchet, 34.5 - 48.5"
	20,000 lb. Ratchet Base "T", 31 - 42.75"
Reel Bar	2" Solid Steel x 7' long
Cable Reel Roller	15 ton, 155V
Wire Rack	24 Spools #12 AWG
Fish / Vac System	690 w/ accessories
Duct Rodder	1/4" x 600 ft. 1" - 2-1/4" conduit
	1/4" x 600 ft. 1" - 2-1/4" conduit
Force Gauge	Deluxe / 
<b>Pulling Rope</b>	
Break Strength - 9,000 lb.	1/2" x 300 ft. DB PL / w/ Kevlar Eye
	1/2" x 600 ft. DB PL / w/ Kevlar Eye
	1/2" x 1200 ft. DB PL / w/ Kevlar Eye
Break Strength - 19,000 lb.	3/4" x 300 ft. DB PL / w/ Kevlar Eye
	3/4" x 600 ft. DB PL / w/ Kevlar Eye
	3/4" x 1200 ft. DB PL / w/ Kevlar Eye
Break Strength - 34,000 lb.	1" x 300 ft. DB PL / w/ Kevlar Eye
	1" x 600 ft. DB PL / w/ Kevlar Eye
	1" x 1200 ft. DB PL / w/ Kevlar Eye
Wire Grip Kit	629 4 clamp w/ Brass Clevis, 6,500 lb. cap.
Rope Swivel (c/w connector)	7,000 lb.
	10,000 lb.
Kellems Grip	1/2" - 4"
<b>Sheaves</b>	
Feeding	2" - 5"
Hook	650 - 6", 4,000 lb. cap.
	651 - 12", 4,000 lb. cap.
	652 - 18", 4,000 lb. cap.
	653 - 24", 4,000 lb. cap.
	639 / 4424 - 24", Twin Yoke, 4,000 lb. cap.
	8012 - 12", 8,000 lb. cap.

	8018 / 818 - 18", 8,000 lb. cap.
	8024 / 824 - 24", 8,000 lb. cap.
	836 - 36", 8,000 lb. cap.
	4036 / 12036 EZ - 36", 4,000 lb. cap.
	4048 / 12048 EZ - 48" R, 4,000 lb. cap.
	6036 / 333 - Triple 6,500 lb. cap.
	638 - 36" R, 4,000 lb. cap.
<b>Tray Rollers</b>	
Sheave	658 / 951TR 12" Long
	660QA / 953TR, Adjustable
Straight	12" - 24" Pilgrim
	18" - 36" Pilgrim
Right Angle	90° Pilgrim
	20369R / 95036RA, 36" R
<b>Testing</b>	
Megohmmeter	500 / 1000 / 2500 / 1000V
<b>ELECTRIC TOOLS</b>	
<b>Drills</b>	
1/2" Hammer	
1/2" Right Angle	
3/4" HD "T" Handle	
1" SDS Plus Rotary Hammer	
1-5/8" SDS Max Rotary Hammer	
Diamond	Handheld, 1/2" - 4" cap.
	Core Rig, 1/2" - 10" cap.
	Core Rig, 1/2" - 14" cap.
	Sub Scanner Detection Tool, 12V
	Core Bit, up to 14"
Magnetic	Up to 1-1/8" Broach, up to 1/2" Chuck
	Up to 1-3/8" Broach, Low Profile 6-11/16"
	Up to 2" Broach / 1/2" Chuck
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck
Drill Press	5/8" Chuck
	Mandrin 3/4"
Breaker	60 lb. 110V
Extension Cord	12/3 50 ft.
	12/3 100 ft.
<b>Fans</b>	
8" Ventilator, 800 CFM, 110V w/ 25' duct	
12" Ventilator, 1500 CFM, exp-proof w/25' duct	
12" Ventilator, 1500 CFM, no ducting	
16" Ventilator, 3,200 CFM, 110V w/ 25' duct	
18" Box, 5,000 CFM, 110V	
20" Barrel, 5,000 CFM, 110V	
24" Pedestal, 5,000 CFM 110V	
42", 14,000 CFM, 110V	
12" Ex Proof Steam Heater, 110V	
24" Ex Proof Steam Heater, 110V	
Ducting	8" x 25 ft.
	16" x 25 ft.
	18" x 20 ft.

<b>Lights</b>	
Tower Light	30' Diesel 20' ELEC LED
Wobblelight	85W FLUOR 175W Metal Halide
High-Bay	120W LED
Cart	100W LED 200W Single Ex Proof 100W Dual Ex Proof
Brick Light	Ex Proof, 100 ft. cord
Brickette	Ex Proof, 100 ft. cord
Trouble	50' Ex Proof, 75W
Work	3'3" LED Work Light
<b>Grinders</b>	
5"	
5", w/ vac attachment	
7"	
Die 1/4" collet	
<b>Saws</b>	
Jig	
14" Chop	
Portaband	
Reciprocating	
Fein Pipe / Hacksaw - c/w clamp	
7-1/4" Worm Drive Circular	
16-5/16" Circular	
Tile & Interlock, 3-3/4" x 24"	
Bandsaw Floor Model, 7" x 12"	
10" Table	
10" Mitre	
<b>Impact Wrenches</b>	
1/2" - 265 ft. lb.	
3/4" - 450 ft. lb.	
1" - 740 ft. lb.	
<b>Miscellaneous</b>	
Heat Gun	570°F / 1,000°F
Nibbler	16G
Shear	18G
Vacuum	Wet / Dry HEPA (filters extra)
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V
Iron Worker	50 ton, 575V 70 ton, 575V
<b>Cordless Tools</b>	
12V	Sub Scanner Detection Tool Pex Expansion Tool, 3/8"-1"
18V	1/2" Hammer Drill 1/2" Right Angle Drill 1/4" hex, Impact 1/2" drive, Impact 3/4" drive, Impact

	1" drive, Impact
	5" Grinder
	6-1/2" Circular Saw
	Floodlight 4'-7', 6,000 lumens
	2" Hand Held Threader
	Magn Drill, 1-1/2" Annular, 1/2" twist
	Portaband Saw, 3-1/4" capacity
	Portaband Saw 5" capacity
	Reciprocating Saw
	1-1/8" SDS Plus Rotary Hammer
	1-9/16" SDS Max Rotary Hammer
	Power drive
	Pex Expansion tool 1-1/4"-2"
	Pex Expansion tool 2"-3"
MX FUEL	Theader, 1/8" - 2"
<b>AIR TOOLS</b>	
Compressor	Portable, 7.3 CFM, 110V, 20 gal Diesel, 185 CFM
Hose	3/8" x 50 ft. 3/4" x 50 ft. 2" x 15 ft. 2" x 25 ft. 2" x 50 ft. 3" x 50 ft.
<i>*Chicago, QC, Thor, Dixon, &amp; Boss air fittings all available</i>	
Chipper	Pistol grip, .401 shank 15 lb.
Drill	Right angle, 3/8" chuck Pistol grip, 1/2" chuck
Die Grinder	Right angle, 1/4" collet Straight, 1/4" collet
Grinder	7"
Impact Wrench,	1/2" 3/4" 1" 1-1/2"
Ratchet	3/8" 1/2"
Nibbler	14G
Needle Scaler	
Reciprocating Saw	
Fein Pipe / Hacksaw	
Manifold (CERTIFIED)	15 gal. - 8 port
Venturi Air Horn	6" - 8"
Water Separator (In-Line)	
Dryer w/ Precooler	250 CFM
Vacuum	55 gal, 2" Hose, 68 CFM
<b>CONFINED SPACE</b>	
Davit System	Base, arm, 60 ft. SRL, 65 ft. manual winch
Tripod Retrieval System	50 ft. 100 ft.
Rooftop Anchoring System	

Self Retracting Life Line	8 ft. - 11 ft.
	20 ft.
	30 ft. - 40 ft.
	50 ft. - 60 ft.
	60 ft. 3 way
	100 ft. 3 way
Gas Monitor	Single Gas Monitor
	Altair 4X (monitor only) 4 gas
	Altair 4X c/w bump test kit & calibration gas
	Altair 5X 4 gas w/ pump
	Calibration Station (gas extra)
2 Way Mobile Radio	
Hand Held Speaker Mic.	
Fan	8" Ventilator, 800 CFM 110V w/ 25' duct
	16" Ventilator, 3,200 CFM 110V w/ 25' duct
	18" Box, 5,000 CFM, 110V
	20" Barrel, 5,000 CFM, 110V
	24" Pedestal, 5,000 CFM 110V
	42", 14,000 CFM, 110V
Ducting	8" x 25 ft.
	16" x 25 ft.
	18" x 20 ft.
Negative Air Machine	500 CFM (filters and ducting extra)
	1,850 CFM (filters and ducting extra)
	2,000 CFM (filters and ducting extra)
Portable HEPA Room	29" x 55", up to 10' 6"

#### EXPLOSION PROOF / INTRINSICALLY SAFE

2 Way Mobile Radio	
Hand Held Speaker / Mic.	
Fans	12" Ventilator, 1500 CFM, Ex Proof w/25' duct
Pump	Diaphragm Air 2" w/ ground
	Transfer, 110V, 1"
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' duct
	12" Ex Proof Steam Heater, 110V
	24" Ex Proof Steam Heater, 110V
Light	Trouble, 110V, 50 ft. cord
Vacuum	Air, 55 gal 2" Hose, 68 CFM
Distribution Panel	

#### SCAFFOLD & LADDERS

##### Scaffold (Galvanized)

Frame	5 ft. x 5 ft. (full)
	5 ft. x 3 ft. (half high)
	30" x 5 ft. (narrow)
	30" x 3 ft. (half high, narrow)
Brace	
Safety Clip	
Deck, Aluminum	7 ft. x 19"
Guard Rail	
Guard Rail Post	
Caster	8" swivel locking

Screwjack	
Base Plate	
Outrigger	
Gooser Bar	
Baker Scaffold	Full section
<b>Ladders (HD)</b>	
Fibreglass Step	4 ft.
	6 ft.
	8 ft.
	10 ft.
	12 ft.
	14 ft.
Fibreglass Platform	4 ft.
	6 ft.
	8 ft.
	10 ft.
	12 ft.
Fibreglass Extension	20 ft.
	24 ft.
	32 ft.

#### STORAGE BOXES, CAGES & RACKS

*Job Box w/ Casters	<i>Depth x Height x Length</i>
	2 ft. x 18" x 3 ft.
	2 ft. x 2 ft. x 4 ft.
	2 ft. x 2 ft. x 6 ft.
JB150 Rolling Cabinet	
Upright Cabinet	2 ft. x 5 ft. x 5 ft.
Upright Cabinet - Millwright	2 ft. x 5 ft. x 5 ft. (
Portable Field Office	
*Cage	<i>Depth x Height x Width</i>
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters
	38" x 80" x 49" High Pressure Gas
Propane	33 lb. - 8 bottle
	33 lb. - 12 bottle
Lifting (CERTIFIED)	35" x 24" x 40"
Pipe Rack	5 ft. Conduit, Open
Work Table	4 ft. x 4 ft. c/w Vise
	4 ft. x 8 ft. c/w Vise

#### Saw Horse HD

#### BOLTING & FASTENING

Pry Bar	Up To 60"
Roof Deck Crimper	16G - 22G
Pipe Wrench	Steel / Aluminum, up to 48"
Hammer Wrench	Up To 5"
Hammer Wrench, Non Striking	Up to 2-1/2"
Nut Splitter Hydraulic	15 ton, 1/2" - 1-1/2" hex
	20 ton, 1.42" - 1.81" hex
	25 ton, 1-1/8" - 2-1/4" hex
	36 ton, 2" - 2.56" hex
	50 ton, 2.56" - 2.95" hex
Punch Hydraulic	35 ton 13/16" Ø, 1/2" thick



<b>Sockets</b>	
Impact	1/2" - 1-1/2" drive, up to 5"
Impact Set	1/2" drive
Chrome	1/4" - 1" drive, up to 3"
Chrome Set	1/4" - 1" drive
Ratchet	Up to 1" drive
Sledge Hammer	Up to 16 lb.
<b>Torque Wrenches</b> <i>Calibration Service Provided In-House</i>	
Manual	200" / lb. 3/8" drive
	100 ft. / lb. 3/8" drive
	250 ft. / lb. 1/2" drive
	600 ft. / lb. 3/4" drive
	700 ft. / lb. 1" drive
Torque Multiplier 4:1	1/2", 3/4" out
	3/4", 1" out
Hydraulic	1400 ft. / lb. 3/4" drive
	3200 ft. / lb. 1" drive
	11,000 ft. / lb. 1-1/2" drive
	2000 ft. / lb. W2000
Hydraulic Low Profile	W2000 cassettes (each)
	4000 ft. / lb. W4000
	W4000 cassettes (each)
	8000 ft. / lb. W8000
	W8000 cassettes (each)
Hydraulic Torque Wrench Pump	ZU series Enerpac ELEC / Hydraulic
	ZA series Enerpac PNEU / Hydraulic
	Twin line hose, 20 ft.
<b>RAD Guns</b>	
Air	50-350 ft. / lbs. 3/4" drive 350SL
	100-700 ft. / lbs. 3/4" drive 7GX
	500-2500 ft. / lbs. 1" drive 25GX
	900-3000 ft. / lbs. 1" drive 30DX
	1000-3400 ft. / lbs. 1" drive 34GX
Cordless	500-1800 ft. / lbs. 1" drive 1800GNX-R (long nose)
	125-500 ft. / lbs. 3/4" drive BRAD-500
	150-500 ft. / lbs. 3/4" drive BRAD 500-2
	200-1000 ft. / lbs. 3/4" drive BRAD 1000-2
	600-3000 ft. / lbs. 1" drive BRAD 3000-2
Electric	1000-5000 ft. / lbs. 1-1/2" drive BRAD 5000
	400-1000 ft. / lbs. 3/4" drive, 90°
	1000-2500 ft. / lbs. 1" drive, 90°

# JOBSITE INDUSTRIAL RENTAL SERVICES LOCATIONS

**BURLINGTON**  
3385 Mainway  
**905-634-3030**

**BURNABY, BC**  
#702-5830 Byrne Rd.  
**778-284-2360**

**TORONTO**  
151 Cherry St.  
**416-406-0606**

**FORT MCMURRAY**  
#17 - 230 MacKay Cres.  
**780-747-7733**

**CAMBRIDGE**  
260 Industrial Rd.  
**519-650-1844**

**EDMONTON**  
2131-121 Avenue NE  
**780-670-1122**

**SUDBURY**  
3319 Kingsway Rd.  
**705-524-5444**

**WINNIPEG, MANUAL**  
10 Irene St.  
**1-888-634-3030**

**OTTAWA**  
#6-240 Entreprise St.  
**343-572-5229**

**HALIFAX, NS**  
3523 Commission St.  
**902-468-4221**

**TRENTON**  
1 Coad Rd.  
**613-921-4040**

**SAINT JOHN, NB**  
855 Bayside Dr.  
**506-343-4482**

**SARNIA**  
505 Williams Dr.  
**519-332-4447**

**MONTREAL**  
7077 Henri-Bourassa E.  
**514-426-6730**

