AUTUMN FLYER 2020

Be Smart. Be Safe. Be Sure.









ലി due**north**°

sellstrom.







| Level Z and Antol/IOLA 101-13 olass 1 Type o | | | | | |
|--|----------|---------------------|------------|----------|--|
| PROD. NO. | MOD. NO. | Colour | Size Range | Sale | |
| V1120151 | 5020BB | Hi-Viz Orange | XS-5XL | \$156.40 | |
| V1120161 | 5021BB | Hi-Viz Yellow/Green | XS-5XL | \$156.40 | |
| V1120470 | 5025 | Black | XS-5XL | \$156.40 | |

Coveralls "The Rock" FR-Tech® 88/12 FR/ARC 7 oz with 2" reflective tape

FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)

Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL

Average Thermal Protective Performance (TPP) value: 9 cal/cm2

CSA Z96-15 Class 3 Level 2 and Class 3 Level FR

Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018

ATPV 10 cal/cm² (Arc Thermal Protective Value)
ARC 2 Arc Rating Category
Double-stitched StarTech® FR 2"

silver reflective tape Sewn with inherently FR thread

 Flame resistance guaranteed for the life of the garment

PROD. NO. MOD. NO. Colour Size Range V2540950 36-66 \$134.75 7708 Hi-Viz Orange V254095T 7708T Hi-Viz Orange 40-66 \$138.95

FR-TECH



Sale pricing in effect until December 31, 2020



1-888-634-3030 | JobsiteEquipment.ca





Hi-Viz Surveyor's Safety Vests - 150D Woven Twill Poly



150 denier woven twill polyester

 6692/6693 - CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-15 Class 2 Type P and R 6692N/6683 - CSA Z96-15 Class 1 Level 2 and ANSI/ISEA 107-15 Class 1 Type 0

MOD. NO. Colour Size Range Sale V1010130 S-4XL \$41.30 6683 Red \$41.30 V1010140 6693 Hi-Viz Yellow/Green S-4XL V1010150 6692 \$41.30 Hi-Viz Orange S-4XL V1010180 6692N Royal Blue S-4XL \$41.30 Hi-Viz Reversible **Insulated Safety Vests**

 Durable 8.8 oz (300 GSM) 85/15 poly/ cotton blend

CSA Z96-15 Class 2 level 2 ANSI/ISEA 107-15 Class 2 Type P & R

PROD. NO. MOD. NO. Size Range Sale V1022450 6688 Hi-Viz Orange S-5XL \$71.80 V1022460 6689 Hi-Viz Yellow/Green S-5XL \$71.80

Hi-Viz Drop Shoulder Safety Tear-Away Vests



· Tricot polyester interlock

CSA Z96-15 Class 2 Level 2

· ANSI/ISEA 107-15 Class 2 Type P and R

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|-------------------------|---------|
| V1020951 | 6930 | Hi-Viz Orange | S/M, L/XL, 2/3XL, 4/5XL | \$17.00 |
| V1021061 | 6931 | Hi-Viz Yellow/Green | S/M, L/XL, 2/3XL, 4/5XL | \$17.00 |

Women's Hi-Viz Safety **Tear-Away Vests**





3.5 oz (120 GSM) polyester mesh5 point tear-away

 CSA Z96-15 Class 2 level 2 . ANSI/ISEA 107-15 Class 2 Type P and R

489

PROD NO MOD NO Colour Size Range (Women's) Sale V1023650 XS-2XL \$26.90 486 Hi-Viz Orange V1023660 \$26.90

XS-2XL

Hi-Viz Yellow/Green

Hi-Viz Traffic Micro Mesh **Long-Sleeved Safety Shirts**

. 3.7 oz (125 GSM) micro mesh quick-dry

• CSA Z96-15 Class 2 Level 2 · ANSI/ISEA 107-15 Class 3 Type P and R

PROD. NO. MOD. NO. Sale Colour Size Range V1050950 \$28.70 6984 Hi-Viz Orange S-5XL V1050960 \$28.70 6985 Hi-Viz Yellow/Green S-5XL



| ı | PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|---|-----------|----------|---------------|--|---------|
| ĺ | V2120510 | 4441 | Hi-Viz Orange | S-4XL | \$53.65 |
| | V2120610 | 4461 | Hi-Viz Orange | 30x30-36x30, 32x32-40x32, 32x34-38x34 | \$48.50 |
| | | | | | |

HOODIES / WORKWEAR



Hi-Viz Polyester Fleece Hoodies

- Premium 10.5 oz (360 GSM)
- polyester fleece 6924/6925 CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands) and ANSI/ ISEA 107-15 Class 3 Type P
- 6925BK CSA Z96-15 Class 1 Level 2 and ANSI/ISEA 107-15 Class 1 Type 0
- Double-stitched StarTech® reflective tape
- Zips into inner zipper on 5575A/5585A/5585BK to make 3-in-1 jacket (optional, sold separately)

 • Detachable drawstring hood
- · Elastic cuffs and hem
- 2 front slash pockets
- · Full front reversible zipper
- 2 radiophone clip straps

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|---------|
| V1060350 | 6924 | Hi-Viz Orange | S-5XL | \$64.70 |
| V1060460 | 6925 | Hi-Viz Yellow/Green | XS-5XL | \$64.70 |
| V1060471 | 6925BK | Black | S-5XL | \$64.70 |

Poly/Cotton Long-Sleeved Work Shirts



- . 5.7 oz (195 GSM) woven twill blend of 65% polyester and 35% cotton
- Button closure
- · Comfortable fit
- Durable press
- Classic button-down collar
- · Drop back for better integration with pants
- Double yoke back
- · 2 chest pockets with flaps
- · Pen slot on right chest pocket
- Extra strong thread
- · Key stress points bartacked for strength
- 4403/4404 adjustable, 2-button cuffs

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|------------|---------|
| V2080220 | 4403 | Khaki | S-4XL | \$38.90 |
| V2080280 | 4404 | Navy | S-4XL | \$38.90 |

Poly/Cotton Work Pants



- 5.7 oz (195 GSM) woven twill blend of 65% polyester and 35% cotton
 Durable press and extra strong thread
- · DTM nylon fly access zipper
- 4407 classic design with belt loops on waist band, 4 pockets: 2 front and 2 back
- 4408/4409 classic cargo design with utility pockets and hammer loop, Cordura® fabric piping on back pockets, 6 pockets: 2 front, 2 back, 2 side with flap
- 4409 StarTech®® reflective tape, CSA Z96-15 Class 3 Level 2, ANSI/ISEA 107-15 Class 2 Type P and R

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|--|---------|
| V2080480 | 4407 | Navy | 30x30-38x30, 30x32-40x32, 32x34-40x34 | \$41.60 |
| V2080580 | 4408 | Navy | 30x30-38x30, 30x32-40x32, 32x34-40x34 | \$44.30 |
| V2080581 | 4409 | Navy | 30x30-38x30, 30x32-40x32, 32x34-40x34 | \$47.90 |

Hi-Viz Puffy Insulated Warm Jacket - Polyester Pongee Trilobal Ripstop



- Woven quilted polyester pongee trilobal ripstop material with TPU membrane
- Hi-viz yellow 210T taffeta lining
- Body padding: 4 oz (140 GSM) polyester
 Hood padding: 1.8 oz (60 GSM) polyester
- StarTech® reflective tape
- CSA Z96-15 Class 2 Level 2 and ANSI/ ISEA 107-15 Class 3 Type P and R
- · Rib knit waist band and cuffs
- 2 front pockets with zippered closure • 1 inside storage pocket with zipper closure
- · Detachable drawstring hood with zipper
- attachment

| Concealed | slots for | tucking | in hood tabs | |
|-------------------------------|-----------|---------|--------------|--|
| | | | | |

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|---------|
| V1170260 | 5014 | Hi-Viz Yellow/Green | S-4XL | \$89.65 |

SAFETY APPAREL / RAINWEAR



Women's Safety Poly/Cotton Coverall



- 7 oz (230 GSM) poly/cotton
- CSA 296-15 Class 3 Level 2
- StarTech® reflective tape
- Designed to ergonomically fit women
- · 2-way heavy-duty brass zipper
- · Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- · All pockets and key stress points bartacked for strength
- · Action back and elastic waist

| PROD. NO. | MOD. NO. | Colour | Size Range (Women's) | Sale |
|-----------|----------|--------|----------------------|---------|
| V2020450 | 5514W | Orange | XS-2XL | \$70.10 |

P25 028

Hi-Viz Safety Poly/Cotton Coverall or Overall

- 7 oz (230 GSM) poly/cotton
- 5512: CSA Z96-15 Class 3 Level 2
- 6616: CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with CSA Class 2 Level 2 top featuring reflective arm bands)
- Double-stitched StarTech® reflective tape
- 2-way heavy-duty brass zipper
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- All pockets and key stress points bartacked for strength
- · Action back and elastic waist

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|---------|
| V2020560 | 5512 | Hi-Viz Yellow/Green | 36-60 | \$73.80 |
| V2030160 | 6616 | Hi-Viz Yellow/Green | 36-60 | \$71.80 |

J35 345H

Rainshield® Jacket, Bib Pants or Hood H25 501 J25 280

- 10 oz/yd² PVC/nylon/PVC with anti-fungal treatment
- Single bib design
- Interior PVC coating sheds water and makes for easy cleaning

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|------------|---------|
| V3246950 | J25 280 | Orange | S-4XL | \$59.15 |
| V3245050 | P25 028 | Orange | S-4XL | \$60.20 |
| V3246960 | H25 501 | Orange | Fit-All | \$11.00 |

Canadian Hooded Rain Jacket or Bib Pants

- Heavy-duty 13 oz/yd² PVC double-coated on high tenacity polyester
- 100% waterproof and windproof
- Fabric is marine/fish oil resistant
- Electronically welded seams ensure water tightness
- Increased softness and cold flex in the harshest conditions
- Increased wear and tear resistance
- Attached hood with internal drawstring
- · Roomy raglan sleeves
- Concealed corrosion resistant brass snap closure
- Inner storm flap to keep out elements

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|-------------|------------|---------|
| V3242040 | J35 345H | Olive Green | S-4XL | \$75.50 |
| V3242540 | P35 060 | Olive Green | S-4XL | \$75.50 |

P35 060

Hi-Viz 100% Waterproof Quilted Bib Pants



- 300 denier PU coated oxford polyester with
 5.3 oz (180 GSM) warm quilted polyester lining
 5040BB/5041BB CSA Z96-15 Class 2 Level 2
- 5040BB/5041BB CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with CSA Class 2 Level 2 top featuring reflective arm bands) and ANSI/ISEA 107-15 Class E Supplemental Type
- 5042 CSA Z96-15 Class 3 Level 2 when worn with Class 2 Level 2 top featuring reflective arm bands, and ANSI/ISEA 107-15 Class E Supplemental Type

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|----------|
| V1120651 | 5040BB | Hi-Viz Orange | S-5XL | \$107.90 |
| V1120661 | 5041BB | Hi-Viz Yellow/Green | S-4XL | \$107.90 |
| V1120870 | 5042 | Black | S-5XL | \$107.90 |

"The Rock" 300D Oxford Polyester 3-in-1 Parkas

- 100% waterproof 300D oxford polyester with PU coating
- CSÁ Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- ANSI/ISEA 107-15 Class 3 Type P and R
- StarTech® reflective tape
- Superior tear- and abrasion-resistant fabric
- Double stitched, taped and heat sealed seams

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|----------|
| V1083150 | 5632 | Hi-Viz Orange | XS-5XL | \$119.50 |
| V1083160 | 5633 | Hi-Viz Yellow/Green | XS-5XL | \$119.50 |



FLAME RESISTANT SAFETY WEAR

Black



100% Cotton FR Interlock 7 oz. **Henley Shirts**

- 100% FR treated preshrunk cotton interlock knit, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UI Thermal Protective Performance (TPP): 15.2 cal/cm²
- Meets ASTM F1506-2018, NFPA 70E-15 and CSA Z462-15

332

PROD. NO.

V2580230

V2580270

· Sewn with inherently FR thread



\$59.40

FLAME-GARD®

S-5XL

4401

FR-Tech® Flame Resistant Safety Jackets

- Flame resistance and comfort combined
 FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 9 oz (340 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP) value: 9 cal/cm² 7773 CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 7774 CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- StarTech® FR reflective tape with aramid backing
- ATPV 10 cal/cm2 (Arc Thermal Protective Value) ARC 2 Arc Rating Category

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------|------------|----------|
| V2540810 | 7774 | Royal Blue | S-5XL | \$143.80 |
| V2540850 | 7773 | Hi-Viz Orange | S-5XL | \$143.80 |




| FR-TECH |
|-----------------------|
| Certified to ${f UL}$ |
| 0.0 |

#2

Flame Resistant **Modacrylic Underwear**

- · 4-way stretch Flame-Gard® material
- · Permanent flame resistant fabric, will not wash out
- · Flame resistance and comfort combined
- · Modacrylic blend jersey knit
- Antistatic
- ATPV 8.4 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category



FR/PU Waterproof Safety Jacket with pockets

FLAME-GARD

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-15 Class 3 Type P and R
- · 2 front patch pockets and flap closure with snaps

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------|------------|----------|
| V3520550 | 5892PKT | Hi-Viz Orange | XS-7XL | \$123.20 |


Flame Resistant Long-Sleeved **Cotton Safety Shirts**

- 100% FR treated preshrunk cotton, 7.5 oz (250 GSM)
- · Material and all components meet CGSB 155.20-2017
- · Thermal Protective Performance (TPP) value: 7.3 cal/cm²
- ATPV 9 cal/cm² (Arc Thermal Protective Value)

| ARC 2 Arc I | Rating Category | ' | | | |
|-------------|-----------------|--------|------------|---------|----------------|
| PROD. NO. | MOD. NO. | Colour | Size Range | Sale | FLAME-GARD |
| V2580450 | 339SFA | Orange | S-5XL | \$83.80 | |
| V2580470 | 340SFA | Black | S-5XL | \$83.80 | ² 2 |



4402



FR-Tech® Flame Resistant 7 oz Hi-Viz Safety Coveralls with Leg Zippers

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- 7705/7705T CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- 7706/7706T CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ATPV 10 cal/cm² (Arc Thermal Protective Value)

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------|------------|----------|
| V2540510 | 7706 | Royal Blue | 36-60 | \$170.90 |
| V254051T | 7706T | Royal Blue | 40T-60T | \$188.20 |
| V2540650 | 7705 | Hi-Viz Orange | 36-60 | \$170.90 |
| V254065T | 7705T | Hi-Viz Orange | 40T-60T | \$188.20 |





Petro-Gard® FR Jacket or Bib Pants

- 14 oz/yd² low smoke Neoprene on Dupont™ Nomex®
- Meets FR ASTM F1891-06 Standard Specifications for Arc and Flame Resistant Rainwear
- ARC 2 rating: ATPV 13.3 cal/cm², EBTAS 40.8 cal/cm², HAF 80.6%
- Meets CGSB 155.20-2000 Workwear for Protection Against Hydrocarbon Flash Fire

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|------------|----------|
| V2246450 | J160 400 | Orange | S-4XL | \$532.60 |
| V2246750 | P160 041 | Orange | S-4XL | \$305.10 |



FLAME-GARD

Flame Resistant PU Stretch **Hi-Viz Long Waterproof Coats**

FLAME-GARD

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR and ANSI/ISEA 107-15 Class 3 Type P and R

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|---------------------|------------|----------|
| V3520350 | 5896 | Hi-Viz Orange | S-5XL | \$149.20 |
| V3520360 | 5897 | Hi-Viz Yellow/Green | XS-5XL | \$149.20 |





FLAME RESISTANT SAFETY WEAR

Flame Resistant Quilted Cotton **Safety Parkas**

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- · Insulation: Modacrylic Viscose blend · Lining: 100% FR cotton
- · Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- Certified to III
- · Sewn with inherently FR thread
- · All metal components are concealed to ensure no arc flash conductivity
- · Average Thermal Protective Performance (TPP) value: 14.9 cal/cm2
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 58 cal/cm2 (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- · StarTech® FR reflective tape
- · Tough double-stitched seams
- Radiophone clip strap
- 5523 CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5533 CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 6.5 oz (220 GSM) modacrylic polyester FR insulation
- FR brass non-locking zipper
- Fleece hand warmers Underarm gussets for extra mobility
- 6 storage pockets: 2 back, 2 chest, 2 side
- · Action back, elastic waist and aramid storm cuffs



| Autori Buok, Guodio Walot and aranna Storm Guilo | | | | |
|--|----------|------------|------------|----------|
| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
| V2560210 | 5523 | Royal Blue | S-5XL | \$323.90 |
| V2560250 | 5533 | Orange | S-5XL | \$323.90 |



- · FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- Insulation: Modacrylic Viscose blend Lining: 100% FR cotton
- · Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- · Certified to UL
- · Sewn with inherently FR thread
- · All metal components are concealed to ensure no arc flash conductivity
- · Average Thermal Protective Performance (TPP) value: 14.9 cal/cm2
- · Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 58 cal/cm² (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- StarTech® FR reflective tape
- · Tough double-stitched seams
- · Radiophone clip strap

V2560311

V2560351

- 5524A CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5534A CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 5.3 oz (180 GSM) modacrylic polyester FR insulation
- 2-way FR brass non-locking zipper with storm placket
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- · Adjustable elastic suspenders and elastic waist

MOD NO

5524A

5534A

· 3/4 zipper plus snaps on each side Hammer loop





| υþ | · · | |
|----|------------|----------|
| | Size Range | Sale |
| | S-5XL | \$292.40 |
| | S-4XL | \$292.40 |

Flame Resistant Quilted Cotton **Safety Coveralls**

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- Insulation: Modacrylic Viscose blend
- Lining: 100% FR cotton
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- Certified to UI
- · Sewn with inherently FR thread
- · All metal components are concealed to ensure no arc flash conductivity
- Average Thermal Protective Performance (TPP) value: 14.9 cal/cm2
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 58 cal/cm² (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- · StarTech® FR reflective tape
- Tough double-stitched seams
- · Radiophone clip strap
- 5522A CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5532A CSA Z96-15 Class 3 Level 2 and Class 2 Level FR
- 6.5 oz (220 GSM) modacrylic polyester FR insulation
- · 2-way FR brass non-locking zipper
- 6 storage pockets: 2 back, 2 chest, 2 side
- · Action back, elastic waist and aramid storm cuffs
- Adjustable ankles
- 3/4 zinner nlus snans on each side


| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|------------|------------|----------|
| V2560111 | 5522A | Royal Blue | S-4XL | \$387.70 |
| V2560151 | 5532A | Orange | S-4XL | \$387.70 |

Hoods for Flame Resistant Ouilted Cotton Safety Parka or Coverall

Royal Blue

Orange






- Lining: 100% FR cotton
- · Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- · Certified to UL
- · Sewn with inherently FR thread
- · All metal components are concealed to ensure no arc flash conductivity
- · Average Thermal Protective Performance (TPP) value: 14.9 cal/cm2
- · Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 58 cal/cm² (Arc Thermal Protective Value)

Certified to **UL**

FR-TECH 24


- ARC 4 Arc Rating Category · Tough double-stitched seams
- · FR drawstring with toggle
- · Large hook and loop closure
- Concealed metal snap
- Snaps onto parka or coveralll





Certified to **UL**





HEADWEAR / GLOVES







· Helmet straps with button closure

Mechanic's Style Insulated

| PROD. NO. | MOD. NO. | Colour | Size | Sale |
|-----------|----------|--------|---------|---------|
| V4040180 | 564N | Navy | Fit-All | \$14.05 |
| V4040280 | 565N | Navy | Fit-All | \$17.55 |
| V4040380 | 566N | Navy | Fit-All | \$16.75 |



Size Range : S-XL

V5010560 | 5355

SALE \$8.75

Goatskin Driver Gloves



- 10 dz per case
- · Colour : Beige
- · Size Range : S-XL V5022700 | 535G

SALE

 Gold goatgrain one-piece palm

Ergonomic Glove

- Thinsulate® lined
- · Hang carded with UPC
- 1 dz/pkg
- Colour : Black Spandex Back
- Size Range : S-XL

V5040900 | 891

\$21.50

· One-piece palm Boa lined · Outside elastic,

- rubberized cuff By dozen or 6 dz/pkg
- · Colour : Yellow Back Size : Fit-All

V5080100 | 530B

\$10.60

Insulated Fitter's Cowgrain Gloves



· One-piece palm Foam lined red flannel

- · Outside elastic, polyethylene cuff
- · By dozen or 6 dz/pkg
- · Colour : Yellow Back

· Size: Fit-All V5080900 | 537FLRF

SALE

\$10.45

\$7.20

Insulated Fitter's Cowgrain Gloves



SALE

Outside elastic,

- · Size : Fit-All

V5081400 | 632

SALE \$11.95

Insulated Driver's Cowgrain Gloves

SALE

Insulated Fitter's Cowgrain Gloves



• Colour : Beige

 Size Range : M-XL V5080200 | 535FLRF

> SALE \$11.95

Insulated Fitter's Cowsplit Gloves



· Size : Fit-All

V5081200 | 630

SALE \$9.20

Insulated Fitter's Cowsplit Gloves



- · Boa lined
- Outside elastic
- · By dozen or 6 dz/pkg
- · Colour : Yellow Back
- · Size : Fit-All

V5081600 | 655

SALE \$8.00

Insulated Fitter's Cowsplit Gloves



· Brown one-piece palm

- Boa lined
- · Outside elastic, rubberized cuff
- · By dozen or 6 dz/pkg
- · Colour : Green Back
- Size : Fit-All V5081700 | 656

SALE

\$8.00

surewerx.com



BOOTS / PROTECTIVE SAFETY WEAR

PVC Plain Toe Boot

- · Generous, comfortable fit
- · Durable and flexible PVC shaft
- · Heavy-duty PVC compounded sole
- Puncture- and tear-resistant

| 2 cut-off | lines fo | or shorter | boot 1 | ormat | S |
|-------------------------------|----------|------------|--------|-------|---|
| | | | | | |

| • 2 cut-off line | es for shorter b | oot formats | | 46600 |
|------------------|------------------|-------------|------------|---------|
| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
| V4710170 | 1011 | Black | 3-13 | \$31.60 |

Steel Toe/Plate Chest Wader

- · CSA Class 1 steel toe/steel plate
- · Static dissipative
- · Canvas upper with heavy-duty .65 mm PVC coating
- · Adjustable elastic suspenders
- · Adjustable drawstring/toggle waist, front chest pouch
- PVC/nitrile outsole
- · High-frequency heat-sealed for 100 % waterproof seams
- Waist straps
- · Chemical resistant
- · Not recommended for prolonged standing in wet cement, wash frequently

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|------------|----------|
| V4720470 | 1043 | Black | 8-13 | \$137.90 |



Leather 6" Work Boots

- CSA class 1 steel toe/steel plate
- · Durable leather construction
- TPU protective bumper toe cap
 Moulded PU insole
- · Thermolite® insulation
- Premium slip resistant rubber outsole
- Superior comfort and design
- CSA Omega shock resistant

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|--------------------------|----------|
| V4610130 | 1026 | Brown | 7-11 (half sizes), 12-14 | \$170.00 |
| V4610170 | 1025 | Black | 7-11 (half sizes), 12-14 | \$170.00 |

Thermal Wool Blend Socks

- Thermal wool blend (5% wool, 90% polyester, 5% elastane)
- Warm terry knit
- · Extra long leg and cuff
- 1 dz/pkg

| PROD. NO. | MOD. NO. | Colour | Size | Sale |
|-----------|----------|-----------|---------|--------|
| V4800370 | 124B | Black Mix | Fit-All | \$5.05 |



Pioneer Boot Sockettes - pair

- · 2-layer thermo system: outside cotton to absorb moisture and inside acrylic fleece for insulation
- · Elastic ankle for good fit
- · Reinforced heel
- · For all rubber, plastic and work boots

| PROD. NO. | MOD. NO. | Colour | Size Range | Sale |
|-----------|----------|--------|---------------------|---------|
| V4800410 | P305 | Green | 4, 6, 8, 10, 12, 14 | \$13.25 |

Welding Bib Apron

- · Double lock stitching with T-90 5-ply Kevlar®
- · Green supple side-split leather
- · Riveted reinforcements at stress points
- 36" long
- · Front accessories bib pocket
- · Dual D-rings at waist
- · Wide adjustable suspenders with self-balancing
- spreader bar for maximum comfort
- Quick-release buckle

| PROD. NO. | MOD. NO. | Colour | Length | Sale |
|-----------|----------|--------|--------|---------|
| V2340120 | AP 100 | Green | 36" | \$76.05 |



Welding Sleeves - pair

- 23" long
- Sold in pairs
- · Protects arms and front of shoulders
- · Comfortable easy-moving strap system for around the neck
- · Adjustable cuffs for best fit

| PROD. NO. | MOD. NO. | Colour | Length | Sale |
|-----------|----------|--------|--------|---------|
| V2340920 | SL 100 | Green | 23" | \$72.55 |

Welding Legging - pair

- 14" upper
- · Pearl grey heat-resistant
- rugged side-split cowhide
- Hook and loop closure
- Shin protector Wool lined
- · Adjustable metal stay in flare Reinforcing rivets at stress points

PROD. NO. MOD. NO. Sale V2349820 63058 Pearl Grev Fit-All \$111.25



TRAFFIC SAFETY



Barricade Light

- · Can be used with delineator post, traffic drum or A-frame barricade using 175B bolt in middle of battery holder
- Rugged polycarbonate lens with advanced optics for increased visibility and durability
- · Tamper-proof switch

V6020260 | 177



\$27.55

28" (71 cm) Premium PVC Flexible Safety Cone

• Factory-attached 4" and 6" high-luminance Type 3 bands for superior visibility

- Soft, high-quality, injectionmoulded PVC
- Hi-viz colour with UV protection
- Colour : Orange Weight : 7 lb
- Height: 28"

V6200550 | 183



\$30.80

\$18.45

 Soft, high-quality, injection-moulded PVC · Hi-viz colour with UV protection · One-piece design for strength

28" (71 cm) Premium PVC

Flexible Safety Cone

- and durability Colour : Orange
- Weight: 7 lb

• Height : 28" V6200650 | 183P

SALE

\$26.45

T-Top 47" (120 cm) **Delineator Post**



SALE

SALE

· High-visibility reflective post . Two 4-inch high-intensity

Compact storage

V6210150 | 191

base sold separately

\$18.45

Loop Top 44" (112 cm) **Delineator Post**

SALE

- · High-visibility reflective post
- Two 4-inch high-intensity Type 3 reflective bands at the top of the post
- Compact storage
- Colour : Orange • Height: 44"
- V6210250 | 192

base sold separately





- Rubber
- · Easy-carry hand hold
- · Colour : Black
- Weight: 11 lb

V6220170 | 201

SALE

\$14.75

Delineator Base



· Easy-carry hand hold

Rubber

Colour : Black • Weight: 13.2 lb

V6220270 | 202

SALE

\$18.45

Delineator Base



Rubber

- Easy-carry hand holdColour : Black
- Weight: 17.6 lb

V6220370 | 203

SALE

SALE

\$22.05

LED 21" Traffic Baton



- grip and nylon lanyard Six LED lights and a
- reflector holder for maximum visibility · Colour : Orange
- Length: 21"

V6020450 | 429

SALE

\$11.50

Polyester Flag with Reflective Tape on Both Sides

- Durable polyester woven material Dowel sleeve
- 3 grommets on the side Folded over and sewn
- on all edges for superior durability Colour : Hi-Viz Orange
- Dimensions: 25.6" x 19.7" V6300360 | 353

SALE \$7.90

Wooden Dowel Rods for Traffic Flag



| PROD. NO. | MOD. NO. | Length | Sale |
|-----------|----------|--------|--------|
| V6301340 | 458 | 24" | \$3.80 |
| V6301440 | 459 | 36" | \$4.30 |

"Danger" Tapes



- · Visual barricade tape to block off designated areas
- · Can be used indoor or outdoor

| PROD. NO. | MOD. NO. | Colour | Length | Sale |
|-----------|----------|-------------------------|--------|---------|
| V6310160 | 388 | Black on red background | 200' | \$3.15 |
| V6310260 | 389 | Black on red background | 1,000' | \$11.95 |



Qwik Grip Mid-Sole - Defined Heel



- · Wedge fit design to help provide proper fit on DEFINED HEEL footwear
- · Reflective hi-visibility, adjustable elastic strap for added safety
- 8 Tungsten carbide spikes per pair, helps provide stable grip on icy walking surfaces
- Natural rubber and saddle design provide comfort and maximum durability in extreme cold conditions
- Wedge Shape Traction Aids easily rotates to side or top of foot when not in use, removing surface contact and allowing the operator to avoid damaging sensitive surfaces
- Ideal when transitioning from indoor-to-outdoor-to-indoor use as well as for drivers, delivery personnel and machine operators where use of a full coverage traction aid may interfere with driving capabilities
- One size fits most

| PROD. NO. | Number of spikes | Size | Sale |
|-----------|------------------|---------|---------|
| V3551070 | 8 per pair | Fit-All | \$32.00 |

Qwik Grip Mid-Sole - Non Defined Heel



- · Slim fit design to help provide proper fit on NON-DEFINED HEEL footwear
- · Reflective hi-visibility, adjustable elastic strap for added safety
- 8 Tungsten carbide spikes per pair, helps provide stable grip on icy walking surfaces
- Natural rubber and saddle design provide comfort and maximum durability in extreme cold conditions
- Low Profile Traction Aids easily rotates to side or top of foot when not in use, removing surface contact and allowing the operator to avoid damaging sensitive surfaces
- Ideal when transitioning from indoor-to-outdoor-to-indoor use as well as for drivers, delivery personnel and machine operators where use of a full coverage traction aid may interfere with driving capabilities
- · One size fits most

| PROD. NO. | Number of spikes | Size | Sale |
|-----------|------------------|---------|---------|
| V3551170 | 8 per pair | Fit-All | \$32.00 |

Qwik Grip Mid-Sole - Mid-Profile Heel



- · Mid-Profile design to help provide proper fit on footwear with MID-HEIGHT HEEL
- · Reflective hi visibility, adjustable elastic strap for added safety
- 8 Tungsten carbide spikes per pair, helps provide stable grip on icy walking surfaces
- Natural Rubber and saddle design provide comfort and maximum durability in extreme cold conditions.
- Traction Aids easily rotates to side or top of foot when not in use, removing surface contact and allowing the operator to avoid damaging sensitive surfaces
- Ideal when transitioning from indoor-to-outdoor-to-indoor use as well as for drivers, delivery personnel and machine operators where use of a full coverage traction aid may interfere with driving capabilities
- One size fits most

| PROD. NO. | Number of spikes | Size | Sale |
|-----------|------------------|---------|---------|
| V3553270 | 8 per pair | Fit-All | \$32.00 |

Heel Traction Aid



Replaceable
"Military" Grade
Tungsten Carbide
Spikes



- Convenient hook and strap with adjustment system provides a quick, easy, comfortable and secure fit on a wide variety of footwear
- 4 Tungsten Carbide Due North® Ice Diamond™ spikes, along with bi-directional tread provides powerful traction with maximum grip
- Exclusive specially formulated 100% natural rubber provides maximum flexibility & durability in extreme cold conditions
- The flip-up position allows the operator to avoid damaging sensitive surfaces by removing the spikes from surface contact
- Ideal for drivers, delivery personnel and machine operators where use of a full coverage traction aid may interfere with driving capabilities
- · One size fits most

| PROD. NO. | Number of spikes | Size | Sale |
|-----------|------------------|---------|---------|
| V3550470 | 8 per pair | Fit-All | \$30.90 |

ICE & SNOW TRACTION AIDS











- Repositioned Military Grade Tungsten Carbide Ice Diamond™ spikes provide comfort under the foot and improve traction carbide
- · Spike patterns strategically placed at the heel and front of the sole, leaving the mid-sole area open for safe ladder use - No need to remove our traction aids when climbing or descending ladders (mid-sole models excluded)
- · Improved heel fit for enhanced performance
- · Molded-In Retention Strap attachment points, for use with optional retention strap (sold separately)
- · Industrial grade sole offers unparalleled grip, maximum durability and superior safety
- 16 Tungsten Carbide spikes per pair for tough applications
- · Specially formulated 100% natural rubber provides maximum flexibility & durability in extreme cold conditions
- · Geometrically designed strap webbing and improved shape fit a greater variety of footwear
- "Pulse Grip" tread pattern and textured "Diamond Knurling" inner lining. grips the footwear, keeping traction aids stable and in place

| PROD. NO. | Number of spikes | Size Range | Sale |
|-----------------|------------------|------------|---------|
| V3550370-S to L | 16 per pair | S-L | \$39.55 |
| V3550370-XL | 16 per pair | XL | \$46.75 |

All Purpose Traction Aid



ICE DIAMOND Replaceable "Military" Grade Tungsten Carbide Snikes



- · Enhanced 100% natural rubber compound provides added traction and secure fit while retaining elasticity in subzero temperatures
- · Geometrically designed top webbing and improved shape provides a more comfortable fit on a greater variety of footwear
- · Knurled, textured lining and a wide, thick heel strap grips footwear better and helps keep traction aids in place for longer wear and optimal performance
- 6 Tungsten Carbide Due North® Ice Diamond™ Spikes, along with the bi-directional tread, provides powerful traction with maximum grip
- · Spike patterns have been strategically placed at the heel and front of the sole, leaving the mid-sole area open for safe ladder use
- · Specially designed "Pulse Grip" tread pattern
- · Industrial grade sole offers unparalleled grip, maximum durability and superior operator safety

| PROD. NO. | Number of spikes | Size Range | Sale |
|-----------------|------------------|------------|---------|
| V3550270-S to L | 12 per pair | S-L | \$35.65 |
| V3550270-XL | 12 per pair | XL | \$42.05 |

Heavy Duty Industrial Traction Aids



- · Industrial grade sole is made from an exclusive rubber compound that features unparalleled grip, maximum durability in ice/snow conditions and superior operator safety
- · Integral retention strap ensures a secure fit in all conditions
- Ice Diamond™ Military Grade Tungsten Carbide spikes last longer and hold an ice piercing edge better than steel
- 14 strategically placed molded-in spikes, maximize traction while virtually eliminating the possibility of spikes coming out, even in extreme conditions
- Spike patterns have been strategically placed at the heel and front of the sole, leaving the mid-sole area open for safe ladder use
- Specially designed "snow" tread pattern ensures maximum slip resistance
- · Textured "Diamond Knurling" inner lining grips the footwear, keeping traction aids stable and in place

| PROD. NO. | Number of spikes | Size Range | Sale |
|-----------------|------------------|------------|---------|
| V3550570-S to L | 28 per pair | S-L | \$59.45 |
| V3550570-XL | 28 per pair | XL | \$67.40 |

Light Industrial Traction Aids



Replaceable "Militarv" Grade Tungsten Carbide Spikes



- · Special rubber compound stays strong and retains elasticity in subzero temperatures for maximum durability
- . 6 Ice Diamond™ Military Grade Tungsten Carbide spikes are integrated into a proprietary rubber tread design from improved traction
- New and improved toe-box design enhances fit and function along with a 360-degree spike pattern that provides more push and lateral grip
- · Unique support hole on heel strap provides easy adjustments and makes it easy
- · Spike patterns have been strategically placed at the heel and front of the sole, leaving the mid-sole area open for safe ladder use – no need to remove our traction aids when climbing or descending ladders (mid-soles models excluded)
- · Improved toe-box design enhances fit and function
- · A low-cost solution for light duty, intermittent use work environments

| PROD. NO. | Number of spikes | Size Range | Sale |
|------------------|------------------|------------|---------|
| V3550170-S to XL | 6 per boot | S-XL | \$26.60 |

Compliance Harness - 1D -Class A - Pass-Thru Buckles

· Certified to both CSA Z259.10 and

. 3 points of adjustment ensuring a

· Pass-Thru chest and leg buckles

V8001000 FBH-10002A

ANSI Z359.11 standards

good fit (2 leg, 1 chest)

· High visibility colour




Compliance Harness - 1D -Class A - Pass-Thru Chest **Buckle - Grommeted Lea** Straps

- · Certified to both CSA Z259.10 and ANSI Z359.11 standards
- · High visibility colour
- . 3 points of adjustment ensuring a good fit (2 leg, 1 chest)
- · Pass-Thru chest and leg buckles

V8001200 FBH-10022A

Contractor Harness - 1D -Class A - Pass-Thru Buckles



- · High visibility colour
- · Fully adjustable for a universal fit . 5 points of adjustment ensure a
- good fit (2 leg, 2 torso, 1 chest)

V8002000 FBH-10000A

SALE

\$39.30

SALE

\$47.50

\$151.75

SALE

\$51.75

Contractor Harness - 1D -Class A - Pass-Thru Chest **Buckle - Grommeted Leg Straps**

- · Certified to both CSA Z259.10 and ANSI Z359.11 standards
- · High visibility colour · Fully adjustable for a universal fit
- . 5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)

V8002200 FBH-10020A

SALE \$51.95

PeakPro Harness - 1D -Class A - Stab Lock Chest **Buckle**



- · High visibility colour
- · Fully adjustable for a universal fit
- . 5 points of adjustment ensuring a good fit (2 leg, 2 torso, 1 chest)
- Stab Lock chest buckle

V8006100 FBH-60110A



- . Two-tone colour scheme for ease
- good fit (2 leg, 2 torso, 1 chest)
- Stab Lock chest buckle and grommeted leg straps for quick donning



\$166.75

V8006200 FBH-60120A

PeakPro Plus Harnesses with Positioning Belt

- 5D Class APE
- New upgraded harness
 Aluminum hardware to prevent corrosion and reduce weight
- Stab Lock buckles for quick and easy donning and doffing
- Webbing designed to show red indicator
 to facilitate inspections
 Upgraded padding for added comfort and durability
- Trauma strap installed on harness
- Certified to CSA Z259.10



PeakPro Plus Harnesses

- 1D Class A
- Upgraded Peakpro Plus Harness Class A
- Aluminum hardware to prevent corrosior and reduce weight
- Stab-lock buckles for quick and easy donning
- and doffing
 Webbing designed to show red indicator
- to help inspections
 Upgraded padding for added comfort and durability
- Trauma strap installed on harness
- Certified to CSA Z259.10

| PROD. NO. | MOD. NO. | Size | Class | Sale |
|-----------|----------------|------|-------|----------|
| V8005101 | FBH-70110A-S | S | Α | \$295.25 |
| V8005102 | FBH-70110A-M | M | Α | \$295.25 |
| V8005103 | FBH-70110A-L | L | Α | \$295.25 |
| V8005104 | FBH-70110A-XL | XL | Α | \$295.25 |
| V8005105 | FBH-70110A-XXL | XXL | Α | \$295.25 |

SALE

PeakPro Plus Harnesses

- 3D Class AP
- Upgraded Peakpro Plus Harness Class AP Aluminum hardware to prevent corrosion and reduce weight
- Stab-lock buckles for quick and easy donning
- and doffing
 Webbing designed to show red indicator
- to help inspections
 Upgraded padding for added comfort
- and durability Trauma strap installed on harness
- . Certified to CSA Z259.10

| PROD. NO. | MOD. NO. | Size | Class | Sale |
|-----------|----------------|------|-------|----------|
| V8005111 | FBH-70110B-S | S | AP | \$326.25 |
| V8005112 | FBH-70110B-M | M | AP | \$326.25 |
| V8005113 | FBH-70110B-L | L | AP | \$326.25 |
| V8005114 | FBH-70110B-XL | XL | AP | \$326.25 |
| V8005115 | FBH-70110B-XXL | XXL | AP | \$326.25 |

SALE

Confined Space Kit: Davit System, 3-Way 60' (18 m) SRL, 65' (20 m) Man Winch

- Davit system includes (Davit, Type 3 Rescue SRL & man/material winch)
- . 60' (18 m) type 3 SRL with 3/16" (5 mm) Galvanized Steel Cable and Snap Hook (V845534060)
- . 65' (20 m) Man Winch with 3/16" (5 mm) Cable and Swivel Hook (V84537065)
- Lightweight · High Strength
- · Easy fast set up

V85043 DSK3-60



- 3/16" (5 mm) Galvanized Steel Cable and Snap Hook (V845534060)

SALE \$2,486.25



- Tripod (V85011) • 60' (18 m) type 3 SRL with
- 3/16" (5 mm) Galvanized Steel Cable and Snap Hook (V845534060)
- 65' (20 m) Man Winch with 3/16" (5 mm) Cable and Swivel Hook (V84537065)
- Bag (BAG-005) V85026 CSK3-60

\$3,070.95

surewerx.com



• Tripod (V85011) • 60' (18 m) type 3 SRL with Bag (BAG-005) V85024 CSK1-60





FALL PROTECTION






E4 Shock Absorbing Lanyards

- · Certified to CSA Z259.11-05 standards
- Made with a superior grade, heavy-duty 1-3/4" (45 mm) or 1" (25 mm) polyester webbing for maximum strength or 1/4" (6 mm) galvanized plastic coated cable, with tear webbing shock absorber

| PROD. NO. | MOD. NO. | Length/Configuration | Sale |
|-----------|------------|--|----------|
| V8103172 | SA-3207-2 | 18" (46 mm), single leg | \$40.75 |
| V8104103 | SA-3400-3 | 3' (0.9 m), single leg | \$35.25 |
| V8104104 | SA-3400-4 | 4' (1.2 m), single leg | \$38.95 |
| V8104106 | SA-3400-6 | 6' (1.8 m), single leg | \$41.45 |
| V8104106A | SA-3400-6A | 6' (1.8 m), single leg, adjustable | \$50.85 |
| V8104124 | SA-3402-4 | 4' (1.2 m), single leg | \$65.85 |
| V8104126 | SA-3402-6 | 6' (1.8 m), single leg | \$68.25 |
| V8104126A | SA-3402-6A | 6' (1.8 m), single leg, adjustable | \$77.65 |
| V8104154 | SA-3405-4 | 4' (1.2 m), single leg | \$55.95 |
| V8104156 | SA-3405-6 | 6' (1.8 m), single leg | \$58.25 |
| V8104204 | SA-44000-4 | $4^{\mbox{\tiny t}}$ (1.2 m), double leg, 100% tie off | \$61.75 |
| V8104206 | SA-44000-6 | 6' (1.8 m), double leg, 100% tie off | \$66.95 |
| V8104224 | SA-44022-4 | 4' (1.2 m), double leg, 100% tie off | \$97.25 |
| V8104226 | SA-44022-6 | 6' (1.8 m), double leg, 100% tie off | \$102.50 |
| V8104256 | SA-44055-6 | 6' (1.8 m), double leg, 100% tie off | \$120.25 |
| V8108104 | SA-4500-4 | 4' (1.2 m), single leg | \$68.95 |
| V8108106 | SA-4500-6 | 6' (1.8 m), single leg | \$74.25 |
| V8108124 | SA-4502-4 | 4' (1.2 m), single leg | \$95.25 |
| V8108224 | SA-45522-4 | 4' (1.2 m), double leg 100% tie off | \$160.95 |
| V8108226 | SA-45522-6 | 6' (1.8 m), double leg 100% tie off | \$166.25 |



E6 Shock Absorbing Lanyards





- Certified to CSA Z259.11-05 standards
- Made with a superior grade, heavy-duty 1-3/4" (45 mm) or 1" (25 mm) polyester webbing for maximum strength or 1/4" (6 mm) galvanized plastic coated cable, with tear webbing shock absorber
- . A tear-away absorber limits the arrest force to a maximum of 1,300 lb (6 kN)

| PROD. NO. | MOD. NO. | Length/Configuration | Sale |
|-----------|------------|--------------------------------------|----------|
| V8104304 | SA-7400-4 | 4' (1.2 m), single leg | \$56.25 |
| V8104306 | SA-7400-6 | 6' (1.8 m), single leg | \$58.50 |
| V8104324 | SA-7402-4 | 4' (1.2 m), single leg | \$79.25 |
| V8104326 | SA-7402-6 | 6' (1.8 m), single leg | \$81.25 |
| V8104404 | SA-84000-4 | 4' (1.2 m), double leg, 100% tie off | \$74.75 |
| V8104406 | SA-84000-6 | 6' (1.8 m), double leg, 100% tie off | \$76.75 |
| V8104424 | SA-84022-4 | 4' (1.2 m), double leg, 100% tie off | \$105.75 |
| V8104426 | SA-84022-6 | 6' (1.8 m), double leg, 100% tie off | \$109.90 |

Shock Absorbing Lanyard - POY





- · Certified to CSA Z259.11-05 standards
- · Made with a superior grade, heavy-duty tubular polyester outer jacket webbing with POY core
- . A full-length internal energy absorber limits the arrest force to 900 lb (4 kN) maximum

| PROD. NO. | MOD. NO. | Length/Configuration | Sale |
|-----------|------------|-------------------------------------|----------|
| V8101104 | SA-1000-4 | 4' (1.2 m) - Single Leg | \$41.50 |
| V8101106 | SA-1000-6 | 6' (1.8 m) - Single Leg | \$44.50 |
| V8101124 | SA-1002-4 | 4' (1.2 m), single leg | \$68.25 |
| V8101126 | SA-1002-6 | 6' (1.8 m), single leg | \$71.05 |
| V8101204 | SA-20000-4 | 4' (1.2 m), double leg 100% tie off | \$78.95 |
| V8101206 | SA-20000-6 | 6' (1.8 m), double leg 100% tie off | \$81.75 |
| V8101224 | SA-20022-4 | 4' (1.2 m), double leg 100% tie off | \$121.85 |
| V8101226 | SA-20022-6 | 6' (1.8 m), double leg 100% tie off | \$127.15 |

E4 Integrally Connected Rope Grab (100 - 254 lb capacity) **E6 Integrally Connected Rope Grab** (200 - 386 lb capacity)

- Certified to CSA Z259.2.5-17 standards
- · Made with a superior grade, heavy-duty 1-3/4" (45 mm) or 1" (25 mm) polyester webbing for maximum strength or 1/4" (6 mm) galvanized plastic coated cable, with tear webbing shock absorber

| PROD. NO. | MOD. NO. | Class | Length/Configuration | Sale |
|-----------|-----------|-------|------------------------|---------|
| V8103162 | SA-3206-2 | E4 | 2' (0.6 m), single leg | \$79.75 |
| V8103362 | SA-7206-2 | E6 | 2' (0.6 m), single leg | \$93.50 |



Vertical Lifelines - Snap Hook & Back Splice

- · Certified to CSA Z259.2.5-17 and meets ANSI Z359 standards
- · Specially designed from rope made using high-strength polysteel
- 5/8" (16 mm) in diameter
- Minimum breaking strength 6,000 lb (27 kN)
- . Back splice at the trailing end to prevent the rope grab from coming off the end of the lifeline

| PROD. NO. | MOD. NO. | Length | Sale |
|-----------|-------------|---------------|----------|
| V84014025 | VL-1125-25 | 25' (7.6 m) | \$49.95 |
| V84014050 | VL-1125-50 | 50' (15.2 m) | \$68.45 |
| V84014100 | VL-1125-100 | 100' (30.5 m) | \$110.50 |



sellst.rom.

Type 1 Front Brim Hard Hats

- Certified to CSA Z94.1, Type 1, Class E
- Certified to ANSI/ISEA Z89.1, Type I,

| Class E & G requ | irements | | |
|------------------|---------------|---------|---------|
| PROD. NO. | Colour | List | Sale |
| \$69100 | White | \$15.02 | \$12.80 |
| \$69110 | Yellow | \$15.02 | \$12.80 |
| \$69120 | Orange | \$15.02 | \$12.80 |
| \$69130 | Red | \$15.02 | \$12.80 |
| \$69140 | Blue | \$15.02 | \$12.80 |
| \$69160 | Hi-Viz Yellow | \$15.02 | \$12.80 |

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Type 1 Full Brim Hard Hats

· Certified to CSA Z94.1, Type 1, Class E · Certified to ANSI/ISEA Z89.1,

Type I, Class E & G requirements

| . , po ., o.a.o o | a roquirornonto | | |
|-------------------|-----------------|---------|---------|
| PROD. NO. | Colour | List | Sale |
| \$69200 | White | \$20.17 | \$17.15 |
| \$69210 | Yellow | \$20.17 | \$17.15 |
| \$69220 | Orange | \$20.17 | \$17.15 |
| \$69230 | Red | \$20.17 | \$17.15 |
| \$69240 | Blue | \$20.17 | \$17.15 |
| \$69260 | Hi-Viz Yellow | \$20.17 | \$17.15 |

S96110

Type 2 Front Brim Hard Hats

- Certified to CSA Z94.1, Type 2, Class E
- · Certified to ANSI/ISEA Z89.1, Type II, Class E & G requirements

| PROD. NO. | Colour | List | Sale |
|-----------|---------------|---------|---------|
| \$69300 | White | \$41.12 | \$35.00 |
| \$69310 | Yellow | \$41.12 | \$35.00 |
| \$69320 | Orange | \$41.12 | \$35.00 |
| \$69330 | Red | \$41.12 | \$35.00 |
| \$69340 | Blue | \$41.12 | \$35.00 |
| \$69360 | Hi-Viz Yellow | \$41.12 | \$35.00 |

KneePro Knee Pads

- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/ outside of the knee for added knee and leg protection
- Metal rivet hinge ensures long lasting protection while kneeling or walking
- The new KneePro Hybrid Ultra Flex III offers all of the same legendary features as the KneePro Ultra Flex III pad but has the added advantage of a built in GEL pack for added comfort and fit

| PROD. NO. | Description | List | Sale |
|-----------|--|---------|---------|
| S96110 | KneePro Ultra Flex III Knee Pad | \$38.82 | \$33.00 |
| S96211 | KneePro Hybrid Ultra Flex III Knee Pad | \$51.10 | \$43.45 |

HPS428 Premium Cap Mounted Ear Muff

NRR Rating 28 dB

- · Designed to mount on to most brands of slotted hard hats
- · Cup pads are soft and comfortable - ideal for extended use
- · Strong stainless steel wire swivel fork arms ensure strength and durability

S23409 | List \$16.32



SALE

\$13.90

and comfortable

NRR Rating

27 dB

· Low profile slim design is ultra-lightweight · Folds into a very compact, easy-to-store size

· Our most popular premium series ear muff

HP427 Premium Ear Muff

S23404 | List \$17.90



S96211

\$15.25

H225 Ear Muff

NRR Rating 25 dB

- · Comfortable, lightweight and economically priced
- Dielectric protect you from electric shocks and shorts
- · Cup pads are soft and comfortable - ideal for extended use

S23401 | List \$9.95



SALE

\$8.50

Ear Plugs - Premium Banded

NRR Rating 25 dB

- · Banded ear plugs are designed to wear around the neck when not in use
- · Ensures workers always have quality hearing protection when required
- Ideal for regular and intermittent applications easily installed or removed

S23430 | List \$4.07



SALE

\$3.50

PERSONAL PROTECTIVE EQUIPMENT (PPE)



sellstrom.

Premium Series Welding Helmet with Extra Large Blue Lens Technology ADF

- Dual band variable shade control 5-9 (cutting) / 9-13 (welding)
- · Wider viewing area for difficult work angles: 3.27" x 3.94"
- · Fully digital operation: shade, sensitivity, delay and weld/grind control
- · Grind mode includes warning indicator
- Features state-of-the-art Blue Lens Technology, allowing the user to experience true color vision
- · Memory function stores 3 options for future use • Can be used for TIG > 5 amps / MIG / Stick
- Meets ANSI Z87.1 and CAN/CSA Z94.3 standards

S26400 | List \$270.84



\$230.25

SALE

Advantage Plus Series Welding Helmet with Large ADF

- Large viewing window: 2.36" x 3.94"
- Adjustable sensitivity and delay controls
- Solar and battery operated
- Grind mode includes warning indicator
- Can be used for TIG > 5 amps / MIG / Stick
- · Comfortable lock/unlock push and twist
- ratcheting head gear adjustment Meets ANSI Z87.1 and CAN/CSA Z94.3 standards

S26200 | List \$148.84

SALE

\$126.55

Advantage Series Welding Helmet with ADF



- Viewing window: 3.54" x 1.57"
- Variable shade control 9-13
- Adjustable 3-position sensitivity control: L/M/H
- · Adjustable 3-position delay control: S/M/F
- · Grind mode with external selector switch
- Can be used for TIG > 5 amps / MIG / Stick
- Meets ANSI Z87.1 and CAN/CSA Z94.3 standards

S26100 | List \$88.75

Welding Blankets

• Brass grommets at 18" centres Certified to meet ANSI/FM 4950 SALE \$75.45



| PROD. NO. | Description | Colour | List | Sale |
|-----------|---|--------|----------|----------|
| S97605 | 18 oz Silica Cloth - 6' x 8' | Tan | \$170.51 | \$144.95 |
| S97608 | 24 oz Acrylic Coated Fibreglass - 6' x 6' | Yellow | \$58.24 | \$49.55 |
| S97620 | 16 oz Acrylic Coated Fibreglass - 6' x 6' | Salmon | \$54.67 | \$46.50 |
| S97624 | 16 oz Carbon Felt - 6' x 6' | Black | \$179.35 | \$152.45 |
| S97625 | 16 oz Carbon Felt - 6' x 8' | Black | \$228.26 | \$194.05 |



· Certified to meet ANSI/FM 4950

Welding Fabrics

| PROD. NO. | Description | Colour | List | Sale |
|-----------|---|--------|----------|----------|
| \$97660 | 18 oz Uncoated Fibreglass Roll - 60" x 50 yd | White | \$607.17 | \$516.10 |
| \$97661 | 24 oz Acrylic Coated Fibreglass Roll - 40" x 50 yd | Yellow | \$896.54 | \$762.10 |
| S97662 | 16 oz Acrylic Coated Fibreglass Roll - 60" x 50 yd | Salmon | \$658.91 | \$560.10 |

Welding Curtains



- 14 mil transparent vinyl material
- Sewn hem with grommets on 12" centres

| • | Meets | ANSI/HVI | 4950 and | NFPA 701 | |
|---|---------|-----------|----------|----------|--|
| • | ivieets | ANSI/FIVI | 4950 and | NFPA /UI | |

| PROD. NO. | Description | Colour | List | Sale |
|-----------|---------------------------|--------|---------|---------|
| \$97301 | Welding Curtain - 6' x 8' | Orange | \$59.47 | \$50.55 |
| \$97307 | Welding Curtain - 6' x 8' | Yellow | \$59.47 | \$50.55 |
| \$97313 | Welding Curtain - 6' x 8' | Green | \$59.47 | \$50.55 |

Welding Curtain Frames





· Comes with cable zip ties and easy assembly instructions

| PROD. NO. | Colour | Dimensions | List | Sale |
|-----------|--------|---------------------------|---------|---------|
| \$97470 | Black | 6' x 6' x 1" square tube | \$89.45 | \$76.05 |
| S97471 | Grey | 6 'x 6' x 7/8" round tube | \$81.63 | \$69.40 |

Welding Fabrics



· Certified to meet ANSI/FM 4950

| PROD. NO. | Description | Colour | List | Sale |
|-----------|--|--------|------------|------------|
| \$97663 | 18 oz Silica Cloth Roll - 60" x 50 yd | Tan | \$1,512.44 | \$1,285.60 |
| \$97664 | 16 oz Carbon Felt Roll - 72" x 50 yd | Black | \$3,481.17 | \$2,959.00 |
| \$97665 | 32 oz Silicone Coated Fibreglass Roll - 40" x 50 yd | Red | \$1,489.26 | \$1,265.90 |
| \$97666 | 32 oz Silicone Coated Fibreglass Roll - 60" x 50 yd | Red | \$2,389.20 | \$2,030.85 |