TOROMONT Pump Systems

YOUR COMPLETE PUMP SOLUTIONS PROVIDER SALES • RENTAL • SERVICE



Complete Pump System Design and Supply 24 Hour Emergency Service

APPLICATIONS

- Dewatering
 - Construction
 - Mining
 - Quarries
- Bypass
 - Sewer
 - Creek
 - Wastewater
- Emergency Response
- Environmental
- Liquid Transfer

PUMP SERVICE

- Maintenance
- Pump Repairs
- Plant Shutdowns
- Troubleshooting

Call Toromont to Service your Pump!

1-844-PUMP-365

www.toromontcat.com/pumps



TOROMONT Pump Systems

ENGINEERED PUMP SYSTEMS

A PUMP SOLUTION FOR EVERY APPLICATION

Toromont Pump Systems offers a complete line of Gorman-Rupp products to meet all your pumping needs. The pump product line includes such options as:

- Engine, Electric or Hydraulic Driven
- . Highway or Site Wheel Kits
- Casing Heaters
- Call-Out boxes
- Float Options (transducers or mechanical)
- Sound Attenuated Enclosures
- Metalurgy (Gray Iron, SS, CD4MCu)



Prime Aire® & Prime Aire Plus®

Size: 3" (76.2 mm) to 16" (406.4 mm) Max. Capacity: 15,000 gpm (947 lps) Max. Head: 575' (175 m)



Prime Aire® & Super T Series® Engine Driven Silent Pump

Size: 4" (101.6 mm) to 12" (304.8 mm) Max. Capacity: 6,200 gpm (391.1 lps) Max Head: 195' (59.4 m)



Super T Series® Engine or Electric Driven

Size: 4" (101.6 mm) to 10" (254.0 mm) Max. Capacity: 3,500 gpm (220.8 lps) Max. Head: 140' (42.7 m)



HS Series®

Size: 3" (76.2 mm) to 6" (152.4 mm) Max. Head: 175' (53.3 m) Max. Solids: 5" (127 mm)

Ultra V Series®

Size: 3" (76.2 mm) to 6" (152.4 mm)

Max. Capacity: 1,825 gpm (115.0 lps) Max. Head: 175' (53.3 m)

Engine or Electric Driven

Pump Systems Service

- Maintenance Troubleshooting
- Plant Shutdowns
- Pump Repairs

Call Toromont for all your Pump Service! 1-844-PUMP-365



S Series® Slimline and Widebase

Size: 1.5" (38.1 mm) to 12" (304.8 mm) Max. Capacity: 7,100 gpm (447.9 lps)
Max. Head: 600' (182.9 m)
Max. Solids: 1" (25.4 mm)



Hydraulic Driven

Max. Capacity: 1,500 gpm (94.6 lps)

EQUIPMENT TO COMPLETE YOUR PUMP SYSTEM

Other Accessories:

- Spill Containment
- Floatation Devices
- Distribution Panels
- Electrical Cables
- Transformers



Pipe, Hose, and Accessories

Pipe: HDPE, Galvanized Steel Hose: Suction, Discharge, Layflat Connections: Cam-Locks, Bauer, Barbs Fittings: Gate Valves, Tees, Elbows, Strainers, Reliefs, Reducers/Expanders



Generators

Size: 13 kW to 2000 kW Phase: Single Phase or Three Phase Voltage: 120V, 240V, 480V, 600V



Portable Fuel Tanks

Size: 450 L to 10,000 L Approvals: Meets TSSA Requirements and Transport Canada Guidelines Construction: Double Wall with Fork pockets

TOROMONT PUMP SYSTEMS OFFERS YOU:

- Engineered Pump Systems
- System Calculations including Series and Parallel Pumping
- Reliable Pipe, Hoses, Valves, and Accessories

- 24 Hour Service
- On-Site System Assistance and Training
- Generators, Fuel Cubes




Creek Bypass

prime-assisted pumps with HDPE and galvanized steel Bauer pipe



Sewage Bypass PAH Series high head pump




Quarry Dewatering 8" S Series submersible pump



Hydraulic Submersible fits standard 24" manhole and passes a 5" solid



Municipality Compliant 70 dBa enclosed pumps for noise sensitive applications



galvanized steel Bauer pipe with prime-assisted pump

PUMPS FOR RENT

Whether your need is temporary sewage bypass, flood control, river diversion, dam construction, or general site dewatering, Toromont has the right pump for the job.





1-844-PUMP-365

www.toromontcat.com/pumps